

A CENSUS OF THE VASCULAR PLANTS OF TASMANIA, INCLUDING MACQUARIE ISLAND

MF de Salas & ML Baker

2017 edition

Tasmanian Vascular Plant Census 2017

A Census of the Vascular Plants of Tasmania, including Macquarie Island.

2017 edition

MF de Salas and ML Baker

Postal address:

Tasmanian Herbarium
PO Box 5058
UTAS LPO
Sandy Bay, Tasmania 7005
Australia

Street address:

College Road
Sandy Bay, Tasmania 7005
Australia

© Tasmanian Herbarium, Tasmanian Museum and Art Gallery

Published by the Tasmanian Herbarium, Tasmanian Museum and Art Gallery

GPO Box 1164
Hobart, Tasmania 7001
Australia
www.tmag.tas.gov.au

Cite as: de Salas, M.F. and Baker, M.L. (2017) *A Census of the Vascular Plants of Tasmania, including Macquarie Island*.
(Tasmanian Herbarium, Tasmanian Museum and Art Gallery, Hobart) www.tmag.tas.gov.au

ISBN 978-1-921599-84-2 (PDF)

Introduction

The classification systems used in this Census largely follow Cronquist (1981) for flowering plants (Angiosperms) and McCarthy (1998) for conifers, ferns and their allies. The same systems are used to arrange the botanical collections of the Tasmanian Herbarium and by the *Flora of Australia* series published by the Australian Biological Resources Study (ABRS). For a more up-to-date classification of the flora, refer to *The Flora of Tasmania Online* (Duretto 2009+) which currently follows APG II (2003). To determine the families in which genera are placed, refer to Appendix 2 at the end of this document.

This census also serves as an index to *The Student's Flora of Tasmania* (Curtis 1963, 1967, 1979; Curtis & Morris 1975, 1994). Species accounts can be found in *The Student's Flora of Tasmania* by referring to the volume and page number reference that is given in the far right column (e.g. 3:539). Families with accounts completed in the *Flora of Tasmania Online* (Duretto 2009+) are highlighted at the family entry (e.g. FTO 1).

The *Census of the Vascular Plants of Tasmania* incorporates every name (including synonyms) used to refer to Tasmanian plants in the major taxonomic publications about Tasmania, and tries to account for every species name attributed to Tasmania, whether erroneously or correctly. Names from the following publications have been included: Jacques-Julien Houtou de Labillardière's *Novae Hollandiae Plantarum Specimen* (1804-1807), Robert Brown's *Prodromus Florae Novae Hollandiae et Insulae van-Diemen* (1810), Joseph Dalton Hooker's *The Botany of the Antarctic Voyage of H. M. Discovery Ships Erebus and Terror in the Years 1839 - 1843 Under the Command of Captain Sir James Clark Ross. Part III: Flora Tasmaniae* (1855-1859, complete work published in 1860), all volumes of George Bentham's *Flora Australiensis* (1863-1878) and Leonard Rodway's *The Tasmanian Flora* (1903). In addition, all names used in Cheeseman's (1919) *The Vascular Flora of Macquarie Island* have been accounted for in the Macquarie Island section.

According to this *Census*, the Tasmanian flora contains 2719 vascular plants, of which 1918 (70%) are considered native and 801 (30%) have naturalised from elsewhere. Among the native taxa, 530 (28%) are endemic to the State. Thirty-seven of the State's exotic taxa, are considered sparingly naturalised, and are known only from a small number of populations. Twenty-four native taxa are recognised as extinct, whereas 8 naturalised taxa are considered to have either not persisted in Tasmania or have been eradicated. The sub-antarctic Macquarie Island, considered part of Tasmania, supports 49 species of vascular plants, of which 42 are considered native and 7 naturalised. For some basic statistics on the Tasmanian flora see Tables 1–3.

Five new native taxa are recognised in the 2017 edition, three at the rank of subspecies and two at the rank of species (Appendix 1a). The names of several taxa have changed since the previous edition (Appendix 1b), including the recently described *Pimelea leiophylla*, a new endemic species recognised for the State. Several taxa have had their status changed since the previous edition (Appendix 1c). Twenty-one taxa were previously considered sparingly naturalised and are now considered to be fully naturalised. *Cardamine tryssa* was previously considered to be extinct in Tasmania, and has been recently re-discovered. Compared to the 2016 *Census*, this edition contains 79 fewer exotic taxa (Appendix 1d). These were listed in previous editions as *sparingly naturalised*, but a recent review by Baker *et al.* (in prep.) has found no conclusive evidence to demonstrate that they have, in fact, ever become naturalised. This review has led to numerous taxa having status changes in the 2017 edition and to the inclusion of a new status of *doubtfully naturalised*. Finally, the species, *Leptecophylla juniperina*, is no longer considered to occur in Tasmania.

Acknowledgments

This checklist was developed using BRAHMS (Botanical Research And Herbarium Management System) database management system. The authors would like to thank the BRAHMS team for making possible (and infinitely easier) the publication of an annual up-to-date census. In addition the authors would like to thank the APC (Australian Plant Census) group, whose work brings to our attention a myriad of taxonomic updates we might otherwise miss. We would like to thank Lynette Cave of the Tasmanian Herbarium for her assistance in checking the validity and publication details of numerous taxa. Mark Wapstra (ECOtas) and Wendy Potts (DPIPWE) provided useful comments on drafts of this publication and for these we are grateful.

Table 1: Some basic statistics on the status of Tasmanian vascular plants

		Native		Naturalised
		non-endemic	endemic	
Dicotyledons	1739	799	363	577
Monocotyledons	860	492	150	218
Gymnosperms	15	2	9	4
Pteridophytes	105	95	8	2
TOTAL	2719	1388	530	801

Table 2: Some basic statistics on the status of Macquarie Island vascular plants

		Native		Naturalised
		non-endemic	endemic	
Dicotyledons	24	20	1	3
Monocotyledons	20	13	3	4
Gymnosperms	0	0	0	0
Pteridophytes	5	5	0	0
Total	49	38	4	7

Table 3: Statistics of Tasmanian and Macquarie Island vascular plant families and genera

	Tasmanian families	Tasmanian genera	Macquarie Island families	Macquarie Island genera
Dicotyledons	109	551	13	19
Monocotyledons	29	241	4	12
Gymnosperms	3	10	0	0
Pteridophytes	26	43	5	5
Total	167	845	22	36

Symbols used in text:

- e endemic in Tasmania
- t within Australia, occurs only in Tasmania
- x considered by the Tasmanian Herbarium to be extinct or eradicated in Tasmania or Macquarie Island
- i introduced and naturalised in Tasmania
- # sparingly naturalised or known from only one or two populations or collections
- * doubtfully naturalised: collections exist but no evidence exists to establish if a taxon is naturalised in Tasmania
- n a change since the 2016 edition (see Appendix I for summary)

no symbol indicates that the taxon is native in Tasmania and the Australian mainland

NOTE: The 2017 Census no longer includes information on the listing status of species listed on the Tasmanian *Threatened Species Protection Act 1995*, the *Commonwealth Environment Protection and Biodiversity Conservation Act 1999*, or the *Tasmanian Weed Management Act 1999*. For this information please refer to current legislation.

Tasmanian Vascular Plant Census

DICOTYLEDONEAE

	ACANTHACEAE	FTO 120
i	Acanthus mollis L., Sp. Pl. 2: 639 (1753)	3:539
	ACERACEAE	FTO 86
i	Acer pseudoplatanus L., Sp. Pl. 2: 1054 (1753)	
	AIZOACEAE	FTO 101
	<i>Aptenia cordifolia</i> (L.f.) Schwantes = Mesembryanthemum cordifolium	
i #	Carpobrotus aequilaterus (Haw.) N.E.Br., J. Bot. 66: 324 (1928)	
i	Carpobrotus edulis (L.) N.E.Br., Gen. S. Afr. Fl. Pl. 249 (1926)	2:238
	Carpobrotus rossii (Haw.) Schwantes, Gartenflora 77: 68 (1928)	2:238
	<i>Disphyma australe</i> (Aiton) N.E.Br. sensu Curtis (1963) = Disphyma crassifolium subsp. clavellatum (misapplied in Tasmania)	2:239
	Disphyma crassifolium (L.) L.Bolus subsp. clavellatum (Haw.) Chinnock, Fl. S. Austral., ed. 4, 1: 194 (1986)	2:239
i	Drosanthemum candens (Haw.) Schwantes, Z. Sukkulantenk. 3: 29 (1927)	
i	Galenia pubescens (Eckl. & Zeyh.) Druce var. pubescens , Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 624 (1917)	2:241
	<i>Galenia secunda</i> (L.f.) Sond. sensu Curtis (1963) = Galenia pubescens var. pubescens (misapplied in Tasmania)	2:241
i	Lampranthus glaucus (L.) N.E.Br., Gard. Chron. 87: 212 (1930)	2:240
	<i>Mesembryanthemum aequilaterale</i> Haw. sensu Rodway (1903) = Carpobrotus rossii (misapplied in Tasmania)	2:238
	<i>Mesembryanthemum australe</i> Sol. sensu Rodway (1903) = Disphyma crassifolium subsp. clavellatum (misapplied in Tasmania)	2:239
i #	Mesembryanthemum cordifolium L.f., Suppl. Pl. 260 (1782)	
i	Mesembryanthemum crystallinum L., Sp. Pl. 1: 480 (1753)	
	<i>Tetragonia expansa</i> Murray = Tetragonia tetragonoides	2:240
	Tetragonia implexicoma (Miq.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 148 (1856)	2:241
	Tetragonia tetragonoides (Pall.) Kuntze, Revis. Gen. Pl. 1: 264 (1891)	2:240
	AMARANTHACEAE	FTO 98
	Alternanthera denticulata R.Br., Prodr. Fl. Nov. Holland. 417 (1810)	3:568
	<i>Alternanthera sessilis</i> (L.) R.Br. ex DC. sensu Hooker (1860) = Alternanthera denticulata (misapplied in Tasmania)	
i	Amaranthus albus L., Syst. Nat., ed. 10: 1268 (1759)	
i	Amaranthus deflexus L., Mant. Pl. 2: 295 (1771)	3:567
n	<i>Amaranthus graecizans</i> L. subsp. <i>silvestris</i> (Vill.) Brenan – previously listed as naturalised but insufficient evidence exists to support this	
	<i>Amaranthus hybridus</i> L. sensu Curtis (1967) = Amaranthus powellii (misapplied in Tasmania)	3:566
i	Amaranthus powellii S.Watson, Proc. Amer. Acad. Arts. 10: 347 (1875)	3:566

	Amaranthus retroflexus L. sensu Curtis (1967) = Amaranthus powellii (misapplied in Tasmania)	3:566
n	Amaranthus spinosus L. – previously listed as naturalised but insufficient evidence exists to support this	
	Hemichroa pentandra R.Br., Prodr. Fl. Nov. Holland. 409 (1810)	3:576
	Ptilotus spathulatus (R.Br.) Poir., Encycl. (Lamarck) Suppl. 4: 620 (1816)	3:567
	Trichinium spathulatum R.Br. = Ptilotus spathulatus	
APIACEAE (UMBELLIFERAE)		
	Aciphylla procumbens (F.Muell.) Benth. = Anisotome procumbens	2:261
	Actinotus bellidioides (Hook.f.) Benth., Fl. Austral. 3: 369 (1867)	2:253
e	Actinotus moorei F.Muell. ex Rodway, Pap. & Proc. Roy. Soc. Tasmania 1895: 65 (1896)	2:254
e	Actinotus suffocatus (Hook.f.) Rodway, Pap. & Proc. Roy. Soc. Tasmania 1893: 180 (1894)	2:254
n	Aegopodium podagraria L. – previously listed as naturalised but insufficient evidence exists to support this	
i	Ammi majus L., Sp. Pl. 1: 243 (1753)	
e	Anisotome procumbens (F.Muell.) C.J.Webb, Fl. & Fauna Alpine Australasia: 395 (1986)	2:261
i	Anthriscus caucalis M.Bieb., Fl. Taur.-Caucas. 1: 230 (1808)	
	Apium annuum P.S.Short, J. Adelaide Bot. Gard. 1: 230 (1979)	
	Apium australe Thouars sensu Bentham (1867) misapplied to A. annuum , A. insulare & A. prostratum	
	Apium insulare P.S.Short, J. Adelaide Bot. Gard. 1: 228 (1979)	
	Apium prostratum Labill. ex Vent. subsp. prostratum var. filiforme (A.Rich.) Kirk, Stud. Fl. New Zealand: 196 (1899)	2:255
	Apium prostratum Labill. ex Vent. subsp. prostratum var. prostratum , Jard. Malmaison 2: t.81 (1805)	2:255
	Azorella dichopetala Benth. nom. illeg. = Dichosciadium ranunculaceum	
	Azorella saxifraga (Hook.f.) Benth. = Oschatzia saxifraga	2:251
	Caldasia brachycarpa Hook.f. = Oreomyrrhis eriopoda	
	Caucalis infesta Curtis = Torilis arvensis	
	Centella cordifolia (Hook.f.) Nannf., Svensk Bot. Tidskr. 18: 418 (1924)	2:247
i	Conium maculatum L., Sp. Pl. 1: 243 (1753)	2:254
	Crantzia lineata Nutt. sensu Bentham (1867) = Lilaeopsis polyantha (misapplied in Tasmania)	
i	Cyclosporum leptophyllum (Pers.) Sprague ex Britton & P.Wilson, Bot. Porto Rico 6: 52 (1925)	
	Daucus brachiatus Sieber ex DC. = Daucus glochidiatus	
i	Daucus carota L., Sp. Pl. 1: 242 (1753)	2:262
	Daucus glochidiatus (Labill.) Fisch., C.A.Mey. & Avé-Lall., Index Seminum [St. Petersburg] 9, Suppl. 11 (1844)	2:262
	Daucus pusillus Michx. sensu Hooker (1860) = Daucus glochidiatus (misapplied in Tasmania)	
e	Dichosciadium ranunculaceum (F.Muell.) Domin var. tasmanicum (Hook.f.) Domin, Repert. Spec. Nov. Regni Veg. 5: 105 (1908)	2:250
	Didiscus humilis Hook.f. f. breviscapis Domin = Trachymene humilis subsp. breviscapa	
	Didiscus humilis Hook.f. f. humilis = Trachymene humilis subsp. humilis	
	Didiscus pilosus Hook.f. nom. illeg. = Trachymene composita	
e	Diplaspis cordifolia (Hook.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 157 (1856)	2:252
e	Diplaspis hydrocotyle Hook.f., London J. Bot. 6: 469 bis (1847)	2:251

	Eryngium ovinum A.Cunn., Geogr. Mem. New South Wales [Field]: 358 (1825)	2:252
	<i>Eryngium rostratum</i> Cav. sensu Curtis (1963) = Eryngium ovinum (misapplied in Tasmania)	2:252
	Eryngium vesiculosum Labill., Nov. Holl. Pl. 1: 73 t.98 (1805)	2:252
i	Foeniculum vulgare Mill., Gard. Dict., ed. 8, no.1 (1768)	2:259
	<i>Hydrocotyle asiatica</i> L. sensu Rodway (1903) = Centella cordifolia (misapplied in Tasmania)	
	Hydrocotyle callicarpa Bunge, Pl. Preiss. [J.G.C.Lehman] 1: 283 (1845)	2:246
	Hydrocotyle capillaris F.Muell. ex Klatt, Linnaea 29: 707 (1859)	2:247
	Hydrocotyle comocarpa F.Muell., Vict. Naturalist 3: 127 (1887)	
	Hydrocotyle foveolata H.Eichler, Suppl. Black's Fl. S. Austral., ed. 2: 248 (1965)	
	Hydrocotyle hirta R.Br. ex A.Rich., Ann. Gen. Sci. Phys. 4: 204 (1820)	2:245
	<i>Hydrocotyle javanica</i> Thunb. sensu Curtis (1963) = Hydrocotyle hirta (misapplied in Tasmania)	2:245
	Hydrocotyle laxiflora DC., Prodr. [A. P. de Candolle] 4: 61 (1830)	2:246
	Hydrocotyle muscosa R.Br. ex A.Rich., Ann. Gen. Sci. Phys. 4: 208 (1820)	2:246
	<i>Hydrocotyle peduncularis</i> R.Br. ex A.Rich. = Hydrocotyle sibthorpioides	
	Hydrocotyle pterocarpa F.Muell., Defin. Austral. Pl. 46 (1855)	2:246
	Hydrocotyle sibthorpioides Lam., Encycl. (Lamarck) 3: 153 (1789)	2:245
	<i>Hydrocotyle tasmanica</i> Hook.f. – a name of uncertain application	
	Hydrocotyle tripartita R.Br. ex A.Rich., Ann. Gen. Sci. Phys. 4: 209 (1820)	
	<i>Hydrocotyle vagans</i> Hook.f. – a name of uncertain application	
	<i>Lilaeopsis</i> sp. West Coast (A.Moscal 5655) Tas Herbarium = Lilaeopsis novae-zelandiae	
	<i>Lilaeopsis brownii</i> A.W.Hill = Lilaeopsis polyantha	2:260
	<i>Lilaeopsis gunnii</i> A.W.Hill = Lilaeopsis polyantha	
t	Lilaeopsis novae-zelandiae (Gand.) A.W.Hill, J. Linn. Soc. Bot.47: 549 (1927)	
	Lilaeopsis polyantha (Gand.) H.Eichler, Taxon 12: 296 (1963)	2:260
	<i>Oreomyrrhis andicola</i> (Kunth) Endl. ex Hook.f. sensu Bentham (1867) misapplied to O. ciliata , O. eriopoda & O. sessiliflora	
	Oreomyrrhis argentea (Hook.f.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 162 (1856)	2:257
	<i>Oreomyrrhis brachycarpa</i> (Hook.f.) Hook.f. = Oreomyrrhis eriopoda	
	Oreomyrrhis ciliata Hook.f., London J. Bot. 6: 471 bis (1847)	2:258
	Oreomyrrhis eriopoda (DC.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 162 (1856)	2:257
e	Oreomyrrhis gunnii Mathias & Constance, Univ. Calif. Publ. Bot. 27: 395 (1955)	2:258
e	Oreomyrrhis sessiliflora Hook.f., London J. Bot. 6: 471 bis (1847)	2:258
e	Oschatzia saxifraga (Hook.f.) Walp., Ann. Bot. Syst. (Walpers) 1: 340 (1848)	2:251
i	Pastinaca sativa L., Sp. Pl. 1: 262 (1753)	2:261
i	Petroselinum crispum (Mill.) Fuss, Fl. Transsilv. 254 (1866)	2:256
	<i>Scandix glochidiata</i> Labill. = Daucus glochidiatus	
i	Scandix pecten-veneris L., Sp. Pl. 1: 256 (1753)	2:259
i	<i>Torilis arvensis</i> (Huds.) Link possibly recorded in error	
i	Torilis nodosa (L.) Gaertn., Fruct. Sem. Pl. 1: 82, t.20 (1788)	2:262
	<i>Trachymene anisocarpa</i> (Turcz.) B.L.Burtt sensu Curtis (1963) = Trachymene composita (misapplied in Tasmania)	2:248
	<i>Trachymene australis</i> Benth. nom. illeg. = Trachymene composita	
	Trachymene composita (Domin) B.L.Burtt var. composita , J. Bot. 79: 45 (1941)	2:248
	Trachymene composita (Domin) B.L.Burtt var. robertsonii (Domin) J.M.Hart, Austral. Syst. Bot. 19: 40 (2006)	

	Trachymene humilis (Hook.f.) Benth. subsp. breviscapa (Domin) P.S.Short, Muelleria 6: 166 (1986)	2:248
	Trachymene humilis (Hook.f.) Benth. subsp. humilis , Fl. Austral. 3: 351 (1867)	2:248
	Xanthosia dissecta Hook.f., Icon. Pl. 4: t.302 (1841)	2:250
	Xanthosia montana Sieber ex DC. = Xanthosia pilosa	
	Xanthosia pilosa Rudge, Trans. Linn. Soc. London 10: 301 (1811)	2:249
	Xanthosia pusilla Bunge sensu Curtis (1963) = Xanthosia tasmanica (misapplied in Tasmania)	2:250
	Xanthosia tasmanica Domin, Repert. Spec. Nov. Regni Veg. 4: 298 (1907)	2:250
	Xanthosia ternifolia J.M.Hart & Henwood, Austral. Syst. Bot. 13: 256 (2000)	
	Xanthosia tridentata DC., Prodr. [A. P. de Candolle] 4: 75 (1830)	2:249
APOCYNACEAE		
	Alyxia buxifolia R.Br., Prodr. Fl. Nov. Holland. 470 (1810)	3:472
	Lyonsia straminea R.Br. sensu Rodway (1903) = Parsonsia brownii (misapplied in Tasmania)	
	Parsonsia brownii (Britten) Pichon, Notul. Syst. (Paris) 14: 10 (1950)	3:473
	Parsonsia straminea (R.Br.) F.Muell. sensu Curtis (1967) = Parsonsia brownii (misapplied in Tasmania)	2:473
i	Vinca major L., Sp. Pl. 1: 209 (1753)	3:472
AQUIFOLIACEAE		
i	Ilex aquifolium L., Sp. Pl. 1: 125 (1753)	
ARALIACEAE		
i	Hedera helix L., Sp. Pl. 1: 202 (1753)	
	Nothopanax gunnii (Hook.f.) Seem. = Pseudopanax gunnii	2:264
	Panax gunnii Hook.f. = Pseudopanax gunnii	
	Panax sambucifolius Sieber ex DC. sensu Bentham (1867) = Polyscias sp. Douglas-Denison (R.Schahinger HO526133) Tas Herbarium	
	Panax sambucifolius Sieber ex DC. = Polyscias sambucifolia	
	Polyscias sp. Douglas-Denison (R.Schahinger HO526133) Tas Herbarium	
	Polyscias aff. sambucifolia 'Douglas-Denison' (R.B.Schahinger HO526133) = Polyscias sp. Douglas-Denison (R.Schahinger HO526133) Tas Herbarium	
i	Polyscias sambucifolia (Sieber ex DC.) Harms, Nat. Pflanzenfam. [Engler & Prantl] III 8: 45 (1894)	
e	Pseudopanax gunnii (Hook.f.) K.Koch, Wochenschr. Gärtnerei Pflanzenk. 2: 366 (1859)	2:264
ASCLEPIADACEAE		
i	Gomphocarpus fruticosus (L.) W.T.Aiton subsp. fruticosus , Hortus Kew. (W.T.Aiton), ed. 2, 2: 80 (1811)	
ASTERACEAE (COMPOSITAE)		
e	Abrotanella forsteroides (Hook.f.) Benth., Fl. Austral. 3: 554 (1867)	2:359
e	Abrotanella scapigera (F.Muell.) Benth., Fl. Austral. 3: 554 (1867)	2:359
i	Achillea distans Waldst. & Kit. ex Willd., Sp. Pl., ed. 4 [Willdenow] 3: 2207 (1800)	2:351
i	Achillea millefolium L., Sp. Pl. 2: 899 (1753)	2:351
	Achillea tanacetifolia All. = Achillea distans	2:351
	Actites megalocarpus (Hook.f.) Lander, Telopea 1: 130 (1976)	2:390
	Allittia cardiocarpa (F.Muell. ex Benth.) P.S.Short, Muelleria 20: 55 (2004)	2:296
i	Ammobium alatum R.Br., Bot. Mag. 51: t.2459 (1824)	2:343
	Ammobium calyceroides (Cass.) Anderb. = Nablonium calyceroides	2:349

	Angianthus eriocephalus (A.Gray) Benth. = Angianthus preissianus	2:344
	Angianthus preissianus (Steetz) Benth., Fl. Austral. 3: 566 (1867)	2:344
i	Anthemis arvensis L., Sp. Pl. 2: 894 (1753)	2:352
i	Anthemis cotula L., Sp. Pl. 2: 894 (1753)	2:352
	Anthemis nobilis L. = Chamaemelum nobile	2:352
	Anthemis tinctoria L. = Cota tinctoria	2:352
	Apalochlamys billardierei DC. = Apalochlamys spectabilis	
	Apalochlamys spectabilis (Labill.) Steud., Nomencl. Bot. [Steudel], ed. 2, 1: 255 (1840)	2:340
i	Arctium minus (Hill) Bernh., Syst. Verz. (Bernhardi): 154 (1800)	2:375
i	Arctotheca calendula (L.) K.Lewin, J. S. African Bot. 8: 284 (1942)	2:374
i	Arctotheca populifolia (P.J.Bergius) Norl., Aquilo, Ser. Bot. 6: 84 (1967)	
i	Arctotis stoechadifolia P.J.Bergius, Descr. Pl. Cap. 324 (1767)	2:374
	Argentipallium dealbatum (Labill.) Paul G.Wilson, Nuytsia 8: 458 (1992)	2:330
	Argentipallium obtusifolium (Sond.) Paul G.Wilson, Nuytsia 8: 458 (1992)	2:329
e	Argentipallium × spiceri (F.Muell.) Paul G.Wilson, Nuytsia 8: 458 (1992)	2:329
	Argyrotegium fordianum (M.Gray) J.M.Ward & Breitw., New Zealand J. Bot. 41: 609 (2003)	
	Argyrotegium mackayi (Buchanan) J.M.Ward & Breitw., New Zealand J. Bot. 41: 609 (2003)	2:320
	Argyrotegium nitidulum (Hook.f.) J.M.Ward & Breitw., New Zealand J. Bot. 41: 609 (2003)	
	Argyrotegium poliochlorum (N.G.Walsh) J.M.Ward & Breitw., New Zealand J. Bot. 41: 609 (2003)	2:320
	Aster aculeatus Labill. = Olearia ramulosa	
	Aster argophyllus Labill. = Olearia argophylla	
	Aster microphyllus Labill. nom. illeg. = Olearia lepidophylla	
	Aster myrsinoides Labill. = Olearia myrsinoides	
	Aster phlogopappus Labill. = Olearia phlogopappa	
	Aster ramulosus Labill. = Olearia ramulosa	
	Aster stellulatus Labill. = Olearia stellulata	
	Aster subulatus Michx. = Symphotrichum subulatum	2:299
	Aster viscosus Labill. = Olearia viscosa	
	Bedfordia arborescens Hochr., Candollea 5: 332 (1934)	
e	Bedfordia linearis (Labill.) DC. subsp. linearis , Prodr. [A. P. de Candolle] 6: 441 (1838)	2:371
e	Bedfordia linearis (Labill.) DC. subsp. oblongifolia Orchard var. curvifolia Orchard, Muellera 19: 93 (2004)	2:371
e	Bedfordia linearis (Labill.) DC. subsp. oblongifolia Orchard var. oblongifolia , Muellera 19: 90 (2004)	2:371
e	Bedfordia linearis (Labill.) DC. × B. salicina (Labill.) DC.	
e	Bedfordia salicina (Labill.) DC., Prodr. [A. P. de Candolle] 6: 441 (1838)	2:371
	Bellis aculeata Labill. = Brachyscome aculeata	
	Bellis graminea Labill. = Brachyscome graminea	
i	Bellis perennis L., Sp. Pl. 2: 886 (1753)	2:299
	Bellis stipitata Labill. = Lagenophora stipitata	
i	Berkheya rigida (Thunb.) Bolus & Wolley-Dod, Trans. S.African. Philos. Soc. 14: 289 (1904)	
	Brachyglottis brunonis (Hook.f.) B.Nord. = Centropappus brunonis	2:365
	Brachyscome aculeata (Labill.) Less., Syn. Gen. Compos. 192 (1832)	2:296
	Brachyscome angustifolia A.Cunn. ex DC. = Brachyscome graminea	2:295

	Brachyscome cardiocarpa F.Muell. ex Benth. = Allittia cardiocarpa	2:296
	Brachyscome ciliaris (Labill.) Less., Syn. gen. Compos. 192 (1832)	2:298
	Brachyscome ciliaris (Labill.) Less. var. robusta Benth. = Brachyscome rigidula	
	Brachyscome decipiens Hook.f., London J. Bot. 6: 114 (1847)	2:295
	Brachyscome diversifolia (Graham ex Hook.) Fisch. & C.A.Mey., Index Seminum [St. Petersburg (Petropolitanus)] 2: 31 (1835)	2:297
	Brachyscome diversifolia (Graham ex Hook.) Fisch. & C.A.Mey. var. maritima Benth. =	
	Brachyscome diversifolia	2:297
	Brachyscome graminea (Labill.) F.Muell., Fragm. (Mueller) 1(3): 49 (1858)	2:295
	Brachyscome linearifolia DC. sensu Hooker (1860) = Allittia cardiocarpa (misapplied in Tasmania)	
	Brachyscome nivalis F.Muell. var. alpina sensu Curtis (1963) = Brachyscome radicans (misapplied in Tasmania)	2:297
	Brachyscome parvula Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 185 (1856)	2:298
	Brachyscome perpusilla (Steetz) J.M.Black, Fl. S. Austral. [J.M. Black] 4: 587 (1929)	
	Brachyscome pumila Walp. sensu Hooker (1860) – a name of uncertain application	
	Brachyscome radicans Steetz, Pl. Preiss. [J.G.C.Lehman] 1: 429 (1845)	2:295
t	Brachyscome radicata Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 127 (1852)	2:298
	Brachyscome rigidula (DC.) G.L.Davis, Proc. Linn. Soc. New South Wales 73: 219 (1948)	2:298
	Brachyscome scapiformis DC. = Brachyscome spathulata	2:296
	Brachyscome scapiformis DC. var. tenuiscapa (Hook.f.) Benth. = Brachyscome tenuiscapa	
	Brachyscome sieberi DC. var. gunnii DC. = Brachyscome aculeata	
	Brachyscome spathulata Gaudich., Voy. Uranie, Bot. 468 (1830)	
	Brachyscome spathulata Gaudich. subsp. glabra (DC.) H.M.Stace = Brachyscome spathulata	2:296
	Brachyscome stricta DC. = Brachyscome aculeata	2:296
	Brachyscome tadgellii Tovey & P.Morris sensu Buchanan 1995 previously recorded in error	
e	Brachyscome tasmanica P.S.Short, J. Adelaide Bot. Gard. 28: 160 (2014)	
e	Brachyscome tenuiscapa Hook.f., London J. Bot. 6: 114 (1847)	2:294
	Brachyscome tenuiscapa Hook.f. var. pubescens (Benth.) G.L.Davis sensu Buchanan (1989) = Brachyscome staceae (N.S.W., previously recorded in error)	2:294
	Bracteantha bicolor (Lindl.) Anderb. & Haegi = Xerochrysum bicolor	2:331
	Bracteantha bracteata (Vent.) Anderb. & Haegi = Xerochrysum bracteatum	
	Bracteantha palustris Flann = Xerochrysum palustre	
	Bracteantha papillosa (Labill.) Anderb. & Haegi = Xerochrysum papillosum	2:331
	Bracteantha subundulata (Sch.Bip.) Paul G.Wilson = Xerochrysum subundulatum	2:330
	Cacalia linearis Labill. = Bedfordia linearis	
	Cacalia salicina Labill. = Bedfordia salicina	
	Calea aculeata Labill. = Cassinia aculeata	
	Calea spectabilis Labill. = Apalochlamys spectabilis	
i	Calendula arvensis L., Sp. Pl., ed. 2, 2: 1303 (1763)	2:372
i	Calendula officinalis L., Sp. Pl. 2: 921 (1753)	2:373
	Calocephalus brownii (Cass.) F.Muell. = Leucophyta brownii	2:345
	Calocephalus citreus Less., Syn. Gen. Compos. 271 (1832)	2:346
	Calocephalus lacteus Less., Syn. Gen. Compos. 271 (1832)	2:345
	Carduus arvensis (L.) Robson = Cirsium arvense	

	Carduus lanceolatus L. = Cirsium vulgare	
	Carduus marianus L. = Silybum marianum	
i	Carduus nutans L., Sp. Pl. 2: 821 (1753)	
	Carduus pratensis Huds. sensu Rodway (1903) = Cirsium vulgare (misapplied in Tasmania)	
i	Carduus pycnocephalus L., Sp. Pl., ed. 2, 2: 1151 (1763)	
i	Carduus tenuiflorus Curtis, Fl. Londin. (Curtis) 2(6): t.169 (1793)	2:376
i	Carthamus lanatus L., Sp. Pl. 2: 830 (1753)	2:380
i	Carthamus tinctorius L., Sp. Pl. 2: 830 (1753)	
	Cassinia aculeata (Labill.) R.Br. subsp. aculeata , Trans. Linn. Soc. London 12: 127 (1817)	2:339
	Cassinia longifolia R.Br. sensu Curtis (1963) = Cassinia trinerva	2:340
	Cassinia rugata N.G.Walsh, Muelleria 7: 141 (1990)	
	Cassinia spectabilis (Labill.) R.Br. = Apalochlamys spectabilis	2:340
	Cassinia trinerva N.A.Wakef., Vict. Naturalist 68: 69 (1951)	2:340
e	Celmisia asteliifolia Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 35 (1844)	2:310
	Celmisia longifolia Cass. sensu Curtis (1963) = Celmisia asteliifolia	2:310
	Celmisia longifolia Cass. var. saxifraga Benth. = Celmisia saxifraga	
e	Celmisia saxifraga (Benth.) W.M.Curtis, Taxon 17: 467 (1968)	2:310
n i *	Centaurea calcitrapa L., Sp. Pl. 2: 917 (1753)	2:379
n i *	Centaurea cyanus L., Sp. Pl. 2: 911 (1753)	
	Centaurea jacea L. sensu Buchanan (2007) = Centaurea × moncktonii	2:378
i	Centaurea melitensis L., Sp. Pl. 2: 917 (1753)	2:380
i	Centaurea × moncktonii C.E.Britton, Rep. Bot. Soc. Exch. Club Brit. Isles 1920, 6: 172 (1921)	2:378
	Centaurea nigra L. sensu Buchanan (2007) = Centaurea × moncktonii	2:379
n	Centaurea solstitialis L. – previously listed as naturalised but insufficient evidence exists to support this	2:379
	Centipeda cunninghamii (DC.) A.Braun & Asch., Index Seminum Hort. Bot. Berol. App. 6 (1867)	
	Centipeda elatinoides (Less.) Benth. & Hook.f. ex O.Hoffm., Nat. Pflanzenfam. [Engler & Prantl] 4(5): 280 (1892)	2:358
	Centipeda minima (L.) A.Braun & Asch. sensu Curtis (1963) = Centipeda elatinoides	2:358
e	Centropappus brunonis Hook.f., London J. Bot. 6: 124 (1847)	2:365
i	Chamaemelum nobile (L.) All., Fl. Pedem. 1: 185 (1785)	2:352
	Chondrilla juncea L. sensu Curtis (1963) anecdotal, possibly recorded in error	2:388
i	Chrysanthemoides monilifera (L.) Norl. subsp. monilifera , Stud. Calendulae 1: 374 (1943)	2:373
	Chrysanthemum leucanthemum L. = Leucanthemum vulgare	2:353
	Chrysanthemum parthenium (L.) Bernh. = Tanacetum parthenium	2:353
n	Chrysocephalum apiculatum (Labill.) Steetz subsp. apiculatum , Pl. Preiss. [J.G.C.Lehman] 1: 474 (1845)	2:332
	Chrysocephalum baxteri (A.Cunn. ex DC.) Anderb., Compositae Newslett. 19: 22 (1991)	2:328
n	Chrysocephalum semipapposum (Labill.) Steetz subsp. asperum (Steetz) Paul G.Wilson, Nuytsia 27: 70 (2016)	
n	Chrysocephalum semipapposum (Labill.) Steetz subsp. lineare Paul G.Wilson, Nuytsia 27: 67 (2016)	
n	Chrysocephalum semipapposum (Labill.) Steetz subsp. semipapposum , Pl. Preiss. [J.G.C.Lehman] 1: 474 (1845)	2:332
	Chrysocoma cinerea Labill. = Ozothamnus turbinatus	

	Chrysocoma reticulata Labill. = Ozothamnus reticulatus	
	Chrysocoma squamata Labill. = Leptorhynchos squamatus	
i	Cichorium intybus L., Sp. Pl. 2: 813 (1753)	2:380
i	Cirsium arvense (L.) Scop. var. arvense , Fl. Carniol., ed. 2, 2: 126 (1772)	2:377
i	Cirsium vulgare (Savi) Ten., Fl. Napol. 5: 209 (1836)	2:376
	Cnicus arvensis (L.) Roth = Cirsium arvense	2:377
	Conyza albida Willd. ex Spreng. = Conyza sumatrensis	2:315
i	Conyza bonariensis (L.) Cronquist, Bull. Torrey Bot. Club 70: 632 (1943)	2:315
i	Conyza canadensis (L.) Cronquist, Bull. Torrey Bot. Club 70: 632 (1943)	2:314
	Conyza chilensis Spreng. = Conyza primulifolia	2:314
	Conyza floribunda Kunth sensu Curtis (1963) = Conyza sumatrensis	2:315
i x	Conyza primulifolia (Lam.) Cuatrec. & Lourteig, Phytologia 58: 475 (1985)	2:314
	Conyza scabiosifolia J.Rémy = Conyza primulifolia	2:314
i	Conyza sumatrensis (Retz.) E.Walker, J. Jap. Bot. 46(3): 72 (1971)	2:315
	Coronidium sp. Lowland Swamps (V.Stajsic 4226) Vic Herbarium = Coronidium gunnianum	
	Coronidium gunnianum (Hook.) N.G.Walsh, Muelleria 32: 20 (2014)	
	Coronidium monticola N.G.Walsh, Muelleria 32: 21 (2014)	
	Coronidium scorpioides (Labill.) Paul G.Wilson, Nuytsia 18: 326 (2008)	2:328
	Cota tinctoria (L.) J.Gay – formerly considered naturalised though no evidence exists to support this	2:352
	Cotula alpina (Hook.f.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 192 t.51A (1856)	2:356
	Cotula australis (Sieber ex Spreng.) Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) I: 128 (1852)	2:356
i	Cotula coronopifolia L., Sp. Pl. 2: 892 (1753)	2:356
	Cotula coronopifolia L. var. integrifolia (Hook.f.) Rodway = Cotula coronopifolia	
	Cotula filicula (Hook.f.) Benth. = Leptinella filicula	2:357
	Cotula filifolia Thunb. sensu Rodway (1903) = Cotula vulgaris var. australasica (misapplied in Tasmania)	
	Cotula integrifolia Hook.f. nom. illeg. = Cotula coronopifolia	
	Cotula longipes (Hook.f.) W.M.Curtis = Leptinella longipes	2:357
	Cotula reptans (Benth.) Benth. = Leptinella reptans	2:357
	Cotula reptans (Benth.) Benth. var. major Benth. = Leptinella longipes	
	Cotula vulgaris Levyns var. australasica J.H.Willis, Vict. Naturalist 73: 201 (1957)	2:355
	Craspedia alpina Backh. ex Hook.f. = Craspedia macrocephala	2:347
	Craspedia coolaminica J.Everett & Joy Thomps. = Craspedia gracilis	
e	Craspedia cynurica Rozefelds & A.M.Buchanan, Kanunnah 4: 106 (2011)	
e	Craspedia glabrata (Hook.f.) Rozefelds, Telopea 9: 814 (2002)	2:347
e	Craspedia glauca (Labill.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 3: 441 (1826)	2:347
	Craspedia glauca (Labill.) Spreng. var. glabrata Hook.f. ex W.M.Curtis nom. inval. =	
	Craspedia glabrata	2:347
	Craspedia glauca (Labill.) Spreng. var. gracilis W.M.Curtis nom. inval. = Craspedia gracilis	2:347
	Craspedia glauca (Labill.) Spreng. var. macrocephala W.M.Curtis nom. inval. =	
	Craspedia macrocephala	2:347
	Craspedia gracilis Hook.f., London J. Bot. 6: 118 (1847)	
e	Craspedia macrocephala Hook., Bot. Mag. 62: t. 3415 (1835)	2:347
	Craspedia paludicola J.Everett & Doust, Telopea 5: 35 (1992)	

e	Craspedia preminghana Rozefelds, <i>Telopea</i> 9: 816 (2002)	
	<i>Craspedia richia</i> Cass. nom. illeg. = Craspedia glauca	
	<i>Craspedia richia</i> Cass. var. <i>alpina</i> (Backh. ex Hook.f.) Benth. = Craspedia macrocephala	
	<i>Craspedia richia</i> Cass. var. <i>glabrata</i> Hook.f. = Craspedia glabrata	
n	<i>Craspedia richia</i> Cass. var. <i>gracilis</i> (Hook.f.) Hook.f. = Craspedia gracilis	
n	<i>Craspedia richia</i> Cass. var. <i>linearis</i> Hook.f. = Craspedia gracilis	
	<i>Craspedia richia</i> Cass. var. <i>macrocephala</i> (Hook.) Benth. = Craspedia macrocephala	
e	Craspedia rosulata Rozefelds & A.M.Buchanan, <i>Kanunnah</i> 4: 111 (2011)	
i	Crepis capillaris (L.) Wallr., <i>Erst. Beitr. Fl. Hercyn.</i> 287 (1840)	2:384
	<i>Crepis nicaeensis</i> Baldinger & Pers. sensu Curtis (1963) recorded in error	2:384
i	Crepis setosa Haller f., <i>Arch. Bot. (Leipzig)</i> 1(2): 1 (1797)	2:384
	<i>Cryptostemma calendula</i> (L.) R.Br. = Arctotheca calendula	
	<i>Cymbonotus lawsonianus</i> Gaudich. sensu Curtis (1963) = Cymbonotus preissianus	2:373
	Cymbonotus preissianus Steetz, <i>Pl. Preiss</i> 1: 486 (1845)	2:373
n i x	Cynara cardunculus L. subsp. flavescens Wiklund, <i>Bot. J. Linn. Soc.</i> 109: 120 (1992)	
i	Delairea odorata Lem., <i>Ann. Sci. Nat., Bot., sér. 3, 1:</i> 380 (1844)	2:367
i	Dimorphotheca fruticosa (L.) DC., <i>Prodr. [A. P. de Candolle]</i> 6: 71 (1838)	
i	Dittrichia graveolens (L.) Greuter, <i>Exsicc. Genav. Conserv. Bot. Distrib. Fasc. 4:</i> 71 (1973)	2:348
	<i>Erechtites argutus</i> (A.Rich.) DC. = Senecio glomeratus subsp. glomeratus	
	<i>Erechtites gunnii</i> Hook.f. = Senecio gunnii	
	<i>Erechtites hispidula</i> (A.Rich.) DC. = Senecio hispidulus	
	<i>Erechtites prenathoides</i> (A.Rich.) DC. = Senecio prenanthoides	
	<i>Erechtites quadridentata</i> (Labill.) DC. = Senecio quadridentatus	
	<i>Erechtites quadridentata</i> (Labill.) DC. var. <i>glabrescens</i> (DC.) Benth. sensu Bentham (1867) = Senecio quadridentatus (misapplied in Tasmania)	
	<i>Erechtites quadridentata</i> (Labill.) DC. var. <i>gunnii</i> (Hook.f.) Benth. = Senecio gunnii	
	<i>Erigeron bellidioides</i> (Hook.f.) S.J.Forbes & D.I.Morris = Pappochroma bellidioides	
	<i>Erigeron gunnii</i> (Hook.f.) F.Muell. ex Hook.f. = Pappochroma gunnii	
	<i>Erigeron gunnii</i> (Hook.f.) F.Muell. ex Hook.f. var. <i>bellidioides</i> (Hook.f.) Hook.f. = Pappochroma bellidioides	
i	Erigeron karvinskianus DC., <i>Prodr. [A. P. de Candolle]</i> 5: 285 (1836)	2:312
	<i>Erigeron linifolius</i> Willd. = Conyza bonariensis	
	<i>Erigeron mucronatus</i> DC. = Erigeron karvinskianus	2:312
	<i>Erigeron pappocromus</i> Labill. = Pappochroma pappocromum	2:311
	<i>Erigeron pappocromus</i> Labill. var. <i>billardieri</i> Benth. = Pappochroma pappocromum	2:311
	<i>Erigeron pappocromus</i> Labill. var. <i>gunnii</i> Benth. = Pappochroma gunnii	2:312
	<i>Erigeron pappocromus</i> Labill. var. <i>oblongatus</i> Benth. = Pappochroma tasmanicum	
	<i>Erigeron pappocromus</i> Labill. var. <i>stellatus</i> (Hook.f.) Benth. = Pappochroma stellatum	
	<i>Erigeron stellatus</i> (Hook.f.) W.M.Curtis = Pappochroma stellatum	2:312
	<i>Erigeron tasmanicus</i> (Hook.f.) Hook.f. = Pappochroma tasmanicum	2:312
	<i>Erigeron trigonus</i> S.J.Forbes & D.I.Morris = Pappochroma trigonum	
	<i>Euchiton argentifolius</i> (N.A.Wakef.) Anderb. = Argyrotegium mackayi	2:320
	<i>Euchiton collinus</i> Cass. = Euchiton japonicus	2:319
	<i>Euchiton fordianus</i> (M.Gray) P.S.Short = Argyrotegium fordianum	
	Euchiton involucratus (G.Forst.) Holub, <i>Folia Geobot. Phytotax.</i> 9: 271 (1974)	2:318

	Euchiton japonicus (Thunb.) Holub, Folia Geobot. Phytotax. 9: 271 (1974)	2:319
t	Euchiton lateralis (C.J.Webb) Breitw. & J.M.Ward, New Zealand J. Bot. 36: 303 (1998)	
	Euchiton limosus (D.G.Drury) Holub, Folia Geobot. Phytotax. 9: 271 (1974)	
e	Euchiton litticola A.M.Buchanan, Pap. & Proc. Roy. Soc. Tasmania 133: 115 (1999)	
	<i>Euchiton poliochlorus</i> N.G.Walsh = Argyrotegium poliochlorum	2:320
	Euchiton sphaericus (Willd.) Holub, Folia Geobot. Phytotax. 9: 271 (1974)	
	Euchiton traversii (Hook.f.) Holub, Folia Geobot. Phytotax. 9: 271 (1974)	2:320
	Euchiton umbricola (J.H.Willis) Anderb., Opera Bot. 104: 167 (1991)	2:319
	<i>Eupatorium ferrugineum</i> Labill. = Ozothamnus ferrugineus	
	<i>Eupatorium rosmarinifolium</i> Labill. = Ozothamnus rosmarinifolius	
	<i>Eurybia alpina</i> Hook.f. = Olearia tasmanica	
	<i>Eurybia argophylla</i> (Labill.) Cass. = Olearia argophylla	
	<i>Eurybia ciliata</i> Benth. = Olearia ciliata	
	<i>Eurybia ericoides</i> Steetz = Olearia ericoides	
	<i>Eurybia erubescens</i> Sieber ex DC. = Olearia erubescens	
	<i>Eurybia floribunda</i> Hook.f. = Olearia floribunda	
	<i>Eurybia fulvida</i> Cass. nom. illeg. = Olearia stellulata	
	<i>Eurybia glandulosa</i> (Labill.) DC. = Olearia glandulosa	
	<i>Eurybia gunniana</i> DC. = Olearia phlogopappa subsp. gunniana	
	<i>Eurybia ledifolia</i> DC. = Olearia ledifolia	
	<i>Eurybia linearifolia</i> DC. = Olearia axillaris	
	<i>Eurybia linifolia</i> Hook.f. = Olearia glutinosa	
	<i>Eurybia lirata</i> (Sims) DC. = Olearia lirata	
	<i>Eurybia myrsinoides</i> (Labill.) Nees = Olearia myrsinoides	
	<i>Eurybia obcordata</i> Hook.f. = Olearia obcordata	
	<i>Eurybia persoonioides</i> DC. = Olearia persoonioides	
	<i>Eurybia pinifolia</i> Hook.f. = Olearia pinifolia	
	<i>Eurybia ramulosa</i> (Labill.) DC. = Olearia ramulosa	
	<i>Eurybia viscosa</i> (Labill.) Cass. = Olearia viscosa	
i	Euryops abrotanifolius (L.) DC., Prodr. [A. P. de Candolle] 6: 443 (1838)	2:372
e	Ewartia catipes (DC.) Beauverd, Bull. Soc. Bot. Genève, Ser. 2, 2: 238 (1910)	2:322
e	Ewartia meredithiae (F.Muell.) Beauverd, Bull. Soc. Bot. Genève, Ser. 2, 2: 240 (1910)	2:322
e	Ewartia planchonii (Hook.f.) Beauverd, Bull. Soc. Bot. Genève, Ser. 2, 3: 253 (1911)	2:321
	<i>Felicia erigeroides</i> DC. sensu Raphael (1955) = Erigeron karvinskianus	
	<i>Filago gallica</i> L. = Logfia gallica	2:315
i	Galinsoga parviflora Cav., Icon. [Cavanilles] 3: 41 t.281 (1795)	2:349
i	Gamochaeta calviceps (Fernald) Cabrera, Bol. Soc. Argent. Bot. 9: 368 (1961)	
i	Gamochaeta purpurea (L.) Cabrera, Bol. Soc. Argent. Bot. 9: 377 (1961)	2:321
i	Gazania linearis (Thunb.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 624 (1917)	
	<i>Gnaphalium alpigenum</i> F.Muell. ex Hook.f. nom. illeg. = Euchiton umbricola	
	<i>Gnaphalium apiculatum</i> Labill. = Chrysocephalum apiculatum	
	<i>Gnaphalium argentifolium</i> N.A.Wakef. = Argyrotegium mackayi	2:320
	<i>Gnaphalium candidissimum</i> Lam. = Vellereophyton dealbatum	2:318
	<i>Gnaphalium collinum</i> Labill. var. <i>collinum</i> = Euchiton japonicus	2:319
	<i>Gnaphalium collinum</i> Labill. var. <i>monocephalum</i> Hook.f. = Euchiton lateralis	2:319

Gnaphalium fordianum M.Gray = Argyrotegium fordianum	
Gnaphalium indicum L. recorded in error	
Gnaphalium indutum Hook.f. subsp. indutum , London J. Bot. 6: 121 (1847)	2:320
Gnaphalium involucratum G.Forst. = Euchiton involucratus	2:318
Gnaphalium japonicum Thunb. = Euchiton japonicus	
Gnaphalium japonicum Thunb. var. radicans = Argyrotegium mackayi	
Gnaphalium luteo-album L. = Helichrysum luteoalbum	2:318
Gnaphalium planchonii Hook.f. = Ewartia planchonii	
Gnaphalium polycaulon Pers. sensu Buchanan (2009) recorded in error	
Gnaphalium purpureum L. = Gamochoeta purpurea	2:321
Gnaphalium semipapposum Labill. = Chrysocephalum semipapposum	
Gnaphalium supinum L. sensu Curtis (1963) = Argyrotegium poliochlorum	2:320
Gnaphalium traversii Hook.f. = Euchiton traversii	2:320
Gnaphalium umbricola J.H.Willis = Euchiton umbricola	2:319
Hedypnois cretica (L.) Dum.Cours. = Leontodon rhagadioloides	2:382
Hedypnois rhagadioloides (L.) F.W.Schmidt = Leontodon rhagadioloides	2:382
Helichrysum acuminatum DC. = Xerochrysum subundulatum	2:330
Helichrysum adenophorum F.Muell. recorded in error	
Helichrysum antennarium (DC.) F.Muell. ex Benth. = Ozothamnus antennaria	2:336
Helichrysum apiculatum (Labill.) D.Don = Chrysocephalum apiculatum	2:332
Helichrysum argophyllum (A.Cunn. ex DC.) N.A.Wakef. = Ozothamnus argophyllum	2:335
Helichrysum baccharioides F.Muell. nom. illeg. = Ozothamnus hookeri	
Helichrysum backhousei (Hook.f.) F.Muell. ex Benth. = Ozothamnus rodwayi	2:337
Helichrysum backhousei (Hook.f.) F.Muell. ex Benth. var. backhousii = Ozothamnus rodwayi var. rodwayi	2:337
Helichrysum backhousei (Hook.f.) F.Muell. ex Benth. var. kingii W.M.Curtis = Ozothamnus rodwayi var. kingii	2:337
Helichrysum backhousei (Hook.f.) F.Muell. ex Benth. var. oreophilum W.M.Curtis = Ozothamnus rodwayi var. oreophilus	2:337
Helichrysum baxteri A.Cunn. ex DC. = Chrysocephalum baxteri	2:328
Helichrysum bicolor Lindl. = Xerochrysum bicolor	2:331
Helichrysum bracteatum (Vent.) Andrews = Xerochrysum bracteatum	
Helichrysum bracteatum (Vent.) Andrews var. albidum DC. = Xerochrysum papillosum (Tasmanian material)	
Helichrysum bracteolatum (Hook.f.) Benth. = Ozothamnus bracteolatus	
Helichrysum cinereum (Labill.) Benth. = Ozothamnus turbinatus	
Helichrysum costatifructum R.V.Sm. = Ozothamnus costatifructus	2:332
Helichrysum dealbatum Labill. = Argentipallium dealbatum	2:330
Helichrysum dendroideum N.A.Wakef. = Ozothamnus ferrugineus	2:335
Helichrysum ericeteum W.M.Curtis = Ozothamnus ericifolius	2:334
Helichrysum expansifolium (P.Morris & J.H.Willis) N.T.Burb. = Ozothamnus expansifolius	2:337
Helichrysum gunnii (Hook.f.) Benth. = Ozothamnus bracteolatus	2:333
Helichrysum hookeri (Sond.) Druce = Ozothamnus hookeri	2:337
Helichrysum ledifolium (A.Cunn. ex DC.) Benth. = Ozothamnus ledifolius	2:334
Helichrysum leucopsidium DC., Prodr. [A. P. de Candolle] 6: 193 (1838)	2:331

	Helichrysum luteoalbum (L.) Rchb., Handb. Gewächsk., ed. 2, 2: 1460 (1829)	2:318
	Helichrysum lycopodioides (Hook.f.) Benth. = Ozothamnus lycopodioides	2:338
n	Helichrysum milliganii Hook.f. = Xerochrysum milliganii	2:330
	Helichrysum obcordatum (DC.) Benth. = Ozothamnus obcordatus	2:336
	Helichrysum obtusifolium F.Muell. & Sond. ex Sond. = Argentipallium obtusifolium	2:329
	Helichrysum papillosum Labill. = Xerochrysum papillosum	2:331
	Helichrysum paraliium (N.T.Burb.) W.M.Curtis = Ozothamnus turbinatus	2:333
	Helichrysum pleurandroides F.Muell. sensu Buchanan et al. (1989) = Ozothamnus ericifolius	2:334
e	Helichrysum pumilum Hook.f. var. pumilum , Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 213 (1856)	2:330
e	Helichrysum pumilum Hook.f. var. spathulatum A.M.Buchanan, Pap. & Proc. Roy. Soc. Tasmania 121: 54 (1987)	2:330
	Helichrysum purpurascens (DC.) W.M.Curtis = Ozothamnus purpurascens	2:334
	Helichrysum reticulatum (Labill.) Benth. = Ozothamnus reticulatus	2:332
	Helichrysum rosmarinifolium (Labill.) Benth. = Ozothamnus rosmarinifolius	2:335
	Helichrysum rutidolepis DC. sensu Buchanan et al (1989) = Coronidium gunnium & C. monticola	
	Helichrysum scorpioides Labill. = Coronidium scorpioides	2:328
	Helichrysum scutellifolium (Hook.f.) F.Muell. = Ozothamnus scutellifolius	2:338
	Helichrysum selaginoides (Sond. & F.Muell.) Benth. = Ozothamnus selaginoides	2:339
	Helichrysum semipapposum (Labill.) DC. = Chrysocephalum semipapposum	2:332
	Helichrysum spiceri F.Muell. = Argentipallium spiceri	2:329
	Helichrysum thyrsoideum (DC.) P.Morris & J.H.Willis = Ozothamnus thyrsoideus	2:335
	Helipterum albicans (A.Cunn.) DC. var. incanum (Hook.) Paul G.Wilson = Leucochrysum albicans var. tricolor	2:324
	Helipterum anthemoides (Sieber ex Spreng.) DC. = Rhodanthe anthemoides	2:324
	Helipterum australe (A.Gray) Druce = Triptilodiscus pygmaeus	
	Helipterum demissum (A.Gray) Druce = Hyalosperma demissum	2:325
	Helipterum exiguum F.Muell. = Hyalosperma demissum	
	Helipterum incanum DC. nom. illeg., nom. superfl. = Leucochrysum albicans var. tricolor	
	Helminthia echioides (L.) Gaertn. = Helminthotheca echioides	
i	Helminthotheca echioides (L.) Holub, Folia Geobot. Phytotax. 8: 176 (1973)	2:383
	Hieracium aurantiacum L. subsp. carpathicola Nägeli & Peter = Pilosella aurantiaca subsp. aurantiaca	2:385
	Hieracium brunneocroceum Pugsley = Pilosella aurantiaca subsp. aurantiaca	2:385
	Hieracium pilosella L. = Pilosella officinarum subsp. officinarum	
	Hyalosperma demissum (A.Gray) Paul G.Wilson, Nuytsia 7: 85 (1989)	2:325
i	Hypochoeris glabra L., Sp. Pl. 2: 811 (1753)	2:386
i	Hypochoeris radicata L., Sp. Pl. 2: 811 (1753)	2:385
	Inula graveolens (L.) Desf. = Dittrichia graveolens	2:348
	Isoetopsis graminifolia Turcz., Bull. Soc. Imp. Naturalistes Moscou 24: 175 t.3 (1851)	2:360
	Ixiolaena supina F.Muell. = Leiocarpa supina	2:341
	Ixodia achlaena D.I.Morris = Odixia achlaena	
	Ixodia angusta (N.A.Wakef.) N.T.Burb. = Odixia angusta	2:343
i	Lactuca saligna L., Sp. Pl. 2: 796 (1753)	2:388

n i *	<i>Lactuca serriola</i> L. f. <i>integrifolia</i> (Gray) S.D.Prince & R.N.Carter, Cent. Pl. 2: 29 (1756)	2:389
i	Lactuca serriola L. f. <i>serriola</i> , Cent. Pl. 2: 29 (1756)	
	<i>Lagenophora billardierei</i> Cass. = Lagenophora stipitata	
	<i>Lagenophora emphysopus</i> Hook.f. nom. illeg. = Solenogyne gunnii	
	Lagenophora gracilis Steetz, Pl. Preiss. [J.G.C.Lehman] 1: 431 (1845)	
	<i>Lagenophora gunniana</i> Steetz = Lagenophora huegelii	
	Lagenophora huegelii Benth., Enum. Pl. [Endlicher]: 59 (1837)	2:290
	<i>Lagenophora latifolia</i> Hook.f. = Lagenophora stipitata	
	Lagenophora montana Hook.f., London J. Bot. 6: 113 (1847)	
	Lagenophora stipitata (Labill.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 630 (1917)	2:290
i	Lapsana communis L. subsp. <i>communis</i> , Sp. Pl. 2: 811 (1753)	
i t	Lasiospermum bipinnatum (Thunb.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 631 (1917)	2:350
	Leiocarpa supina (F.Muell.) Paul G.Wilson, Nuytsia 13: 604 (2001)	2:341
	<i>Leontodon hirtus</i> L. sensu Rodway (1903) = Leontodon saxatilis (misapplied in Tasmania)	
	<i>Leontodon leysseri</i> (Wallr.) Beck sensu Curtis (1963) = Leontodon saxatilis (misapplied in Tasmania)	2:386
i	Leontodon rhagadioloides (L.) Enke & Zidorn, Organisms Diversity Evol. 12: 14 (2012)	2:382
i	Leontodon saxatilis Lam., Fl. Franç. (Lamarck) 2: 115 (1779) (as "1778")	2:386
	<i>Leontodon taraxacoides</i> (Vill.) Mérat = Leontodon saxatilis	2:386
	Leptinella filicula (Hook.f.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 194 (1856)	2:357
	<i>Leptinella intricata</i> Hook.f. = Leptinella reptans	
	Leptinella longipes Hook.f., London J. Bot. 6: 117 (1847)	2:357
	Leptinella reptans (Benth.) D.G.Lloyd & C.J.Webb, New Zealand J. Bot. 25: 103 (1987)	2:357
	Leptorhynchus elongatus DC., Prodr. [A. P. de Candolle] 6: 160 (1838)	2:323
	<i>Leptorhynchus linearis</i> Less. sensu Curtis (1963) = Leptorhynchus nitidulus (misapplied in Tasmania)	2:323
	Leptorhynchus nitidulus DC., Prodr. [A. P. de Candolle] 6: 160 (1838)	2:323
	Leptorhynchus squamatus (Labill.) Less. subsp. <i>alpinus</i> Flann, Austral. Syst. Bot. 15: 217 (2002)	2:323
	Leptorhynchus squamatus (Labill.) Less. subsp. <i>squamatus</i> , Syn. Gen. Compos. 273 (1832)	2:323
i	Leucanthemum × superbum (Bergmans ex J.W.Ingram) D.H.Kent, Watsonia 18: 89 (1990)	
i	Leucanthemum vulgare Lam., Fl. Franç. (Lamarck) 2: 137 (1779) (as "1778")	2:353
n	Leucochrysum albicans (A.Cunn.) Paul G.Wilson subsp. <i>tricolor</i> (DC.) N.G.Walsh, Muelleria 34: 13 (2015)	2:324
	Leucophyta brownii Cass., Dict. Sci. Nat., ed. 2 [F.Cuvier] 26: 159 (1823)	2:345
i	Logfia gallica (L.) Coss. & Germ., Ann. Sci. Nat., Bot., sér. 2, 20: 291 (1843)	2:315
n i *	<i>Matricaria chamomilla</i> L., Sp. Pl. 2: 891 (1753)	
	<i>Matricaria chamomilla</i> L. sensu de Salas & Baker 2014 = Matricaria discoidea (misapplied in Tasmania)	
i	Matricaria discoidea DC., Prodr. [A. P. de Candolle] 6: 50 (1838)	2:354
	<i>Matricaria matricarioides</i> (Less.) Porter sensu Curtis (1963) = Matricaria discoidea	2:354
	<i>Matricaria perforata</i> Mérat = Tripleurospermum maritimum subsp. <i>inodorum</i>	
	<i>Matricaria recutita</i> L. sensu de Salas & Baker 2014 = Matricaria chamomilla (misapplied in Tasmania)	

	Microseris forsteri Hook.f. nom. illeg. = Microseris lanceolata	
	Microseris lanceolata (Walp.) Sch.Bip., Jahresber. Pollichia 22-24: 310 (1866)	2:381
	Microseris scapigera (Sol. ex A.Cunn.) Sch.Bip. sensu Curtis (1963) = Microseris lanceolata (misapplied in Tasmania)	2:381
n	Microseris walteri Gand., Bull. Soc. Bot. France 65: 52 (1918)	
	Millotia muelleri (Sond.) P.S.Short, Muelleria 7: 246 (1990)	
	Millotia tenuifolia Cass. var. tenuifolia , Ann. Sci. Nat. (Paris) 17: 417 (1829)	2:342
	Myriogyne minuta (G.Forst.) Less. sensu Bentham (1867) = Centipeda elatinoides (misapplied in Tasmania)	
e	Nablonium calyceroides Cass., Dict. Sci. Nat., ed. 2 [F.Cuvier] 34: 101 (1825)	2:349
e	Odidia achlaena (D.I.Morris) Orchard, Brunonia 4: 194 (1982)	
e	Odidia angusta (N.A.Wakef.) Orchard, Brunonia 4: 194 (1982)	2:343
	Olearia algida N.A.Wakef., Vict. Naturalist 73: 97 (1956)	2:308
	Olearia alpina (Hook.f.) W.M.Curtis nom. illeg. = Olearia tasmanica	2:304
e	Olearia archeri Lander, Muelleria 7: 117 (1989)	
	Olearia argophylla (Labill.) F.Muell. ex Benth., Fl. Austral. 3: 470 (1867)	2:303
	Olearia axillaris (DC.) F.Muell. ex Benth., Fl. Austral. 3: 475 (1867)	2:307
	Olearia ciliata (Benth.) F.Muell. ex Benth., Fl. Austral. 3: 488 (1867)	2:309
e	Olearia ericoides (Steetz) N.A.Wakef., Vict. Naturalist. 73: 97 (1956)	2:307
	Olearia erubescens (DC.) Dippel, Handb. Laubholz 1: 290 (1889)	2:303
	Olearia floribunda (Hook.f.) Benth., Fl. Austral. 3: 477 (1867)	2:308
	Olearia glandulosa (Labill.) Benth., Fl. Austral. 3: 483 (1867)	2:309
	Olearia glutinosa (Lindl.) Benth., Fl. Austral. 3: 482 (1867)	2:309
	Olearia gunniana (DC.) Hook.f. ex Hook. = Olearia phlogopappa subsp. gunniana	
e	Olearia hookeri (Sond.) Benth., Fl. Austral. 3: 483 (1867)	2:309
	Olearia lanceolata (Benth.) D.I.Morris sensu Morris (1977) = Olearia archeri (misapplied in Tasmania)	
e	Olearia ledifolia (DC.) Benth., Fl. Austral. 3: 472 (1867)	2:305
	Olearia lepidophylla (Pers.) Benth., Fl. Austral. 3: 477 (1867)	2:308
	Olearia lirata (Sims) Hutch., Gard. Chron., Ser. 3, 61: 14 fig.4 (1917)	2:306
	Olearia myrsinoides (Labill.) F.Muell. ex Benth., Fl. Austral. 3: 470 (1867)	2:303
	Olearia myrsinoides (Labill.) F.Muell. ex Benth. var. erubescens (DC.) Benth. = Olearia erubescens	
e	Olearia obcordata (Hook.f.) Benth., Fl. Austral. 3: 471 (1867)	2:304
e	Olearia persoonioides (DC.) Benth., Fl. Austral. 3: 471 (1867)	2:304
	Olearia persoonioides (DC.) Benth. var. alpina (Hook.f.) Benth. = Olearia tasmanica	
	Olearia persoonioides (DC.) Benth. var. lanceolata Benth. sensu Morris (1977) = Olearia archeri	
e	Olearia phlogopappa (Labill.) DC. subsp. angustifolia (Hook.f.) Messina, Austral. Syst. Bot. 26: 57 (2013)	2:306
e	Olearia phlogopappa (Labill.) DC. subsp. gunniana (DC.) Messina, Austral. Syst. Bot. 26: 60 (2013)	2:306
	Olearia phlogopappa (Labill.) DC. subsp. insularis Messina, Austral. Syst. Bot. 26: 63 (2013)	
e	Olearia phlogopappa (Labill.) DC. subsp. phlogopappa , Prodr. [A. P. de Candolle] 5: 272 (1836)	2:306

	Olearia phlogopappa (Labill.) DC. subsp. salicina (Hook.f.) Messina, Austral. Syst. Bot. 26: 63 (2013)	2:306
e	Olearia phlogopappa (Labill.) DC. subsp. subrepanda (DC.) Messina, Austral. Syst. Bot. 26: 67 (2013)	2:306
	<i>Olearia phlogopappa</i> (Labill.) DC. var. <i>angustifolia</i> (Hutch.) W.M.Curtis = Olearia phlogopappa subsp. angustifolia	2:306
	<i>Olearia phlogopappa</i> (Labill.) DC. var. <i>brevipes</i> (Hutch.) W.M.Curtis = Olearia phlogopappa subsp. gunniana	2:306
	<i>Olearia phlogopappa</i> (Labill.) DC. var. <i>microcephala</i> (Hutch.) W.M.Curtis = Olearia phlogopappa subsp. gunniana	2:306
	<i>Olearia phlogopappa</i> (Labill.) DC. var. <i>salicifolia</i> (Hutch.) W.M.Curtis = Olearia phlogopappa subsp. salicina	2:306
	<i>Olearia phlogopappa</i> (Labill.) DC. var. <i>subrepanda</i> (DC.) J.H.Willis = Olearia phlogopappa subsp. subrepanda	2:306
e	Olearia pinifolia (Hook.f.) Benth., Fl. Austral. 3: 471 (1867)	2:305
	Olearia ramulosa (Labill.) Benth., Fl. Austral. 3: 476 (1867)	2:307
e	Olearia rugosa (F.Muell. ex W.Archer bis) Hutch. subsp. intermedia Messina, Austral. Syst. Bot. 26: 76 (2013)	
	Olearia stellulata (Labill.) DC., Prodr. [A. P. de Candolle] 5: 272 (1836)	2:305
	<i>Olearia stellulata</i> (Labill.) DC. var. <i>lirata</i> (Sims) Benth. = Olearia lirata	
	<i>Olearia stellulata</i> (Labill.) DC. var. <i>quercifolia</i> (Sieber ex DC.) Benth. sensu Bentham (1867) = Olearia rugosa subsp. intermedia (misapplied in Tasmania)	
e	Olearia tasmanica W.M.Curtis, Vict. Naturalist 87: 251 (1970)	2:304
	Olearia viscosa (Labill.) Benth., Fl. Austral. 3: 468 (1867)	2:302
i	Onopordum acanthium L., Sp. Pl. 2: 827 (1753)	2:377
n i x	Onopordum acaulon L., Sp. Pl., ed. 2, 2: 1159 (1763)	
	<i>Osteospermum fruticosum</i> (L.) Norl. = Dimorphotheca fruticosa	
e	Ozothamnus antennaria (DC.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 203 (1856)	2:336
	Ozothamnus argophyllus (A.Cunn. ex DC.) Anderb., Opera Bot. 104: 89 (1991)	2:335
	<i>Ozothamnus backhousei</i> Hook.f. nom. illeg. = Ozothamnus rodwayi	
e	Ozothamnus bracteolatus Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 203 (1856)	2:333
	<i>Ozothamnus cinereus</i> (Labill.) Sw. = Ozothamnus turbinatus	2:333
	<i>Ozothamnus cinereus</i> (Labill.) Sw. var. <i>bracteolatus</i> (Hook.f.) Rodway = Ozothamnus bracteolatus	
e	Ozothamnus costatifructus (R.V.Sm.) Anderb., Opera Bot. 104: 89 (1991)	2:332
e	Ozothamnus ericifolius Hook.f., London J. Bot. 6: 119 (1847)	2:334
e	Ozothamnus × expansifolius (P.Morris & J.H.Willis) Anderb., Opera Bot. 104: 89 (1991)	2:337
	Ozothamnus ferrugineus (Labill.) Sweet, Hort. Brit. [Sweet] I: 221 (1826)	2:335
	<i>Ozothamnus ferrugineus</i> DC. var. <i>gravesii</i> Rodway = Ozothamnus argophyllus	
	<i>Ozothamnus gunnii</i> Hook.f. = Ozothamnus bracteolatus	2:333
e	Ozothamnus hookeri Sond., Linnaea 25: 509 (1853)	2:337
e	Ozothamnus ledifolius (A.Cunn. ex DC.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 204 (1856)	2:334
e	Ozothamnus lycopodioides Hook.f., London J. Bot. 6: 119 (1847)	2:338
	Ozothamnus obcordatus DC., Prodr. [A. P. de Candolle] 6: 165 (1838)	2:336

e	Ozothamnus purpurascens DC., Prodr. [A. P. de Candolle] 6: 165 (1838)	2:334
e	Ozothamnus reflexifolius Leeson & Rozefelds, Austral Syst. Bot. 16: 319 (2003)	
e	Ozothamnus reticulatus (Labill.) DC., Prodr. [A. P. de Candolle] 6: 164 (1838)	2:332
e	Ozothamnus rodwayi Orchard var. kingii (W.M.Curtis) P.S.Short, Muelleria 7: 522 (1992)	2:337
e	Ozothamnus rodwayi Orchard var. oreophilus (W.M.Curtis) P.S.Short, Muelleria 7: 522 (1992)	2:337
e	Ozothamnus rodwayi Orchard var. rodwayi , Muelleria 7: 522 (1992)	2:337
	Ozothamnus rosmarinifolius (Labill.) Sweet, Hort. Brit. [Sweet] 1: 221 (1826)	2:335
	<i>Ozothamnus rosmarinifolius</i> (Labill.) Sweet var. <i>ericifolius</i> (Hook.f.) Rodway = Ozothamnus ericifolius	
e	Ozothamnus scutellifolius Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 202 (1856)	2:338
e x	Ozothamnus selaginoides Sond. & F.Muell., Linnaea 25: 510 (1853)	2:339
	Ozothamnus thyrsoides DC., Prodr. [A. P. de Candolle] 6: 165 (1838)	2:335
	Ozothamnus turbinatus DC., Prodr. [A. P. de Candolle] 6: 164 (1838)	2:333
	Pappochroma bellidioides (Hook.f.) G.L.Nesom, Phytologia 85: 277 (1998)	
e	Pappochroma gunnii (Hook.f.) G.L.Nesom, Phytologia 76: 426 (1994)	2:312
e	Pappochroma pappocromum (Labill.) G.L.Nesom, Phytologia 85: 278 (1998)	2:311
e	Pappochroma stellatum (Hook.f.) G.L.Nesom, Phytologia 85: 278 (1998)	2:312
	Pappochroma tasmanicum (Hook.f.) G.L.Nesom, Phytologia 76: 426 (1994)	2:312
e	Pappochroma trigonum (S.J.Forbes & D.I.Morris) G.L.Nesom, Phytologia 85: 279 (1998)	
	<i>Paquerina graminea</i> (Labill.) Cass. ex Less. = Brachyscome graminea	2:295
	<i>Petasites fragrans</i> (Vill.) C.Presl = Petasites pyrenaicus	2:360
i	Petasites pyrenaicus (L.) G.López, Anales Jard. Bot. Madrid 42: 343 (1986)	2:360
	Picris angustifolia DC. subsp. angustifolia , Prodr. [A. P. de Candolle] 7: 130 (1838)	2:383
	Picris angustifolia DC. subsp. merxmuelleri Lack & S.Holzappel, Willdenowia 23: 190 (1993)	2:383
	<i>Picris echioides</i> L. = Helminthotheca echioides	2:383
	<i>Picris hieracioides</i> L. sensu Curtis (1963) = Picris angustifolia (misapplied in Tasmania)	2:383
i	Pilosella aurantiaca (L.) F.W.Schultz & Sch.Bip. subsp. aurantiaca , Flora 42: 426 (1862)	2:385
n i x	Pilosella officinarum Vaill. subsp. officinarum , Königl. Akad. Wiss. Paris Anat. Abh. 5: 703 (1754)	
	<i>Podolepis acuminata</i> R.Br. = Podolepis jaceoides	
	Podolepis decipiens Jeanes, Muelleria 33:26 (2015)	
	Podolepis jaceoides (Sims) Voss, Vilm. Blumengärtn., ed. 3, 1: 537 (1894)	2:348
	<i>Podosperma angustifolia</i> Labill. = Podotheca angustifolia	2:341
?x	Podotheca angustifolia (Labill.) Less., Syn. Gen. Compos. 272 (1832)	2:341
	<i>Pseudognaphalium luteoalbum</i> (L.) Hilliard & B.L.Burtt = Helichrysum luteoalbum	2:318
e	Pterygopappus lawrencei Hook.f., London J. Bot. 6: 120 (1847)	2:316
	<i>Raoulia catipes</i> (DC.) Hook.f. = Ewartia catipes	
	<i>Raoulia mereditheae</i> (F.Muell.) Rodway = Ewartia meredithiae	
	<i>Raoulia planchonii</i> (Hook.f.) Benth. = Ewartia planchonii	
	<i>Rhagadiolus hedynois</i> (L.) All. = Leontodon rhagadioloides	
	Rhodanthe anthemoides (Sieber ex Spreng.) Paul G.Wilson, Nuytsia 8: 386 (1992)	2:324
	<i>Richea glauca</i> Labill. = Craspedia glauca	
	<i>Rutidosis multiflora</i> (Nees) B.L.Rob. = Siloxerus multiflorus	2:342
	<i>Rutidosis pumilo</i> Benth. = Siloxerus multiflorus	

	Scleroleima forsteroides Hook.f. = Abrotanella forsteroides	
i	Scorzonera laciniata L. var. laciniata , Sp. Pl. 2: 791 (1753)	
e	Senecio albogilvus I.Thomps., Muelleria 20: 130 (2004)	2:364
n i	Senecio angulatus L.f., Suppl. Pl.369 (1782)	
	Senecio australis Willd. sensu Rodway (1903) = Senecio linearifolius (misapplied in Tasmania)	
	Senecio biserratus Belcher, Ann. Missouri Bot. Gard. 43: 43 (1956)	2:368
	Senecio campylocarpus I.Thomps., Muelleria 20: 139 (2004)	
	Senecio capillifolius Hook.f. = Senecio pinnatifolius var. capillifolius	2:365
	Senecio centropappus F.Muell. = Centropappus brunonis	2:365
i	Senecio elegans L., Sp. Pl. 2: 869 (1753)	2:366
	Senecio extensus I.Thomps., Muelleria 19: 150 (2004)	
x	Senecio georgianus DC., Prodr. [A. P. de Candolle] 6: 371 (1838)	
	Senecio glandulosus (A.Cunn. ex DC.) Sch.Bip. = Senecio campylocarpus	
	Senecio glomeratus Desf. ex Poir. subsp. glomeratus , Encycl. (Lamarck) Suppl. 5: 130 (1817)	2:370
	Senecio glomeratus Desf. ex Poir. subsp. longifructus I.Thomps., Muelleria 19: 148 (2004)	2:370
	Senecio gunnii (Hook.f.) Belcher, Ann. Missouri Bot. Gard. 43: 60 (1956)	2:370
	Senecio hispidissimus I.Thomps., Muelleria 19: 138 (2004)	
	Senecio hispidulus A.Rich., Voy. Astrolabe 2: 94 t.34 (1834)	2:370
i	Senecio jacobaea L., Sp. Pl. 2: 870 (1753)	2:366
	Senecio lautus G.Forst. ex Willd. sensu Curtis (1963) = Senecio pinnatifolius (sensu lato, misapplied in Tasmania)	2:365
e	Senecio leptocarpus DC., Prodr. [A. P. de Candolle] 6: 372 (1838)	2:364
	Senecio linearifolius A.Rich. var. arachnoideus I.Thomps., Muelleria 20: 98 (2004)	2:366
	Senecio linearifolius A.Rich. var. denticulatus I.Thomps., Muelleria 20: 93 (2004)	2:366
	Senecio linearifolius A.Rich. var. latifolius I.Thomps., Muelleria 20: 96 (2004)	2:366
	Senecio linearifolius A.Rich. var. linearifolius , Voy. Astrolabe 2: 129 (1834)	2:366
	Senecio longipilus I.Thomps., Muelleria 19: 193 (2004)	
x	Senecio macrocarpus F.Muell. ex Belcher, Muelleria 5: 119 (1983)	
	Senecio microbasis I.Thomps., Muelleria 19: 175 (2004)	
	Senecio mikanioides Otto ex Harv. = Delairea odorata	2:367
	Senecio minimus Poir., Encycl. (Lamarck) Suppl. 5: 130 (1817)	2:368
	Senecio odoratus Hornem., Enum. Pl. Hort. Hafn. Suppl. [1809] (1809)	2:367
	Senecio × orarius J.M.Black, Trans. & Proc. Roy. Soc. South Australia 52: 230 (1928)	
e	Senecio papillosus F.Muell., Trans. & Proc. Philos. Inst. Victoria 2: 69 (1857)	2:363
	Senecio pectinatus DC. var. leptocarpus = Senecio leptocarpus	
	Senecio pectinatus DC. var. major F.Muell. ex Belcher recorded in error	
	Senecio pectinatus DC. var. ochroleucus F.Muell. = Senecio albogilvus	2:364
e	Senecio pectinatus DC. var. pectinatus , Prodr. [A. P. de Candolle] 6: 372 (1838)	2:364
	Senecio pectinatus DC. var. pleiocephalus Benth. sensu Rodway (1903) = Senecio pinnatifolius var. alpinus (misapplied in Tasmania)	
	Senecio phelleus I.Thomps., Muelleria 19: 171 (2004)	
	Senecio pinnatifolius A.Rich. var. alpinus (Ali) I.Thomps., Muelleria 21: 53 (2005)	2:365
e	Senecio pinnatifolius A.Rich. var. capillifolius (Hook.f.) I.Thomps., Muelleria 21: 51 (2005)	2:365
	Senecio pinnatifolius A.Rich. var. lanceolatus (Benth.) I.Thomps., Muelleria 21: 49 (2005)	2:365
	Senecio pinnatifolius A.Rich. var. maritimus (Ali) I.Thomps., Muelleria 21: 54 (2005)	2:365

	Senecio pinnatifolius A.Rich. var. pinnatifolius , Voy. Astrolabe 2: 117 (1834)	2:365
	Senecio pinnatifolius A.Rich. var. pleiocephalus (Rodway) Belcher = Senecio pinnatifolius var. alpinus	
	Senecio prenanthoides A.Rich., Voy. Astrolabe 2: 96 (1834)	
e	Senecio primulaefolius F.Muell., Trans. & Proc. Philos. Inst. Victoria 2: 69 (1857)	2:364
	Senecio psilocarpus Belcher & Albr., Muelleria 8: 113 (1994)	
	Senecio quadridentatus Labill., Nov. Holl. Pl. 2: 48 t.194 (1806)	2:369
e	Senecio spathulatus A.Rich. var. spathulatus , Voy. Astrolabe 2: 125 (1834)	2:364
	Senecio squarrosus A.Rich., Voy. Astrolabe 2: 107 t.35 (1834)	2:369
e x	Senecio tasmanicus I.Thomps., Muelleria 19: 158 (2004)	
	Senecio vagus F.Muell. subsp. vagus , Trans. & Proc. Philos. Soc. Victoria 1: 46 (1855)	
	Senecio velleioides A.Cunn. ex DC., Prodr. [A. P. de Candolle] 6: 374 (1838)	2:365
i	Senecio vulgaris L., Sp. Pl. 2: 867 (1753)	2:367
n ?i #	Sigesbeckia orientalis L., Sp. Pl. 2: 900 (1753)	
	Siloxerus multiflorus Nees, Pl. Preiss. [J.G.C.Lehman] 2: 244 (1845)	2:342
i	Silybum marianum (L.) Gaertn., Fruct. Sem. Pl. 2: 378 t.162 (1791)	2:378
	Skirrhophorus eriocephalus Hook.f. ex A.Gray = Angianthus preissianus	
	Solenogyne bellioides Cass. var. gunnii (Hook.f.) G.L.Davis = Solenogyne gunnii	2:292
	Solenogyne dominii L.G.Adams, Brunonia 2: 58 (1979)	
	Solenogyne gunnii (Hook.f.) Cabrera, Blumea 14: 307 (1966)	2:292
i	Soliva sessilis Ruiz & Pav., Syst. Veg. Fl. Peruv. Chil. 225 (1798)	2:358
i	Soliva valdiviana Phil., Linnaea 33: 168 (1864)	
i	Sonchus asper (L.) Hill, Herb. Brit. 1: 47 t.34 (1769)	2:390
	Sonchus asper (L.) Hill subsp. glaucescens (Jord.) Ball = Sonchus asper	
	Sonchus hydrophilus Boulos, Suppl. Black's Fl. S. Austral. 331 (1965)	
	Sonchus megalocarpus (Hook.f.) J.M.Black = Actites megalocarpus	2:390
i	Sonchus oleraceus L., Sp. Pl. 2: 794 (1753)	2:389
i	Symphotrichum novi-belgii (L.) G.L.Nesom, Phytologia 77: 287 (1995) (as "1994")	
i	Symphotrichum subulatum (Michx.) G.L.Nesom, Phytologia 77: 293 (1995) (as "1994")	2:299
i t	Tanacetum cinerariifolium (Trevir.) Sch.Bip., Tanacetum: 58 (1844)	
i	Tanacetum parthenium (L.) Sch.Bip., Tanacetum: 55 (1844)	2:353
i	Tanacetum vulgare L., Sp. Pl. 2: 844 (1753)	2:360
	Taraxacum aristum G.E.Haglund & Markl., Bot. Not. 117: 197 (1964)	
	Taraxacum cygnorum Hand.-Mazz., Monogr. Taraxacum: 55 (1907)	
	Taraxacum dens-leonis Desf. sensu Rodway (1903) = Taraxacum officinale (misapplied in Tasmania)	
n	Taraxacum kok-saghyz L.E.Rodin – previously listed as naturalised but insufficient evidence exists to support this	2:387
i	Taraxacum officinale F.H.Wigg., Prim. Fl. Holsat. 56 (1780)	2:387
i	Tolpis barbata (L.) Gaertn., Fruct. Sem. Pl. 2: 372 (1791)	2:381
	Tolpis umbellata Bertol. = Tolpis barbata	2:381
i	Tragopogon porrifolius L. subsp. porrifolius , Sp. Pl. 2: 789 (1753)	2:390
	Tripleurospermum inodorum (L.) Sch.Bip. = Tripleurospermum maritimum subsp. inodorum	

i	Tripleurospermum maritimum (L.) W.D.J.Koch subsp. inodorum (L.) Appleg., Taxon 51: 760 (2002)	
	Triptilodiscus pygmaeus Turcz., Bull. Soc. Imp. Naturalistes Moscou 24: 66 (1851)	
i t	Urospermum dalechampii (L.) F.W.Schmidt, Samml. Phys.-Oekon. Aufsätze 1: 275 (1795)	2:391
i	Vellereophyton dealbatum (Thunb.) Hilliard & B.L.Burtt, Bot. J. Linn. Soc. 82: 210 (1981)	2:318
	Vittadinia australasica (Turcz.) N.T.Burb. var. oricola N.T.Burb., Brunonia 5: 44 (1982)	
	Vittadinia australis A.Rich. sensu Bentham (1867) misapplied to V. australasica and V. cuneata	
	Vittadinia australis A.Rich. var. megacephala F.Muell. ex Benth. = Vittadinia megacephala	
e	Vittadinia burbridgeae A.M.Gray & Rozefelds, Kanunnah 1: 9 (2005)	
	Vittadinia cuneata DC. var. cuneata , Prodr. [A. P. de Candolle] 5: 281 (1836)	2:313
	Vittadinia gracilis (Hook.f.) N.T.Burb., Brunonia 5: 54 (1982)	2:313
	Vittadinia megacephala (F.Muell. ex Benth.) J.M.Black recorded in error	2:314
	Vittadinia muelleri N.T.Burb., Proc. Linn. Soc. New South Wales 93: 440 fig.1D (1969)	
	Vittadinia scabra DC. sensu Hooker (1860) = Vittadinia cuneata (misapplied in Tasmania)	
	Vittadinia triloba (Gaudich.) DC. sensu Curtis (1963) = Vittadinia cuneata (misapplied in Tasmania)	2:313
	Vittadinia triloba (Gaudich.) DC. var. lanuginosa J.M.Black sensu Curtis (1963) = Vittadinia gracilis (misapplied in Tasmania)	2:313
	Vittadinia triloba (Gaudich.) DC. var. megacephala (F.Muell. ex Benth.) Ewart = Vittadinia megacephala	2:314
i	Xanthium spinosum L., Sp. Pl. 2: 987 (1753)	2:349
n e	Xerochrysum alpinum Paul G.Wilson, Nuytsia 28: 36 (2017)	
	Xerochrysum bicolor (Lindl.) R.J.Bayer, Kew Bull. 56: 1014 (2001)	2:331
	Xerochrysum bracteatum (Vent.) Tzvelev, Novosti Sist. Vyssh. Rast. 27: 151 (1990)	
e	Xerochrysum collierianum A.M.Buchanan, Muelleria 20: 49 (2004)	
n e	Xerochrysum milliganii (Hook.f.) Paul G.Wilson, Taxon 64: 106 (2015)	2:330
	Xerochrysum palustre (Flann) R.J.Bayer, Kew Bull. 56: 1014 (2001)	
	Xerochrysum papillosum (Labill.) R.J.Bayer, Kew Bull. 56: 1015 (2001)	2:331
	Xerochrysum subundulatum (Sch.Bip.) R.J.Bayer, Kew Bull. 56: 1015 (2001)	2:330
i	Xerochrysum viscosum (Sieber ex DC.) R.J.Bayer, Kew Bulletin 56: 1015 (2001)	
	BASELLACEAE	FTO 99
n i *	<i>Anredera cordifolia</i> (Ten.) Steenis, Fl. Malesiana 5: 303 fig.2 a-j (1957)	3:580
	BERBERIDACEAE	FTO 46
i	Berberis darwinii Hook., Icon. Pl. 7: t.672 (1844)	
	BETULACEAE	
n	<i>Alnus cordata</i> (Loisel.) Duby – previously listed as naturalised but insufficient evidence exists to support this	3:645
n i *	<i>Alnus glutinosa</i> (L.) Gaertn., Fruct. Sem. Pl. 2: 54 (1791)	
i	Betula pendula Roth, Tent. Fl. Germ. 1: 405 (1788)	
	BIGNONIACEAE	FTO 121
	Pandorea pandorana (Andrews) Steenis, Bull. Jard. Bot. Buitenzorg 10: 198 (1928)	3:538
	BORAGINACEAE	
i	Amsinckia calycina (Moris) Chater, Bot. J. Linn. Soc. 64: 380 (1971)	3:489
	<i>Amsinckia hispida</i> (Ruiz & Pav.) I.M.Johnst. = Amsinckia calycina	3:489

i	Anchusa arvensis (L.) M.Bieb., Fl. Taur.-Caucas. 1: 123 (1808)	
	Anchusa sempervirens L. = Pentaglottis sempervirens	3:491
	Austrocynoglossum latifolium (R.Br.) Popov ex R.R.Mill, Notes Roy. Bot. Gard. Edinburgh 46: 44 (1989)	3:488
i	Borago officinalis L., Sp. Pl. 1: 137 (1753)	3:490
i	Buglossoides arvensis (L.) I.M.Johnst., J. Arnold Arbor. 35: 42 (1954)	3:494
	Cynoglossum australe R.Br., Prodr. Fl. Nov. Holland. 495 (1810)	3:489
	Cynoglossum latifolium R.Br. = Austrocynoglossum latifolium	3:488
	Cynoglossum suaveolens R.Br., Prodr. Fl. Nov. Holland. 495 (1810)	3:488
i	Echium candicans L.f., Suppl. Pl. 131 (1782)	
	Echium lycopsis L. sensu Curtis (1967) = Echium plantagineum (misapplied in Tasmania)	3:495
i	Echium plantagineum L., Mant. Pl. 2: 202 (1771)	3:495
i	Echium vulgare L., Sp. Pl. 1: 139 (1753)	3:495
	Exarrhena suaveolens R.Br. = Myosotis exarrhena	
	Lithospermum arvense L. = Buglossoides arvensis	3:494
n i t	Lithospermum officinale L., Sp. Pl. 1: 132 (1753)	3:494
	Lycopsis arvensis L. = Anchusa arvensis	
i	Myosotis arvensis (L.) Hill, Veg. Syst. 7: 55 (1764)	
	Myosotis australis R.Br., Prodr. Fl. Nov. Holland. 495 (1810)	3:492
	Myosotis caespitosa Schultz = Myosotis laxa subsp. caespitosa	3:493
i	Myosotis discolor Pers., Syst. Veg., ed. 15 (J.A.Murray): 190 (1798)	3:493
	Myosotis exarrhena F.Muell., Syst. Census Austral. Pl. Suppl. 4: 7 (1889)	3:492
i	Myosotis laxa Lehm. subsp. caespitosa (Schultz) Hyl. ex Nordh., Norsk. Fl. (Nordhagen): 529 (1940)	3:493
i	Myosotis scorpioides L., Sp. Pl. 1: 131 (1753)	3:492
	Myosotis suaveolens (R.Br.) Poir. = Myosotis exarrhena	3:492
i	Myosotis sylvatica Hoffm., Deutschl. Fl. (Hoffm.): 61 (1791)	3:493
i	Nonea lutea (Desr.) Rchb. ex A.DC., Prodr. [A. P. de Candolle] 10: 28 (1846)	
i	Pentaglottis sempervirens (L.) Tausch ex L.H.Bailey, Man. Cult. Pl., ed. 2: 837 (1949)	3:491
	Symphytum peregrinum Ledeb. = Symphytum uplandicum	3:490
n i *	Symphytum × uplandicum Nyman, Syll. Fl. Eur. 80 (1855)	3:490
BRASSICACEAE (CRUCIFERAE)		
	Alyssum maritimum (L.) Lam. = Lobularia maritima	1:45
i	Arabidopsis thaliana (L.) Heynh., Fl. Sachsen 1: 538 (1842)	1:50
x	Ballantinia antipoda (F.Muell.) E.A.Shaw, Contr. Gray Herb. 205: 161 (1974)	1:42
e	Barbarea australis Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 14 (1852)	1:47
i	Barbarea intermedia Boreau, Fl. Centre France [Boreau] 2: 48 (1840)	1:48
i	Barbarea verna (Mill.) Asch., Fl. Brandenburg 1: 36 (1860)	1:48
	Barbarea vulgaris W.T.Aiton sensu Bentham (1863) = Barbarea australis (partly misapplied in Tasmania)	
i #	Brassica × juncea (L.) Czern., Conspect. Pl. Chark. 8 (1859)	
i	Brassica × napus L., Sp. Pl. 2: 666 (1753)	1:34
i	Brassica nigra (L.) W.D.J.Koch, Deutschl. Fl. (Röhling), ed. 3, 4: 713 (1833)	1:35
n i *	Brassica oleracea L., Sp. Pl. 2: 667 (1753)	
i	Brassica rapa L., Sp. Pl. 2: 666 (1753)	1:34

	Brassica sinapistrum Boiss. = Sinapis arvensis	
i	Brassica tournefortii Gouan, Ill. Observ. Bot. 3: 44, t.20A (1773)	
i	Cakile edentula (Bigelow) Hook., Fl. Bor.-Amer. (Hooker) 1: 59 (1830)	1:38
i	Cakile maritima Scop. subsp. maritima , Fl. Carniol., ed. 2, 2: 35 (1772)	1:38
	Camelina alyssum (Mill.) Thell. sensu Curtis (1975) = Camelina sativa (misapplied in Tasmania)	1:51
i	Camelina sativa (L.) Crantz, Stirp. Austr. Fasc.1: 17 (1762)	1:51
	Capsella antipoda F.Muell. = Ballantinia antipoda	
	Capsella australis (Hook.f.) Benth. = Ballantinia antipoda	
i	Capsella bursa-pastoris (L.) Medik., Pfl.-Gatt. 1: 85 (1792)	1:43
	Capsella elliptica C.A.Mey. nom. illeg. = Hornungia procumbens	
	Capsella procumbens (L.) Fr. = Hornungia procumbens	
	Capsella tasmanica (Hook.) F.Muell. ex B.D.Jacks. = <i>Hutchinsia tasmanica</i>	1:43
	Cardamine astoniae I.Thomps., Muelleria 9: 156 (1996)	
	Cardamine aff. corymbosa Hook.f. sensu Hewson (1982) = Cardamine papillata	
	Cardamine dictyosperma Hook. = Rorippa dictyosperma	
i	Cardamine flexuosa With., Arr. Brit. Pl., ed. 3, 3: 578 (1796)	
	Cardamine franklinensis I.Thomps., Muelleria 9: 152 (1996)	
	Cardamine gunnii Hewson, Fl. Australia 8: 390 (1982)	1:46
	Cardamine heterophylla Hook. = Cardamine gunnii	1:46
i	Cardamine hirsuta L., Sp. Pl. 2: 655 (1753)	1:46
	Cardamine hirsuta L. var. parvifolia Rodway – a name of uncertain application	
	Cardamine hirsuta L. var. tenuifolia (Hook.) Rodway = Cardamine tenuifolia	
	Cardamine intermedia Hook. sensu Curtis (1956) = Cardamine lilacina	
	Cardamine lilacina Hook., Companion Bot. Mag. 1: 273 (1836)	
	Cardamine papillata I.Thomps., Muelleria 9: 161 (1996)	
	Cardamine paucijuga Turcz., Bull. Soc. Imp. Naturalistes Moscou 27(2): 295 (1854)	
	Cardamine pratensis L. sensu Hooker (1860) = Cardamine tenuifolia (misapplied in Tasmania)	
	Cardamine pratensis L. var. lilacina (Hook.) Hook.f. = Cardamine lilacina	
	Cardamine radicata Hook.f. = Pachycladon radicans	
	Cardamine stylosa DC. = Rorippa gigantea	
	Cardamine tenuifolia Hook., J. Bot. (Hooker) 1: 247 (1837)	1:46
	Cardamine tryssa I.Thomps., Muelleria 18: 27 (2004)	
	Cardaria draba (L.) Desv. = Lepidium draba	1:42
n	Carrichtera annua (L.) DC. – previously listed as naturalised but insufficient evidence exists to support this	
	Cheesemania radicata (Hook.f.) O.E.Schulz = Pachycladon radicans	1:47
	Coronopus didymus (L.) Sm. = Lepidium didymum	1:41
	Coronopus squamatus (Forssk.) Asch. = Lepidium coronopus	1:41
	Cuphonotus antipodus (F.Muell.) J.M.Black = Ballantinia antipoda	1:42
i	Diplotaxis muralis (L.) DC., Syst. Nat. [Candolle] 2: 634 (1821)	1:36
i	Diplotaxis tenuifolia (L.) DC., Syst. Nat. [Candolle] 2: 632 (1821)	1:36
	Draba muralis L. sensu Curtis & Morris (1975) and earlier = Draba nemorosa (misapplied in Tasmania)	1:45
i	Draba muralis L., Sp. Pl. 2: 642 (1753)	1:45
i t	Draba nemorosa L., Sp. Pl. 2: 643 (1753)	1:45

i	Erophila verna (L.) Chevall. subsp. praecox (Steven) Walters, Feddes Repert. Spec. Nov. Regni Veg. 69: 57 (1964)	1:45
i	Erophila verna (L.) Chevall. subsp. verna , Fl. Gén. Env. Paris 2: 898 (1827)	1:45
n	<i>Eruca sativa</i> Mill. – previously listed as naturalised but insufficient evidence exists to support this	
	<i>Eruca vesicaria</i> (L.) Cav. subsp. <i>sativa</i> (Mill.) Thell. = <i>Eruca sativa</i>	
	Geococcus pusillus J.Drumm. ex Harv., Hooker's J. Bot. Kew Gard. Misc. 7: 52 (1855)	1:50
i	Hirschfeldia incana (L.) Lagr.-Foss., Fl. Tarn Garonne: 19 (1847)	1:35
i	Hornungia procumbens (L.) Hayek, Repert. Spec. Nov. Regni Veg. Beih. 30: 480 (1925)	1:44
	<i>Hutchinsia australis</i> Hook.f. = Ballantinia antipoda	
	<i>Hutchinsia tasmanica</i> Hook. – a name of uncertain application	
	<i>Hymenolobus procumbens</i> (L.) Nutt. = Hornungia procumbens	1:44
i	Lepidium africanum (Burm.f.) DC., Syst. Nat. [Candolle] 2: 522 (1821)	
i	Lepidium bonariense L., Sp. Pl. 2: 645 (1753)	
i	Lepidium campestre (L.) W.T.Aiton, Hortus Kew. (W.T.Aiton), ed. 2, 4: 88 (1812)	1:40
i	Lepidium coronopus (L.) Al-Shehbaz, Novon 14: 156 (2004)	1:41
	<i>Lepidium cuneifolium</i> DC. = Lepidium foliosum	
	Lepidium desvauxii Thell., Neue Denkschr. Allg. Schweiz. Ges. Gesamten Naturwiss. 41: 307 (1906)	1:39
i	Lepidium didymum L., Mant. Pl. 92 (1767)	1:41
i	Lepidium draba L., Sp. Pl. 2: 645 (1753)	1:42
t	Lepidium flexicaule Kirk, Trans. & Proc. New Zealand Inst. 14: 380 (1882)	
	Lepidium foliosum Desv., J. Bot. (Desvaux) 3: 164, 180 (1815)	1:39
	<i>Lepidium halmaturinum</i> J.M.Black = Lepidium desvauxii	1:39
n	<i>Lepidium heterophyllum</i> Benth. – previously listed as naturalised but insufficient evidence exists to support this	1:40
	Lepidium hyssopifolium Desv., J. Bot. (Desvaux) 3: 179 (1815)	
i	Lepidium latifolium L., Sp. Pl. 2: 644 (1753)	1:41
	<i>Lepidium praetervisum</i> Domin = Lepidium desvauxii	1:39
	Lepidium pseudotasmanicum Thell., Neue Denkschr. Allg. Schweiz. Ges. Gesamten Naturwiss. 41: 307 (1906)	1:39
	<i>Lepidium ruderales</i> L. sensu Bentham (1863) = Lepidium foliosum (misapplied in Tasmania)	
i	Lepidium sativum L., Sp. Pl. 2: 644 (1753)	1:40
	<i>Lepidium squamatum</i> Forssk. = Lepidium coronopus	1:41
	<i>Lepidium tasmanicum</i> Thell. – a name of uncertain application	
i	Lobularia maritima (L.) Desv., J. Bot. (Desvaux) 3: 162 (1815)	1:45
n i	Lunaria annua L., Sp. Pl. 2: 653 (1753)	
i	Matthiola incana (L.) W.T.Aiton, Hortus Kew. (W.T.Aiton), ed. 2, 4: 119 (1812)	
n i	Nasturtium microphyllum Boenn. ex Rchb., Fl. Germ. Excurs. 2: 683 (1830)	1:49
i	Nasturtium officinale W.T.Aiton, Hortus Kew., (W.T.Aiton), ed. 2, 4: 110 (1812)	1:49
	<i>Nasturtium palustre</i> (L.) DC. = Rorippa palustris	
	<i>Nasturtium terrestre</i> (With.) Aiton = Rorippa palustris	
e	Pachycladon radicans (Hook.f.) Heenan & A.D.Mitch., New Zealand J. Bot. 40: 558 (2002)	1:47
n i *	<i>Raphanus maritimus</i> Sm., Engl. Bot. 23: 1643 (1806)	1:37
i	Raphanus raphanistrum L., Sp. Pl. 2: 669 (1753)	1:37

i	Rapistrum rugosum (L.) All., Fl. Pedem. 1: 257 t.78 (1785)	1:37
	Rorippa dictyosperma (Hook.) L.A.S.Johnson, Contr. New South Wales Natl. Herb. 3: 97 (1962)	1:49
	Rorippa gigantea (Hook.) Garn.-Jones, New Zealand J. Bot. 16: 119 (1978)	1:48
	<i>Rorippa islandica</i> (Oeder) Borbás sensu Curtis & Morris (1975) = Rorippa palustris (misapplied in Tasmania)	1:48
	<i>Rorippa microphylla</i> (Boenn. ex Rchb.) H.Hyl. = Nasturtium microphyllum	1:49
	<i>Rorippa nasturtium-aquaticum</i> (L.) Hayek = Nasturtium officinale	1:49
i	Rorippa palustris (L.) Besser, Enum. Pl. [Besser]: 27 (1822)	1:48
	<i>Rorippa stylosa</i> (DC.) Allan = Rorippa gigantea	1:48
i #	Rorippa sylvestris (L.) Besser, Enum. Pl. [Besser]: 27 (1822)	
	<i>Senebiera coronopus</i> (L.) Poir. = Lepidium coronopus	
	<i>Senebiera didyma</i> (L.) Pers. = Lepidium didymum	
i	Sinapis alba L., Sp. Pl. 2: 668 (1753)	
i	Sinapis arvensis L., Sp. Pl. 2: 668 (1753)	1:35
i	Sisymbrium irio L., Sp. Pl. 2: 659 (1753)	
i	Sisymbrium officinale (L.) Scop., Fl. Carniol., ed. 2, 2: 26 (1772)	1:50
i	Sisymbrium orientale L., Cent. Pl. 2: 24 (1756)	1:50
	Stenopetalum lineare R.Br. ex DC., Syst. Nat. [Candolle] 2: 513 (1821)	1:44
i t	Teesdalia nudicaulis (L.) W.T.Aiton, Hortus Kew. (W.T.Aiton), ed. 2, 4: 83 (1812)	1:43
n i *	<i>Thlaspi arvense</i> L., Sp. Pl. 2: 646 (1753)	
	<i>Thlaspi tasmanicum</i> (Hook.) Hook.f. = <i>Hutchinsia tasmanica</i>	
	BRUNONIACEAE	FTO 129
	Brunonia australis Sm. ex R.Br., Prodr. Fl. Nov. Holland. 590 (1810)	2:405
	BUDDLEJACEAE	
i	Buddleja davidii Franch., Nouv. Arch. Mus. Hist. Nat. Paris, Ser. 2, 10: 65 (1888)	
	CALLITRICHACEAE	
	Callitriche brachycarpa Hegelm., Verh. Bot. Vereins Prov. Brandenburg 10: 115 (1868)	1:195
n i *	<i>Callitriche brutia</i> Petagna subsp. <i>brutia</i> , Institutiones Botanicae 2: 10 (1787)	
	Callitriche sonderi Hegelm., Verh. Bot. Vereins Prov. Brandenburg 9: 18 (1867)	
i	Callitriche stagnalis Scop., Fl. Carniol., ed. 2, 2: 251 (1772)	1:195
	Callitriche umbonata Hegelm., Verh. Bot. Vereins Prov. Brandenburg 9: 19 (1867)	1:196
	<i>Callitriche verna</i> L. sensu Hooker (1860), Bentham (1864) = Callitriche stagnalis (misapplied in Tasmania)	
	CAMPANULACEAE	
	<i>Campanula gracilis</i> G.Forst. var. <i>littoralis</i> (Labill.) R.Br. = Wahlenbergia gymnoclada	
	<i>Campanula gracilis</i> G.Forst. var. <i>vincaeflora</i> R.Br. = Wahlenbergia gracilis	
	<i>Campanula littoralis</i> Labill. = Wahlenbergia gymnoclada	
n i *	<i>Campanula rapunculoides</i> L., Sp. Pl. 1: 165 (1753)	2:410
	Isotoma fluviatilis (R.Br.) F.Muell. ex Benth. subsp. <i>australis</i> McComb, Contr. New South Wales Natl. Herb. 4: 109 (1970)	2:411
	<i>Lobelia alata</i> Labill. = Lobelia anceps	2:414
	Lobelia anceps L.f., Suppl. Pl. 395 (1782)	2:414
	Lobelia browniana Schult., Syst. Veg., ed. 15 bis [Roemer & Schultes] 5: 71 (1819)	

	<i>Lobelia cuneiformis</i> Labill. = Lobelia anceps	
	Lobelia dentata Cav., Icon. Pl. 6: 14, t. 522 (1800)	
i #	Lobelia erinus L., Sp. Pl. 2: 932 (1753)	
	<i>Lobelia fluviatilis</i> R.Br. = Isotoma fluviatilis	
	Lobelia gibbosa Labill., Nov. Holl. Pl. 1: 50, t.71 (1805)	2:414
	<i>Lobelia gibbosa</i> Labill. var. <i>browniana</i> (Schult.) F.M.Bailey = Lobelia browniana	
	Lobelia irrigua R.Br., Prodr. Fl. Nov. Holland. 563 (1810)	2:412
	Lobelia pedunculata R.Br., Prodr. Fl. Nov. Holland. 563 (1810)	2:413
	<i>Lobelia platycalyx</i> (F.Muell.) F.Muell. = Lobelia irrigua	
	Lobelia pratioides Benth., Fl. Austral. 4: 131 (1868)	2:415
	Lobelia rhombifolia de Vriese, Pl. Preiss. [J.G.C.Lehman] 1: 397 (1845)	2:414
	Lobelia simplicicaulis R.Br., Prodr. Fl. Nov. Holland. 564 (1810)	
	Lobelia surrepens Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 237 (1856)	2:412
	<i>Pratia irrigua</i> (R.Br.) Benth. = Lobelia irrigua	2:412
	<i>Pratia pedunculata</i> (R.Br.) Benth. = Lobelia pedunculata	2:413
	<i>Pratia platycalyx</i> (F.Muell.) Benth. = Lobelia irrigua	2:412
	<i>Pratia surrepens</i> (Hook.f.) E.Wimm. = Lobelia surrepens	2:412
	Wahlenbergia ceracea Lothian, Victorian Nat. 72: 166 (1956)	2:407
	<i>Wahlenbergia consimilis</i> Lothian = Wahlenbergia stricta	2:408
	Wahlenbergia gracilentata Lothian, Proc. Linn. Soc. New South Wales 71: 217 (1947)	2:407
	Wahlenbergia gracilis (G.Forst.) A.DC., Monogr. Campan. 142 (1830)	2:409
	Wahlenbergia gymnoclada Lothian, Proc. Linn. Soc. New South Wales 71: 227 (1947)	2:408
	Wahlenbergia littoricola P.J.Sm. subsp. <i>littoricola</i> , Fl. S. Austral. [J.M.Black], ed. 4, 3: 1380 (1986)	
	Wahlenbergia multicaulis Benth., Enum. Pl. [Endlicher]: 75 (1837)	2:409
	<i>Wahlenbergia quadrifida</i> (R.Br.) A.DC. = Wahlenbergia gracilis	2:409
e	Wahlenbergia saxicola (R.Br.) A.DC., Monogr. Campan. 144 (1830)	2:410
	Wahlenbergia stricta (R.Br.) Sweet subsp. <i>stricta</i> , Hort. Brit. [Sweet], ed. 2: 593 (1830)	2:408
	<i>Wahlenbergia tadgellii</i> Lothian = Wahlenbergia multicaulis	2:409
CANNABACEAE		
i	Humulus lupulus L., Sp. Pl. 2: 1028 (1753)	
CAPRIFOLIACEAE		
i	Leycesteria formosa Wall., Fl. Ind. (Carey & Wallich ed.) 2: 182 (1824)	2:266
i	Lonicera japonica Thunb., Syst. Veg., ed. 14 (J.A.Murray): 216 (1784)	
i #	Lonicera periclymenum L., Sp. Pl. 1: 173 (1753)	2:266
	Sambucus gaudichaudiana DC., Prodr. [A. P. de Candolle] 4: 322 (1830)	2:265
i	Sambucus nigra L., Sp. Pl. 1: 269 (1753)	2:265
n i *	<i>Viburnum tinus</i> L., Sp. Pl. 1: 267 (1753)	
CARYOPHYLLACEAE		
i	Agrostemma githago L., Sp. Pl. 1: 435 (1753)	1:69
i	Arenaria leptoclados (Rchb.) Guss., Fl. Sicul. Syn. 2: 824 (1845)	
i	Arenaria serpyllifolia L., Sp. Pl. 1: 423 (1753)	1:72
i	Cerastium balearicum F.Herm., Verh. Bot. Vereins Prov. Brandenburg 54: 247 (1913)	
	<i>Cerastium fontanum</i> Baumg. subsp. <i>vulgare</i> (Hartm.) Greuter & Burdet = Cerastium vulgare	1:69

i	Cerastium glomeratum Thuill., Fl. Env. Paris, ed. 2: 226 (1799)	1:69
i	Cerastium semidecandrum L., Sp. Pl. 1: 438 (1753) Cerastium viscosum L. = Cerastium vulgare	
i	Cerastium vulgare Hartm., Hand. Skand. Fl. 182 (1820) Cerastium vulgatum L. sensu Curtis (1956) = Cerastium vulgare (misapplied in Tasmania)	1:69
	Colobanthus affinis (Hook.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 45 (1855)	1:74
	Colobanthus apetalus (Labill.) Druce var. apetalus , Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 616 (1917)	74
	Colobanthus billardierei Fenzl nom. illeg. = Colobanthus apetalus var. apetalus	
	Colobanthus curtisiae J.G.West, Aspects of Tasmanian Botany: 75 (1991)	
	Colobanthus pulvinatus F.Muell., Trans. Philos. Soc. Victoria 1: 101 (1855)	
i	Dianthus armeria L., Sp. Pl. 1: 410 (1753) Githago segetum Link = Agrostemma githago	
	Gypsophila australis (Schltdl.) A.Gray = Gypsophila tubulosa	1:66
i	Gypsophila tubulosa (Jaub. & Spach) Boiss., Diagn. Pl. Orient., Ser. 1, 1: 11 (1842) Kohlrauschia prolifera (L.) Kunth sensu Curtis (1956) = Petrorrhagia nanteuillii (misapplied in Tasmania)	1:66
	Kohlrauschia velutina (Guss.) Rchb. = Petrorrhagia dubia	
	Lychnis coronaria (L.) Desr. = Silene coronaria	
	Melandrium album (Mill.) Garcke = Silene latifolia subsp. alba	
	Minuartia hybrida (Vill.) Schischk. sensu Buchanan et al. (1989) = Minuartia mediterranea (misapplied in Tasmania)	
i	Minuartia mediterranea (Ledeb. ex Link) K.Maly, Glasn. Zemaljsk. Muz. Bosni Hercegovini 20: 563 (1908) Mniarum biflorum J.R.Forst. & G.Forst. = Scleranthus biflorus Mniarum fasciculatum R.Br. = Scleranthus fasciculatus	
i	Moenchia erecta (L.) G.Gaertn., B.Mey. & Scherb., Oekon. Fl. Wetterau 1: 219 (1799)	1:70
i	Paronychia brasiliana DC., Encycl. (Lamarck) 5: 23 (1804)	
i	Petrorrhagia dubia (Raf.) G.López & Romo, Anales Jard. Bot. Madrid 45: 363 (1988)	1:66
i	Petrorrhagia nanteuillii (Burnat) P.W.Ball & Heywood, Bull. Brit. Mus. (Nat. Hist.) Bot. 3: 164 (1964)	1:65
	Petrorrhagia prolifera (L.) P.W.Ball & Heywood sensu Curtis & Morris (1975) = Petrorrhagia nanteuillii (misapplied in Tasmania)	1:65
	Petrorrhagia velutina (Guss.) P.W.Ball & Heywood = Petrorrhagia dubia	1:66
i	Polycarpon tetraphyllum (L.) L., Syst. Nat., ed. 10, 2: 881 (1759)	1:76
i	Sagina apetala Ard., Animadv. Bot. Spec. Alt. 2: 22 (1764)	1:73
e	Sagina diemensis L.G.Adams, Muelleria 9: 64 (1996)	
i	Sagina maritima Don, Herb. Brit. [Don] 7: 155 (1806)	1:73
	Sagina namadgi L.G.Adams, Muelleria 9: 63 (1996)	
i	Sagina procumbens L., Sp. Pl. 1: 128 (1753)	1:73
i	Saponaria officinalis L., Sp. Pl. 1: 408 (1753) Saponaria tubulosa (Jaub. & Spach) F.Muell. = Gypsophila tubulosa	1:67
i	Scleranthus annuus L., Sp. Pl. 1: 406 (1753) Scleranthus biflorus (J.R.Forst. & G.Forst.) Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 74 (1852)	1:77 1:76

	Scleranthus brockiei P.A.Will., Rec. Domin. Mus. 3: 16 (1956)	
	Scleranthus diander R.Br., Prodr. Fl. Nov. Holland. 412 (1810)	1:77
	Scleranthus fasciculatus (R.Br.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.)1: 42 (1855)	
	<i>Silene alba</i> (Mill.) E.H.L.Krause = Silene latifolia subsp. alba	1:67
	<i>Silene colorata</i> Poir. – previously listed as naturalised but insufficient evidence exists to support this	
n	<i>Silene conica</i> L. – previously listed as naturalised but insufficient evidence exists to support this	
i	Silene coronaria (L.) Clairv., Man. Herbor. Suisse 145 (1811)	
i #	Silene dichotoma Ehrh., Beitr. Naturk. [Ehrhart] 7: 144 (1792)	
i	Silene gallica L. var. gallica , Sp. Pl. 1: 417 (1753)	1:68
i	Silene gallica L. var. quinquevulnera (L.) W.D.J.Koch, Syn. Fl. Germ. Helv. 1: 100 (1835)	1:68
i	Silene latifolia Poir. subsp. alba (Mill.) Greuter & Burdet, Willdenowia 12: 189 (1982)	1:67
	<i>Silene longicaulis</i> Pourr. ex Lag. sensu Buchanan (1995) = <i>Silene colorata</i> (misapplied in Tasmania)	
i	Silene nocturna L., Sp. Pl. 1: 416 (1753)	1:68
	<i>Silene pratensis</i> (Rafn) Godr. & Gren. = Silene latifolia subsp. alba	1:67
i	Silene vulgaris (Moench) Garcke, Fl. N. Mitt.-Deutschland, ed. 9: 64 (1869)	1:68
	<i>Spergula apetala</i> Labill. = Colobanthus apetalus	
i	Spergula arvensis L. var. arvensis , Sp. Pl. 1: 440 (1753)	
i	Spergula arvensis L. var. sativa (Boenn.) Mert. & W.D.J.Koch, Deutschl. Fl. (Mertens & W. D. J. Koch), ed. 3. 3: 360 (1831)	
i	Spergularia bocconeii (Scheele) Graebn., Syn. Mitteleur. Fl. [Ascherson & Graebner] 5: 849 (1919)	
	<i>Spergularia marginata</i> Kitt. sensu Curtis (1956) = Spergularia tasmanica (misapplied in Tasmania)	
i	Spergularia marina (L.) Griseb., Spic. Fl. Rumel. 1: 213 (1843)	1:75
	<i>Spergularia media</i> (L.) C.Presl sensu Curtis & Morris (1975) = Spergularia tasmanica (misapplied in Tasmania)	1:75
i	Spergularia rubra (L.) J.Presl & C.Presl, Fl. Cech. 94 (1819)	1:75
	<i>Spergularia rubra</i> (L.) J.Presl & C.Presl var. <i>marina</i> (Roth) A.Gray = Spergularia marina	
	<i>Spergularia salina</i> J.Presl & C.Presl = Spergularia marina	
	Spergularia tasmanica (Kindb.) L.G.Adams, Austral. Syst. Bot. 21: 258 (2008)	1:75
	Stellaria angustifolia Hook. subsp. angustifolia , J. Bot. (Hooker) 1: 250 (1834)	
	Stellaria angustifolia Hook. subsp. tenella (Benth.) C.H.Mill. & J.G.West, J. Adelaide Bot. Gard. 25: 36 (2012)	
	<i>Stellaria caespitosa</i> Hook.f. = Stellaria angustifolia subsp. angustifolia	
	Stellaria flaccida Hook., Companion Bot. Mag. 1: 275 (1836)	1:71
	<i>Stellaria glauca</i> With. sensu Hooker (1860) = Stellaria angustifolia (misapplied in Tasmania)	
n i *	<i>Stellaria graminea</i> L., Sp. Pl. 1: 422 (1753)	1:72
i	Stellaria media (L.) Vill., Hist. Pl. Dauphiné (Villars) 3: 615 (1789)	1:71
	Stellaria multiflora Hook. subsp. multiflora , Companion Bot. Mag. 1: 275 (1836)	
	Stellaria multiflora Hook. subsp. nebulosa C.H.Mill. & J.G.West, J. Adelaide Bot. Gard. 25: 48 (2012)	
i	Stellaria pallida (Dumort.) Crép., Man. Fl. Belgique, ed. 2: 19 (1866)	1:72
	<i>Stellaria palustris</i> Retz. sensu Curtis (1956), Curtis & Morris (1975) = Stellaria angustifolia (misapplied in Tasmania)	1:71

	Stellaria pungens Brongn., Voy. Monde, Atlas: t.78 (1826)	1:71
n	<i>Vaccaria hispanica</i> (Mill.) Rauschert – previously listed as naturalised but insufficient evidence exists to support this	1:66
	<i>Vaccaria pyramidata</i> Medik. = <i>Vaccaria hispanica</i>	1:66
	<i>Vaccaria segetalis</i> (Neck.) Garcke ex Asch. = <i>Vaccaria hispanica</i>	
	CASUARINACEAE	FTO 67
e	Allocasuarina crassa L.A.S.Johnson, Fl. Australia 3: 194 (1989)	
e	Allocasuarina duncanii L.A.S.Johnson & D.I.Morris, Telopea 5: 793 (1994)	
	Allocasuarina littoralis (Salisb.) L.A.S.Johnson, J. Adelaide Bot. Gard. 6: 76 (1982)	3:644
e	Allocasuarina monilifera (L.A.S.Johnson) L.A.S.Johnson, J. Adelaide Bot. Gard. 6: 76 (1982)	3:644
	Allocasuarina paludosa (Sieber ex Spreng.) L.A.S.Johnson, J. Adelaide Bot. Gard. 6: 77 (1982)	3:644
	Allocasuarina verticillata (Lam.) L.A.S.Johnson, J. Adelaide Bot. Gard. 6: 79 (1982)	3:644
e	Allocasuarina zephyrea L.A.S.Johnson, Fl. Australia 3: 199 (1989)	
	<i>Casuarina bicuspidata</i> Benth. sensu Rodway (1903) = Allocasuarina paludosa (misapplied in Tasmania)	3:644
	<i>Casuarina distyla</i> Vent. sensu Rodway (1903) = Allocasuarina monilifera (misapplied in Tasmania)	3:644
	<i>Casuarina littoralis</i> Salisb. = Allocasuarina littoralis	3:644
	<i>Casuarina monilifera</i> L.A.S.Johnson = Allocasuarina monilifera	3:644
	<i>Casuarina paludosa</i> Sieber ex Spreng. = Allocasuarina paludosa	3:644
	<i>Casuarina quadrivalvis</i> Labill. = Allocasuarina verticillata	3:644
	<i>Casuarina stricta</i> Dryand. = Allocasuarina verticillata	3:644
	<i>Casuarina suberosa</i> Otto & A.Dietr. = Allocasuarina littoralis	3:644
	CELASTRACEAE	
i	Euonymus europaeus L., Sp. Pl. 1: 197 (1753)	
i	Euonymus japonicus Thunb., Nova Acta Regiae Soc. Sci. Upsal. 3: 208 (1780)	
i	Maytenus magellanica (Lam.) Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.). 2: 254 (1845)	
	CHENOPODIACEAE	FTO 98
	<i>Arthrocnemum arbuscula</i> (R.Br.) Moq. = Tecticornia arbuscula	3:577
?i	Atriplex australasica Moq., Chenop. Monogr. Enum. 59 (1840)	
t	Atriplex billardierei (Moq.) Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 215 (1853)	3:575
	Atriplex cinerea Poir., Encycl. (Lamarck) Suppl. 1: 471 (1811)	3:574
	<i>Atriplex halimus</i> L. sensu Brown (1810) = Atriplex cinerea (misapplied in Tasmania)	
	<i>Atriplex hastata</i> L. sensu Curtis (1967) = Atriplex prostrata (misapplied in Tasmania)	3:575
i	Atriplex hortensis L., Sp. Pl. 2: 1053 (1753)	3:576
	Atriplex paludosa R.Br. subsp. paludosa , Prodr. Fl. Nov. Holland. 406 (1810)	3:574
i	Atriplex patula L., Sp. Pl. 2: 1053 (1753)	3:575
	<i>Atriplex patula</i> L. var. <i>angustifolia</i> Rodway – a name of uncertain application	
	<i>Atriplex patula</i> L. var. <i>littoralis</i> Rodway – a name of uncertain application	
i	Atriplex prostrata Boucher ex DC., Fl. Franc. (DC. & Lamarck), ed. 3, 3: 387 (1805)	3:575
n ?i #	Atriplex semibaccata R.Br., Prodr. Fl. Nov. Holland. 406 (1810)	
	Atriplex suberecta I.Verd., Bothalia 6: 418 (1954)	
n i *	<i>Bassia scoparia</i> (L.) A.J.Scott, Feddes Repert. 89: 108 (1978)	
i	Beta vulgaris L. subsp. maritima (L.) Arcang., Comp. Fl. Ital. [Arcangeli]: 593 (1882)	3:573

i	Chenopodium album L., Sp. Pl. 1: 219 (1753)	3:571
	Chenopodium ambiguum R.Br. = Chenopodium glaucum	
	Chenopodium baccatum Labill. sensu Labillardiere (1806) = Rhagodia candolleana (misapplied in Tasmania)	
	Chenopodium capitatum (L.) Ambrosi sensu Buchanan (2009) = Chenopodium foliosum (misapplied in Tasmania)	
x	Chenopodium erosum R.Br., Prodr. Fl. Nov. Holland. 407 (1810)	
n	Chenopodium foliosum (Moench) Asch. – previously listed as naturalised but insufficient evidence exists to support this	
	Chenopodium furfuraceum Moq. = Rhagodia candolleana subsp. candolleana	
?i	Chenopodium glaucum L., Sp. Pl. 1: 220 (1753)	3:572
	Chenopodium glaucum L. subsp. ambiguum (R.Br.) Murr & Thell. ex Thell. = Chenopodium glaucum	
i	Chenopodium murale L., Sp. Pl. 1: 219 (1753)	3:572
	Chenopodium pumilio R.Br. = Dysphania pumilio	3:573
i	Chenopodium vulvaria L., Sp. Pl. 1: 220 (1753)	
i	Dysphania glomulifera (Nees) Paul G.Wilson subsp. glomulifera , Nuytsia 4: 183 (1983)	
i	Dysphania pumilio (R.Br.) Mosyakin & Clemants, Ukrayins'k. Bot. Zhurn. 59: 382 (2002)	3:573
	Einadia nutans (R.Br.) A.J.Scott subsp. nutans , Feddes Repert. 89: 3 (1978)	3:570
	Rhagodia baccata (Labill.) Moq. sensu Curtis (1967) = Rhagodia candolleana (misapplied in Tasmania)	3:570
	Rhagodia billardierei R.Br. sensu Brown (1810) = Rhagodia candolleana (misapplied in Tasmania)	
	Rhagodia billardierei R.Br. var. congesta (Hook.f.) Benth. = Chenopodium murale	
	Rhagodia candolleana Moq. subsp. candolleana , Chenop. Monogr. Enum. 10 (1840)	3:570
	Rhagodia nutans R.Br. = Einadia nutans	3:570
	Salicornia arbuscula R.Br. = Tecticornia arbuscula	
	Salicornia australis Sol. ex Benth. nom. illeg. = Sarcocornia quinqueflora subsp. quinqueflora	
	Salicornia blackiana Ulbr. = Sarcocornia blackiana	3:579
	Salicornia indica R.Br. sensu Brown (1810) = Sarcocornia quinqueflora (misapplied in Tasmania)	
	Salicornia quinqueflora Bunge ex Ung.-Sternb. = Sarcocornia quinqueflora	3:578
	Salsola australis R.Br., Prodr. Fl. Nov. Holland. 411 (1810)	
	Salsola kali L. sensu Buchanan (2005) = Salsola australis (misapplied in Tasmania)	
	Salsola tragus L. sensu Buchanan (2009) = Salsola australis (misapplied in Tasmania)	
	Sarcocornia blackiana (Ulbr.) A.J.Scott, Bot. J. Linn. Soc. 75: 369 (1978)	3:579
	Sarcocornia quinqueflora (Bunge ex Ung.-Sternb.) A.J.Scott subsp. quinqueflora , Bot. J. Linn. Soc. 75: 368 (1978)	3:578
	Sarcocornia quinqueflora (Bunge ex Ung.-Sternb.) A.J.Scott subsp. tasmanica Paul G.Wilson, Nuytsia 3: 74 (1980)	3:578
	Sclerostegia arbuscula (R.Br.) Paul G.Wilson = Tecticornia arbuscula	3:577
	Suaeda australis (R.Br.) Moq., Ann. Sci. Nat. (Paris) 23: 318 (1831)	3:580
i	Suaeda maritima (L.) Dumort. subsp. maritima , Fl. Belg. (Dumortier): 22 (1827)	
	Tecticornia arbuscula (R.Br.) K.A.Sheph. & Paul G.Wilson, Austral. Syst. Bot. 20: 325 (2007)	3:577
	Threlkeldia diffusa R.Br., Prodr. Fl. Nov. Holland. 410 (1810)	3:577

CISTACEAE

- i **Cistus creticus** L., Sp. Pl., ed. 2: 738 (1762)
- i # **Cistus inflatus** Pourr. ex Demoly, Acta Bot. Gallica 144: 42 (1998)
Cistus psilosepalus Sweet sensu Buchanan (2004) = **Cistus inflatus** (misapplied in Tasmania)

CLUSIACEAE (GUTTIFERAE)

- Ascyrum humifusum Labill. = **Hypericum pusillum**
- Ascyrum involutum Labill. = **Hypericum gramineum**
- i **Hypericum androsaemum** L., Sp. Pl. 2: 784 (1753) 1:82
- i **Hypericum calycinum** L., Mant. Pl. 1: 106 (1767) 1:82
- Hypericum gramineum** G.Forst., Fl. Ins. Austr. 53 (1786) 1:81
- n Hypericum humifusum L. – previously listed as naturalised but insufficient evidence exists to support this
- Hypericum japonicum** Thunb., Fl. Jap. (Thunberg): 295 (1784) 1:81
- i **Hypericum perforatum** L. subsp. **veronense** (Schränk) H.Lindb., Öfvers. Finska Vetensk.-Soc. Förh. 48: 73 (1906) 1:81
- i # t **Hypericum pulchrum** L., Sp. Pl. 2: 786 (1753)
- t **Hypericum pusillum** Choisy, Prodr. Monogr. Hyperic. 50 (1821)
- i **Hypericum tetrapterum** Fr. var. **tetrapterum**, Novit. Fl. Suec. Alt. 236 (1828)

CONVOLVULACEAE

FTO 111

- Calystegia marginata** R.Br., Prodr. Fl. Nov. Holland. 483 (1810)
- Calystegia sepium** (L.) R.Br., Prodr. Fl. Nov. Holland. 483 (1810) 3:498
- i **Calystegia silvatica** (Kit.) Griseb., Spic. Fl. Rumel. 1: 74 (1843) 3:498
- Calystegia soldanella** (L.) Roem. & Schult., Syst. Veg., ed. 15 bis [Roemer & Schultes] 4: 184 (1819) 3:499
- Convolvulus angustissimus** R.Br. subsp. **angustissimus**, Prodr. Fl. Nov. Holland. 482 (1810) 3:497
- i **Convolvulus arvensis** L., Sp. Pl. 1: 153 (1753) 3:497
- Convolvulus erubescens Sims sensu Curtis (1967) = **Convolvulus angustissimus** subsp. **angustissimus** (misapplied in Tasmania) 3:497
- Convolvulus sepium L. sensu Bentham (1868) = **Calystegia sepium**
- Convolvulus soldanella L. sensu Bentham (1868) = **Calystegia soldanella**
- Dichondra repens** J.R.Forst. & G.Forst., Char. Gen. Pl. 40: t.20 (1775) 3:499
- i **Ipomoea indica** (Burm.) Merr., Interpr. Herb. Amboin. 445 (1917)
- Wilsonia backhousei** Hook.f., London J. Bot. 6: 275 (1847) 3:500
- Wilsonia humilis** R.Br., Prodr. Fl. Nov. Holland. 490 (1810) 3:500
- Wilsonia rotundifolia** Hook., Icon. Pl. 5: t.160 (1842)

CORNACEAE

FTO 136

- i # t **Griselinia littoralis** (Raoul) Raoul, Choix Pl. Nouv.-Zél. 22, t.19 (1846)

CRASSULACEAE

- i **Aeonium arboreum** (L.) Webb & Berthel., Hist. Nat. Iles Canaries (Phytogr.) 1: 185 (1840)
- i # **Aeonium haworthii** Webb & Berthel., Hist. Nat. Iles Canaries (Phytogr.) 1: 193 (1840)
- i **Cotyledon orbiculata** L., Sp. Pl. 1: 429 (1753)
- Crassula closiana** (Gay) Reiche, Fl. Chile [Reiche] 2: 369 (1897)
- Crassula decumbens** Thunb. var. **decumbens**, Prodr. Pl. Cap. 1: 54 (1794) 1:185
- Crassula exserta** (Reader) Ostenf., Dansk Bot. Ark. 2: 47 (1918) 1:184

	Crassula helmsii (Kirk) Cockayne, Trans. New Zealand Inst. 39: 349 (1907)	1:185
	<i>Crassula macrantha</i> (Hook.f.) Diels & E.Pritz. = Crassula decumbens	1:185
t	Crassula moschata G.Forst., Commentat. Soc. Regiae Sci. Gott. 9: 26 (1789)	
i	Crassula multicava Lem. subsp. multicava , Ill. Hort. 9: 40 (1862)	
i #	Crassula muscosa L. var. muscosa , Pl. Rar. Afr. 10 (1760)	
n i	Crassula natans Thunb. var. minus (Eckl. & Zeyh.) G.D.Rowley, Cact. Succ. J. Gr. Brit. 40: 53 (1978)	
	<i>Crassula pedicellosa</i> (F.Muell.) Ostenf. = Crassula closiana	
	Crassula peduncularis (Sm.) F.Meigen, Bot. Jahrb Syst. 17: 239 (1893)	1:184
	Crassula sieberiana (Schult. & Schult.f.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 618 (1917)	1:184
	<i>Crassula sieberiana</i> (Schult. & Schult.f.) Druce subsp. tetramera Toelken = Crassula tetramera	
i #	Crassula tetragona L. subsp. robusta (Toelken) Toelken, J. S. African Bot. 41: 122 (1975)	
	Crassula tetramera (Toelken) A.P.Druce & Sykes, New Zealand J. Bot. 25: 128 (1987)	
i	Sedum acre L., Sp. Pl. 1: 432 (1753)	1:186
i	Sedum album L., Sp. Pl. 1: 432 (1753)	
i	Sedum forsterianum Sm., Engl. Bot. 26: t.1802 (1808)	
i	Sedum praealtum A. DC., Mém. Soc. Phys. Genève 11: 445 (1847)	
	<i>Sedum reflexum</i> L. sensu Buchanan (2007) = Sedum rupestre (misapplied in Tasmania)	
i	Sedum rupestre L., Sp. Pl. 1: 431 (1753)	
i	Sedum sediforme (Jacq.) Pau, Acta y Memorias Prim. Congr. Nat. Esp. 246 (1909)	
i t	Sedum sexangulare L., Sp. Pl. 1: 432 (1753)	1:186
	<i>Tillaea exerta</i> Reader = Crassula exserta	
	<i>Tillaea macrantha</i> Hook.f. = Crassula decumbens	
	<i>Tillaea purpurata</i> Hook.f. = Crassula peduncularis	
	<i>Tillaea recurva</i> (Hook.f.) Hook.f. = Crassula helmsii	
	<i>Tillaea sieberiana</i> Schult. & Schult.f. = Crassula sieberiana	
	<i>Tillaea verticillaris</i> DC. = Crassula sieberiana	
	CUCURBITACEAE	FTO 65
i	Cucumis myriocarpus Naudin, Ann. Sci. Nat., Bot., sér. 4, 11: 22 (1859)	
i #	Ecballium elaterium (L.) A.Rich., Dict. Class. Hist. Nat. [Bory] 6: 19 (1824)	
	<i>Sicyos angulatus</i> L. sensu Curtis (1963) = Sicyos australis (misapplied in Tasmania)	2:237
	Sicyos australis Endl., Prodr. Fl. Norfolk. 67 (1833)	2:237
	CUNONIACEAE	FTO 72
e	Anodopetalum biglandulosum (A.Cunn. ex Hook.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 148 (1856)	1:180
	Bauera rubioides Andrews, Bot. Repos. 3: t.198 (1801)	1:180
	CUSCUTACEAE	FTO 111
i	Cuscuta epithymum (L.) L., Syst. Veg., ed. 13: 140 (1774)	3:501
n i x	Cuscuta suaveolens Ser., Ann. Sci. Phys. Nat. Lyon 3: 519 (1840)	
	Cuscuta tasmanica Engelm., Trans. Acad. Sci. St. Louis 1: 512 (1859)	3:501
	DILLENIACEAE	FTO 92
	<i>Dillenia procumbens</i> Labill. = Hibbertia procumbens	
	Hibbertia acicularis (Labill.) F.Muell., Pl. Victoria 1: 17 (1862)	1:23

	Hibbertia angustifolia (R.Br. ex DC.) Benth. = Hibbertia procumbens	
	Hibbertia appressa Toelken, J. Adelaide Bot. Gard. 19: 54 (2000)	
	Hibbertia aspera DC. sensu Curtis & Morris (1975) = Hibbertia hirticalyx (misapplied in Tasmania)	1:23
e	Hibbertia basaltica A.M.Buchanan & Schah., Muelleria 22: 105 (2005)	
	Hibbertia billardierei F.Muell. nom. illeg. = Hibbertia empetrifolia	
	Hibbertia billardierei F.Muell. var. monadelpha F.Muell. ex Benth. = Hibbertia hirticalyx	
	Hibbertia billardierei F.Muell. var. obovata R.Br. ex Benth. = Hibbertia hirticalyx	
	Hibbertia calycina (DC.) N.A.Wakef., Vict. Naturalist 72: 122 (1955)	
	Hibbertia densiflora (Hook.f.) F.Muell. = Hibbertia sericea	
	Hibbertia dispar Toelken, J. Adelaide Bot. Gard. 26: 31-69 (2013)	
	Hibbertia empetrifolia (DC.) Hoogland subsp. empetrifolia , Kew Bull. 29: 155 (1974)	1:23
	Hibbertia ericifolia Hook.f. subsp. ericifolia , Bot. Antarct. Voy. III. (Fl. Tasman.) I: 14 (1855) (as H. ericaefolia)	
	Hibbertia fasciculata R.Br. ex DC. sensu Curtis & Morris (1975) = Hibbertia prostrata	1:24
	Hibbertia hirsuta (Hook.) Benth., Fl. Austral. 1: 26 (1863)	1:22
	Hibbertia hirticalyx Toelken, J. Adelaide Bot. Gard. 18: 146 (1998)	1:23
	Hibbertia linearis R.Br. var. obtusifolia (DC.) Benth. = Hibbertia obtusifolia	
x	Hibbertia obtusifolia DC., Syst. Nat. [Candolle] 1: 429 (1817)	1:24
	Hibbertia procumbens (Labill.) DC., Syst. Nat. [Candolle] 1: 427 (1817)	1:24
	Hibbertia prostrata Hook., J. Bot. (Hooker) 1: 246 (1834)	1:24
	Hibbertia riparia (R.Br. ex DC.) Hoogland, Kew Bull. 29: 155 (1974)	1:22
	Hibbertia rufa N.A.Wakef., Vict. Naturalist 72: 119 (1955)	1:23
	Hibbertia sericea (R.Br. ex DC.) Benth. var. sericea , Fl. Austral. 1: 26 (1863)	1:22
	Hibbertia serpyllifolia R.Br. ex DC., Syst. Nat. [Candolle] 1: 430 (1817)	1:24
	Hibbertia stricta (DC.) F.Muell. = Hibbertia riparia	
	Hibbertia stricta (DC.) F.Muell. var. canescens = Hibbertia riparia	
	Hibbertia stricta (DC.) F.Muell. var. glabriuscula = Hibbertia riparia	
	Hibbertia virgata R.Br. ex DC., Syst. Nat. [Candolle] 1: 428 (1817)	1:24
	Pleurandra acicularis Labill. = Hibbertia acicularis	
	Pleurandra hirsuta Hook. = Hibbertia hirsuta	
	Pleurandra ovata Labill. = Hibbertia empetrifolia and Hibbertia appressa	
	Pleurandra riparia R.Br. ex DC. (and vars.) = Hibbertia riparia	
	Pleurandra sericea R.Br. ex DC. = Hibbertia sericea	
	DIPSACACEAE	FTO 134
i	Dipsacus fullonum L., Sp. Pl. 1: 97 (1753)	2:280
	Dipsacus sylvestris Huds. = Dipsacus fullonum	2:280
i	Scabiosa atropurpurea L., Sp. Pl. 1: 100 (1753)	2:280
i	Scabiosa farinosa Coss., Ill. Fl. Atlant. 6: 58, t. 134. (1893)	
	DONATIACEAE	FTO 126
t	Donatia novae-zelandiae Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 81 (1852)	2:397
	DROSERACEAE	FTO 96
	Drosera arcturi Hook., J. Bot. (Hooker) 1: 247 (1834)	1:187
	Drosera auriculata Backh. ex Planch., Ann. Sci. Nat., Bot., sér. 3, 9: 295 (1848)	1:188

	Drosera binata Labill., Nov. Holl. Pl. 1: 78 t.105 (1805)	1:188
	<i>Drosera foliosa</i> Hook.f. ex Planch. nom. illeg. = Drosera hookeri	
	Drosera glanduligera Lehm., Nov. Stirp. Pug. [Lehmann] 8: 37 (1844)	1:187
	Drosera gracilis Hook.f. ex Planch., Ann. Sci. Nat., Bot., sér. 3, 9:297 (1848)	1:188
	Drosera hookeri R.P.Gibson, B.J. Conn & Conran, J. Adelaide Bot. Gard. 24: 41 (2010)	
	Drosera macrantha Endl., Enum. Pl. [Endlicher] 6 (1837)	1:189
	<i>Drosera macrantha</i> Endl. subsp. <i>planchonii</i> (Hook.f. ex Planch.) N.G.Marchant = Drosera macrantha	1:189
	<i>Drosera menziesii</i> R.Br. ex DC. sensu Rodway (1903) = Drosera macrantha (misapplied in Tasmania)	
	<i>Drosera menziesii</i> R.Br. ex DC. var. <i>albiflora</i> Benth. = Drosera macrantha	
e	Drosera murfetii Lowrie & Conran, J. Adelaide Bot. Gard. 27:17 (2014)	
	Drosera peltata Thunb., <i>Drosera</i> 7 (1797)	1:188
	<i>Drosera peltata</i> Thunb. subsp. <i>auriculata</i> (Backh. ex Planch.) Conn = Drosera auriculata	1:188
	<i>Drosera peltata</i> Thunb. var. <i>foliosa</i> (Hook.f. ex Planch.) Benth. = Drosera hookeri	
	<i>Drosera peltata</i> Thunb. var. <i>gracilis</i> (Hook.f. ex Planch.) Benth. = Drosera gracilis	
	<i>Drosera planchonii</i> Hook.f. = Drosera macrantha	1:189
	Drosera pygmaea DC., Prodr. [A. P. de Candolle] 1: 317 (1824)	1:187
	Drosera spatulata Labill. var. <i>spatulata</i> , Nov. Holl. Pl. 1: 79 t.106 fig.1 (1805)	1:187
	ELAEOCARPACEAE	FTO 71
e	Aristotelia peduncularis (Labill.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 52 (1855)	1:91
	<i>Elaeocarpus cyaneus</i> Sims = Elaeocarpus reticulatus	
	<i>Elaeocarpus peduncularis</i> Labill. = Aristotelia peduncularis	
	Elaeocarpus reticulatus Sm., Cycl. 12, no.6 (1809)	1:91
	ELATINACEAE	FTO 76
	<i>Elatine americana</i> (Pursh) Arn. sensu Bentham (1863) = Elatine gratioides (misapplied in Tasmania)	
	Elatine gratioides A.Cunn., Ann. Nat. Hist. 4: 26 (1840)	1:80
	EPACRIDACEAE	FTO 105
	Acrothamnus hookeri (Sond.) Quinn, Austral. Syst. Bot. 18: 452 (2005)	2:438
	Acrothamnus montanus (R.Br.) Quinn, Austral. Syst. Bot. 18: 452 (2005)	2:433
	Acrotriche affinis DC., Prodr. [A. P. de Candolle] 7: 757 (1839)	
	Acrotriche cordata (Labill.) R.Br., Prodr. Fl. Nov. Holland. 548 (1810)	
	<i>Acrotriche patula</i> sensu Hooker (1860) = Acrotriche serrulata	
	Acrotriche serrulata (Labill.) R.Br., Prodr. Fl. Nov. Holland. 547 (1810)	2:440
e	Androstoma verticillata (Hook.f.) Quinn, Austral. Syst. Bot. 18: 450 (2005)	2:439
e	Archeria comberi Melville, Kew Bull. 12: 389 (1957)	2:453
e	Archeria eriocarpa Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 263 t.80B (1857)	2:452
e	Archeria hirtella (Hook.f.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 263 t.81 (1857)	2:452
e	Archeria minor Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 264 (1857)	2:452
e	Archeria serpyllifolia Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 263 t.80A (1857)	2:452
	<i>Archeria serpyllifolia</i> Hook.f. var. <i>minor</i> (Hook.f.) Benth. = Archeria minor	2:452
	Astroloma humifusum (Cav.) R.Br., Prodr. Fl. Nov. Holland. 538 (1810)	2:424
	Astroloma pinifolium (R.Br.) Benth., Fl. Austral. 4: 159 (1868)	2:424

	Brachyloma ciliatum (R.Br.) Benth., Fl. Austral. 4: 173 (1868)	2:432
	Brachyloma ciliatum (R.Br.) Benth. var. intermedium Rodway = Brachyloma ciliatum	
	Brachyloma daphnoides Benth. sensu Bentham (1868) mistakenly attributed to Tasmania	
	Brachyloma depressum (F.Muell.) Benth., Fl. Austral. 4: 173 (1868)	2:432
	Cyathodes abietina (Labill.) R.Br. = Leptecophylla abietina	2:427
	Cyathodes acerosa R.Br. ex Roem. & Schult. = Leptecophylla juniperina	
	Cyathodes adscendens Hook.f. = Planocarpa petiolaris	
	Cyathodes dealbata R.Br. = Montitega dealbata	2:427
	Cyathodes disticha Labill. = Trochocarpa disticha	
	Cyathodes divaricata Hook.f. = Leptecophylla divaricata	2:428
e	Cyathodes glauca Labill., Nov. Holl. Pl. 1: 57 t.81 (1805)	2:426
	Cyathodes juniperina (J.R.Forst. & G.Forst.) Druce = Leptecophylla juniperina	2:427
	Cyathodes macrantha Hook.f. = Cyathodes straminea	
	Cyathodes nitida Jarman = Planocarpa nitida	
	Cyathodes oxycedrus (Labill.) R.Br. = Leptecophylla oxycedrus	
	Cyathodes parvifolia R.Br. = Leptecophylla parvifolia	2:428
	Cyathodes pendulosa Jarman = Leptecophylla pendulosa	
	Cyathodes petiolaris (DC.) Druce = Planocarpa petiolaris	2:426
e	Cyathodes platystoma C.M.Weiller, Austral. Syst. Bot. 9: 502 (1996)	
e	Cyathodes straminea R.Br., Prodr. Fl. Nov. Holland. 539 (1810)	2:426
	Cyathodes straminea var. macrantha (Hook.f.) Rodway = Cyathodes straminea	
	Cyathodes sulcata Mihaich = Planocarpa sulcata	
	Cystanthe acerosa (Lindl.) F.Muell. = Richea acerosa	
	Cystanthe dracophylla (Hook.f.) Kuntze = Richea dracophylla	
	Cystanthe gunnii (Hook.f.) Kuntze = Richea gunnii	
	Cystanthe milliganii (Hook.f.) F.Muell. = Richea milliganii	
	Cystanthe pandanifolia (Hook.f.) Kuntze = Richea pandanifolia	
	Cystanthe procera F.Muell. = Richea procera	
	Cystanthe scoparia (Hook.f.) Kuntze = Richea scoparia	
	Cystanthe spengeloides R.Br. = Richea spengeloides	
	Decaspora cunninghamii DC. = Trochocarpa cunninghamii	
	Decaspora disticha (Labill.) R.Br. = Trochocarpa disticha	
	Decaspora gunnii Hook.f. = Trochocarpa gunnii	
	Decaspora thymifolia R.Br. = Trochocarpa thymifolia	
e	Dracophyllum milliganii Hook.f., Icon. Pl. 9: t.845 (1852)	2:461
e	Dracophyllum minimum F.Muell., Fragm. (Mueller) 1: 39 (1859)	2:461
e	Epacris acuminata Benth., Fl. Austral. 4: 240 (1868)	2:451
e	Epacris apsleyensis Crowden, Pap. & Proc. Roy. Soc. Tasmania 120: 17 (1986)	
e	Epacris barbata Melville, Kew Bull. 7: 176 (1952)	2:450
	Epacris campanulata Lodd. ex DC. = Epacris impressa	
e	Epacris cerasicollina Crowden, Muelleria 25: 124 (2007)	
	Epacris ceriflora Graham = Epacris impressa	
	Epacris cerinthoides Labill. = Prionotes cerinthoides	
e	Epacris corymbiflora Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 261 (1857)	2:447
e	Epacris curtisiae Jarman, Pap. & Proc. Roy. Soc. Tasmania 122: 115 (1988)	

e	Epacris exserta R.Br., Prodr. Fl. Nov. Holland. 551 (1810)	2:448
	Epacris exserta var. virgata (Hook.f.) Benth. = Epacris virgata	
e	Epacris franklinii Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 261 (1857)	2:448
e	Epacris glabella Jarman, Aspects of Tasmanian Botany: 100 (1991)	
e	Epacris grandis Crowden, Pap. & Proc. Roy. Soc. Tasmania 120: 19 (1986)	
e	Epacris graniticola Crowden, Muelleria 25: 126 (2007)	
	Epacris gunnii Hook.f., London J. Bot. 6: 272 (1847)	2:451
e	Epacris heteronema Labill. var. gigantea F.Muell., Fragm (Mueller) 4: 127 (1864)	
e	Epacris heteronema Labill. var. heteronema , Nov. Holl. Pl. I: 42 t.56 (1805)	
	Epacris heteronema var. planifolia = Epacris heteronema (Tasmanian material)	
	Epacris hirtella Hook.f. = Archeria hirtella	
	Epacris impressa Labill., Nov. Holl. Pl. I: 43 t.58 (1805)	2:446
	Epacris impressa f. ceriflora (Graham) Siebert & Voss = Epacris impressa	
	Epacris impressa f. diemenica Gand. = Epacris impressa	
	Epacris impressa f. lucida Gand. = Epacris impressa	
	Epacris impressa f. milliganii Gand. = Epacris impressa	
	Epacris impressa f. ruscifolia (R.Br.) Siebert & Voss = Epacris impressa	
	Epacris impressa var. campanulata (Lodd. ex DC.) Hook.f. = Epacris impressa	
	Epacris impressa var. ceriflora (Graham) Rodway = Epacris impressa	
	Epacris impressa var. nivea Hook.f. = Epacris impressa	
	Epacris impressa var. ovata Benth. = Epacris impressa	
	Epacris impressa var. ruscifolia (R.Br.) Rodway = Epacris impressa	
	Epacris impressa var. variabilis (Lodd. ex Paxton) Hook.f. = Epacris impressa	
	Epacris lanuginosa Labill., Nov. Holl. Pl. I: 42 t.57 (1805)	2:448
e	Epacris limbata K.J.Williams & F.Duncan, Aspects of Tasmanian Botany: 95 (1991)	
e	Epacris marginata Melville, Kew Bull. 7: 175 (1952)	2:449
	Epacris micranthera F.Muell. = Archeria serpyllifolia	
	Epacris microphylla Hook.f. nom. illeg., sensu Hooker (1847) = Archeria minor	
	Epacris microphylla R.Br. sensu Bentham (1868), Rodway (1903) p.p. = Epacris gunnii (Tasmanian material)	
	Epacris microphylla var. gunnii (Hook.f.) Benth. = Epacris gunnii	
e	Epacris moscaliana Crowden, Muelleria 25: 127 (2007)	
e	Epacris mucronulata R.Br., Prodr. Fl. Nov. Holland. 552 (1810)	2:448
	Epacris mucronulata sensu Hooker (1860) p.p. = Epacris acuminata	
e	Epacris myrtifolia Labill., Nov. Holl. Pl. I: 41 t.55 (1805)	2:447
	Epacris myrtifolia var. corymbiflora (Hook.f.) Rodway = Epacris corymbiflora	
e	Epacris navicularis Jarman, Pap. & Proc. Roy. Soc. Tasmania 112: 3 (1978)	
	Epacris obtusifolia Sm., Exot. Bot. 1: 77 t.40 (1804)	2:447
	Epacris paludosa R.Br., Prodr. Fl. Nov. Holland. 551 (1810)	2:449
	Epacris petrophila Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) I: 261 (1857)	2:446
	Epacris ruscifolia R.Br. = Epacris impressa	
e	Epacris serpyllifolia R.Br., Prodr. Fl. Nov. Holland. 551 (1810)	2:450
	Epacris serpyllifolia var. squarrosa (Hook.f.) Benth. = Epacris tasmanica	
	Epacris squarrosa Hook.f. = Epacris tasmanica	2:450
e	Epacris stuartii Stapf, Bull. Misc. Inform. Kew 1910: 217 (1910)	2:449

e	Epacris tasmanica W.M.Curtis, Taxon 18: 244 (1969)	2:450
	Epacris variabilis Lodd. ex Paxton nom. illeg., non Courtois (1833) = Epacris impressa	
e	Epacris virgata Hook.f., London J. Bot. 6: 271 (1847)	2:448
e	Leptecophylla abietina (Labill.) C.M.Weiller, Muelleria 12: 211 (1999)	2:427
e	Leptecophylla divaricata (Hook.f.) C.M.Weiller, Muelleria 12: 207 (1999)	2:428
n	Leptecophylla juniperina (J.R.Forst. & G.Forst.) C.M.Weiller subsp. juniperina sensu Curtis & Morris (1975), de Salas & Baker (2016) = Leptecophylla oxycedrus and L. pogonocalyx subsp. decipiens (misapplied in Tasmania)	2:427
n	Leptecophylla juniperina (J.R.Forst. & G.Forst.) C.M.Weiller subsp. oxycedrus (Labill.) C.M.Weiller = Leptecophylla oxycedrus	
n	Leptecophylla juniperina (J.R.Forst. & G.Forst.) C.M.Weiller subsp. parvifolia (R.Br.) C.M.Weiller = Leptecophylla parvifolia	
n	Leptecophylla oxycedrus (Labill.) Jarman, Swainsona 31: 1	
n e	Leptecophylla parvifolia (R.Br.) Jarman, Swainsona 31: 7	2:428
e	Leptecophylla pendulosa (Jarman) C.M.Weiller, Muelleria 12: 209 (1999)	
n e	Leptecophylla pogonocalyx C.M.Weiller subsp. pogonocalyx , Muelleria 12: 206 (1999)	
n e	Leptecophylla pogonocalyx C.M.Weiller subsp. decipiens Jarman, Swainsona 31: 13 (2017)	
	Leucopogon affinis R.Br., Prodr. Fl. Nov. Holland: 541 (1810)	2:435
	Leucopogon australis R.Br., Prodr. Fl. Nov. Holland. 541 (1810)	2:436
	Leucopogon ciliatus A.Cunn. ex DC. = Leucopogon collinus	
	Leucopogon ciliatus var. [alpha] Hook.f. = Leucopogon collinus	
	Leucopogon ciliatus var. [beta] Hook.f. = Leucopogon oreophilus and Leucopogon pilifer	
	Leucopogon collinus (Labill.) R.Br., Prodr. Fl. Nov. Holland. 543 (1810)	2:436
	Leucopogon collinus var. billardierei DC. = Leucopogon collinus	
	Leucopogon collinus var. brownii DC. = Leucopogon collinus	
	Leucopogon ericoides (Sm.) R.Br., Prodr. Fl. Nov. Holland. 543 (1810)	2:438
	Leucopogon ericoides var. [alpha] Hook.f. = Leucopogon ericoides	
	Leucopogon ericoides var. [beta] Hook.f. = Leucopogon ericoides	
	Leucopogon esquamatus R.Br., Prodr. Fl. Nov. Holland. 546 (1810)	2:439
	Leucopogon fraseri A.Cunn., Ann. Nat. Hist. 2: 47 (1839)	2:439
	Leucopogon hookeri Sond. = Acrothamnus hookeri	2:438
	Leucopogon lanceolatus (Sm.) R.Br. var. lanceolatus nom. illeg. = Leucopogon affinis	2:435
	Leucopogon milliganii (F.Muell.) Rodway = Androstoma verticillata	2:439
	Leucopogon montanus (R.Br.) J.H.Willis = Acrothamnus montanus	2:433
	Leucopogon obtusatus nom. illeg., sensu Hooker (1847) = Acrothamnus hookeri	2:438
e	Leucopogon oreophilus J.M.Powell, Aspects of Tasmanian Botany: 108 (1991)	
	Leucopogon parviflorus (Andrews) Lindl., Edwards's Bot. Reg. 18: t.1560 (1832)	2:435
	Leucopogon pilifer N.A.Wakef., Vict. Naturalist 73: 58 (1956)	
	Leucopogon richei (Labill.) R.Br. = Leucopogon parviflorus	
	Leucopogon richei var. [gamma] Hook.f. = Leucopogon affinis	
	Leucopogon richei var. parviflorus (Andrews) Hook.f. = Leucopogon parviflorus	
	Leucopogon rufus Lindl. sensu Bentham (1868) recorded in error	
	Leucopogon stuartii F.Muell. ex Sond. = Leucopogon fraseri	2:439
	Leucopogon trichocarpus (Labill.) R.Br. = Leucopogon ericoides	
	Leucopogon virgatus (Labill.) R.Br. var. brevifolius Benth., Fl. Austral. 4: 202 (1868)	2:438

	Leucopogon virgatus (Labill.) R.Br. var. virgatus , Prodr. Fl. Nov. Holland. 543 (1810)	2:438
	Lissanthe ciliata R.Br. = Brachyloma ciliatum	
	Lissanthe daphnoides (Sm.) R.Br. sensu Brown (1810), Hooker (1860) attributed in error	
	Lissanthe montana R.Br. = Acrothamnus montanus	2:433
	Lissanthe strigosa (Sm.) R.Br. subsp. subulata (R.Br.) J.M.Powell, Telopea 5: 741 (1994)	2:433
	Monotoca elliptica (Sm.) R.Br., Prodr. Fl. Nov. Holland. 546 (1810)	2:441
e	Monotoca empetrifolia R.Br., Prodr. Fl. Nov. Holland. 547 (1810)	2:443
	Monotoca glauca (Labill.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 636 (1917)	2:442
	Monotoca lineata R.Br. = Monotoca glauca	
	Monotoca lineata var. linifolia Rodway = Monotoca linifolia	
e	Monotoca linifolia (Rodway) W.M.Curtis subsp. algida Jarman, Aspects of Tasmanian Botany: 102 (1991)	2:442
e	Monotoca linifolia (Rodway) W.M.Curtis subsp. linifolia , The Student's Flora of Tasmania 2: 464 (1963)	2:442
	Monotoca scoparia (Sm.) R.Br., Prodr. Fl. Nov. Holland. 547 (1810)	2:442
	Monotoca scoparia var. submutica Benth. = Monotoca submutica	
e	Monotoca submutica (Benth.) Jarman var. autumnalis Jarman, Pap. & Proc. Roy. Soc. Tasmania 112: 1 (1978)	
e	Monotoca submutica (Benth.) Jarman var. submutica , Pap. & Proc. Roy. Soc. Tasmania 112: 1 (1978)	
t	Montitega dealbata (R.Br.) C.M.Weiller, Austral. Syst. Bot. 23: 328 (2010)	2:427
e	Pentachondra ericifolia Hook.f., London J. Bot. 6: 271 (1847)	2:430
e	Pentachondra involucrata R.Br., Prodr. Fl. Nov. Holland. 549 (1810)	2:429
	Pentachondra mucronata Hook.f. = Leucopogon fraseri	
	Pentachondra pumila (J.R.Forst. & G.Forst.) R.Br., Prodr. Fl. Nov. Holland. 549 (1810)	2:429
	Pentachondra verticillata Hook.f. = Androstoma verticillata	
	Pilitis acerosa Lindl. = Richea acerosa	
	Pilitis milliganii Hook.f. = Richea milliganii	
e	Planocarpa nitida (Jarman) C.M.Weiller, Austral. Syst. Bot. 9: 517 (1996)	
e	Planocarpa petiolaris (DC.) C.M.Weiller, Austral. Syst. Bot. 9: 514 (1996)	2:426
e	Planocarpa sulcata (Mihaiich) C.M.Weiller, Austral. Syst. Bot. 9: 516 (1996)	
e	Prionotes cerinthoides (Labill.) R.Br., Prodr. Fl. Nov. Holland. 553 (1810)	2:453
e	Richea acerosa (Lindl.) F.Muell., Fragm. (Mueller) 6: 69 (1867)	2:458
e	Richea alpina Menadue, Austral. Syst. Bot. 13: 798 (2000)	
	Richea angustifolia B.L.Burtt = Richea scoparia	2:460
e	Richea × curtisiae A.M.Gray, Muelleria 2: 143 (1971) = R. pandanifolia × R. scoparia	
e	Richea dracophylla R.Br., Prodr. Fl. Nov. Holland. 555 (1810)	2:460
e	Richea gunnii Hook.f., London J. Bot. 6: 273 (1847)	2:459
e	Richea milliganii (Hook.f.) F.Muell., Fragm. (Mueller) 6: 69 (1867)	2:458
e	Richea pandanifolia Hook.f. subsp. pandanifolia , Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 50 (1844)	2:460
e	Richea pandanifolia Hook.f. subsp. ramulosa Menadue, Austral. Syst. Bot. 13: 795 (2000)	2:460
e	Richea procera (F.Muell.) F.Muell., Fragm. (Mueller) 6: 68 (1867)	2:458
e	Richea scoparia Hook.f., London J. Bot. 6: 273 (1847)	2:459
e	Richea sprengelioides (R.Br.) F.Muell., Fragm. (Mueller) 6: 68 (1867)	2:457

	Sprengelia sp. Mt Field (A.M.Gray 1513) Tas Herbarium = Sprengelia minima	
e	Sprengelia sp. Mt Read , Telopea 15: 63 (2013) (R.K. Crowden 0802 006) Tas Herbarium	
e	Sprengelia distichophylla (Rodway) W.M.Curtis, The Student's Flora of Tasmania 2: 464 (1963)	2:456
	Sprengelia incarnata Sm., Kongl. Vetensk. Acad. Nya Handl. 15: 260 (1794)	2:454
	Sprengelia incarnata f. montana (R.Br.) Siebert & Voss = Sprengelia montana	
	Sprengelia incarnata f. propinqua (A.Cunn. ex DC.) Siebert & Voss = Sprengelia propinqua	
	Sprengelia incarnata var. distichophylla Rodway = Sprengelia distichophylla	
	Sprengelia incarnata var. montana (R.Br.) Domin = Sprengelia montana	
	Sprengelia macrantha Hook.f. = Sprengelia propinqua	
e	Sprengelia minima Crowden, Telopea 15: 62 (2013)	
e	Sprengelia montana R.Br., Prodr. Fl. Nov. Holland. 555 (1810)	2:455
e	Sprengelia propinqua A.Cunn. ex DC., Prodr. [A. P. de Candolle] 7: 768 (1839)	
n	Sprengelia propinqua var. demissa F.Muell. = Sprengelia minima	
	Stenantha pinifolia R.Br. = Astroloma pinifolium	
	Styphelia abietina Labill. = Leptecophylla abietina	
	Styphelia adscendens R.Br., Prodr. Fl. Nov. Holland. 537 (1810)	2:423
	Styphelia billardierei = Cyathodes glauca	
	Styphelia ciliata (R.Br.) F.Muell. = Brachyloma ciliatum	
	Styphelia collina Labill. = Leucopogon collinus	
	Styphelia empetrifolia (R.Br.) F.Muell. = Monotoca empetrifolia	
	Styphelia glauca Labill. = Monotoca glauca	
	Styphelia hookeri = Acrothamnus hookeri	
	Styphelia lanceolata Sm. = Leucopogon affinis	
	Styphelia montana (R.Br.) F.Muell. = Acrothamnus montanus	
	Styphelia mucronata (Hook.f.) J.H.Willis = Leucopogon fraseri	
	Styphelia oxycedrus Labill. = Leptecophylla oxycedrus	
	Styphelia serrulata Labill. = Acrotriche serrulata	
	Styphelia straminea (R.Br.) Spreng. = Cyathodes straminea	
	Styphelia strigosa Sm. = Lissanthe strigosa	
	Styphelia trichocarpa Labill. = Leucopogon ericoides	
	Styphelia virgata Labill. = Leucopogon virgatus	
e	Trochocarpa cunninghamii (DC.) W.M.Curtis, The Student's Flora of Tasmania 2: 463 (1963)	2:431
e	Trochocarpa disticha (Labill.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 1: 660 (1824)	2:430
	Trochocarpa disticha var. cunninghamii (DC.) Benth. = Trochocarpa cunninghamii	
	Trochocarpa disticha var. microphylla F.Muell. = Trochocarpa disticha	
	Trochocarpa glauca (Labill.) Spreng. = Cyathodes glauca	
e	Trochocarpa gunnii (Hook.f.) Benth., Fl. Austral. 4: 167 (1868)	2:431
e	Trochocarpa thymifolia (R.Br.) Spreng., Syst. Veg. (ed. 16) [Sprengel] 1: 660 (1824)	2:431
	ERICACEAE	FTO 105
n i *	Arbutus unedo L., Sp. Pl. 1: 395 (1753)	
	Brossaea lanceolata (Hook.f.) Kuntze = Gaultheria lanceolata	
i t	Calluna vulgaris (L.) Hull, Brit. Fl., ed. 2, 1: 114 (1808)	2:418
	Erica andromedaeflora Andrews sensu Curtis (1963) = Erica holosericea	2:419
i	Erica arborea L., Sp. Pl. 1: 353 (1753)	2:420

i	Erica baccans L., Mant. Pl. 2: 233 (1771)	2:419
i	Erica caffra L., Sp. Pl. 1: 353 (1753)	2:421
i t	Erica holosericea Salisb., Trans. Linn. Soc. London 6: 352 (1802)	2:419
i	Erica lusitanica Rudolphi, J. Bot. (Schrader) 2: 286 (1800)	2:420
i t	Erica scoparia L., Sp. Pl. 1: 353 (1753)	
	Erica aff. willmorei Knowles & Westc. sensu Curtis (1963) recorded in error	2:420
	Gaultheria antipoda G.Forst. sensu Hooker (1860), Bentham (1868), Rodway (1903) = Gaultheria depressa (misapplied in Tasmania)	
	Gaultheria antipoda G.Forst. var. depressa (Hook.f.) Hook.f. = Gaultheria depressa	
t	Gaultheria depressa Hook.f., London J. Bot. 6: 267 (1847)	2:417
	Gaultheria hispida R.Br., Prodr. Fl. Nov. Holland. 559 (1810)	2:417
e	Gaultheria lanceolata Hook.f., London J. Bot. 6: 267 (1847)	2:416
e	Gaultheria tasmanica (Hook.f.) D.J.Middleton, Edinburgh J. Bot. 47: 299 (1990)	2:416
	Pernettya lanceolata (Hook.f.) B.L.Burt & A.W.Hill = Gaultheria lanceolata	2:416
	Pernettya tasmanica Hook.f. = Gaultheria tasmanica	2:416
i	Rhododendron ponticum L., Sp. Pl., ed. 2: 562 (1762)	
ESCALLONIACEAE		FTO 52, 131
e	Anopterus glandulosus Labill., Nov. Holl. Pl. 1: 86 t.112 (1805)	1:181
e	Tetracarpaea tasmanica Hook., Icon. Pl. 3: t.264 (1840)	1:182
EUCRYPHIACEAE		FTO 72
	Carpodontos lucida Labill. = Eucryphia lucida	
	Eucryphia billardierei Spach nom. illeg., nom. superfl. = Eucryphia lucida	
	Eucryphia billardierei Spach var. milliganii (Hook.f.) Benth. nom. illeg. = Eucryphia milliganii	
e	Eucryphia lucida (Labill.) Baill., Hist. Pl. (Baillon) 1: 402 (1869)	1:183
e	Eucryphia milliganii Hook.f. subsp. milliganii , Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 54 (1855)	1:183
e	Eucryphia milliganii Hook.f. subsp. pubescens R.W.Barnes, G.J.Jord., R.S.Hill & McCoull, Austral. J. Bot. 48: 488 (2000)	
EUPHORBIACEAE		
	Adriana quadripartita (Labill.) Müll.Arg. sensu Bentham (1873) recorded in error	
	Amperea spartioides Brongn. = Amperea xiphoclada var. xiphoclada	
	Amperea xiphoclada (Sieber ex Spreng.) Druce var. xiphoclada , Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 604 (1917)	3:637
	Bertya rosmarinifolia (A.Cunn.) Planch. sensu Curtis (1967) = Bertya tasmanica subsp. tasmanica (misapplied in Tasmania)	
e	Bertya tasmanica (Sond. & F.Muell.) Müll.Arg. subsp. tasmanica , Linnaea 34: 63 (1865)	3:637
	Beyeria backhousei Hook.f. = Beyeria lechenaultii	
	Beyeria lechenaultii (DC.) Baill., Adansonia 6: 307 (1866)	3:635
	Beyeria lechenaultii (DC.) Baill. var. latifolia Grüning = Beyeria lechenaultii	
	Beyeria oblongifolia (Klotzsch) Hook.f. = Beyeria viscosa	
	Beyeria opaca F.Muell. sensu Bentham (1873) = Beyeria lechenaultii (misapplied in Tasmania)	
	Beyeria viscosa (Labill.) Miq., Ann. Sci. Nat., Bot., sér. 3, 1: 350 t.15 (1844)	3:635
	Chamaesyce drummondii (Boiss.) D.C.Hassall = Euphorbia drummondii	3:632
i	Euphorbia cyparissias L., Sp. Pl. 1: 461 (1753)	3:633
	Euphorbia drummondii Boiss. sensu Curtis (1967) recorded in error	3:632

i	Euphorbia exigua L., Sp. Pl. 1: 456 (1753)	
i	Euphorbia helioscopia L., Sp. Pl. 1: 459 (1753)	3:632
i	Euphorbia lathyris L., Sp. Pl. 1: 457 (1753)	3:632
i	Euphorbia paralias L., Sp. Pl. 1: 458 (1753)	3:633
i	Euphorbia peplus L., Sp. Pl. 1: 456 (1753)	3:633
n i * t	<i>Euphorbia stricta</i> L., Syst. Nat., ed. 10, 2: 1049 (1759)	
	Micranthemum hexandrum Hook.f., London J. Bot. 6: 283 (1847)	3:634
e	Micranthemum serpentinum Orchard, Aspects of Tasmanian Botany: 60 (1991)	
	<i>Oreoporanthera petalifera</i> Orchard & J.B.Davies = Poranthera petalifera	
	Phyllanthus australis Hook.f., London J. Bot. 6: 284 (1847)	3:638
	Phyllanthus gunnii Hook.f., London J. Bot. 6: 284 (1847)	3:638
	Poranthera microphylla Brongn., Ann. Sci. Nat. (Paris) 29: 385 (1833)	3:634
e	Poranthera petalifera (Orchard & J.B.Davies) Halford & R.J.F.Hend., Austrobaileya 7: 22 (2005)	
	<i>Pseudanthus divaricatissimus</i> (Müll.Arg.) Benth. sensu Buchanan (1999) recorded in error	
	Pseudanthus ovalifolius F.Muell., Trans. & Proc. Philos. Inst. Victoria 2: 66 (1857)	3:634
	<i>Pseudanthus tasmanicus</i> Rodway = Muehlenbeckia axillaris (Polygonaceae)	3:593
	<i>Ricinocarpos major</i> F.Muell. sensu Bentham (1873) – a name of uncertain application	
	Ricinocarpos pinifolius Desf., Mém. Mus. Hist. Nat. 3: 459 t.22 (1817)	3:636
FABACEAE (LEGUMINOSAE)		
	Almaleea subumbellata (Hook.) Crisp & P.H.Weston, Telopea 4: 310 (1991)	1:141
	<i>Anthyllis vulneraria</i> L. recorded in error, only known from cultivated plants	
	Aotus ericoides (Vent.) G.Don, Gen. Hist. 2: 120 (1832)	1:137
	<i>Aotus ferruginea</i> Labill. = Aotus ericoides	
	<i>Aotus villosa</i> (Andrews) Sm. = Aotus ericoides	1:137
	Bossiaea cinerea R.Br., Hortus Kew. (W.T.Aiton), ed. 2, 4: 268 (1812)	1:147
	<i>Bossiaea cinerea</i> R.Br. var. <i>rigida</i> Rodway = Bossiaea tasmanica	
	Bossiaea cordifolia Sweet, Fl. Australas. (Sweet) 20: 20 (1827)	
	Bossiaea cordigera Benth. ex Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 95 t.16 (1856)	1:147
	<i>Bossiaea ensata</i> Sieber sensu Hooker (1860) non Sieber = Bossiaea riparia	
	Bossiaea heterophylla Vent., Descr. Pl. Nouv. 1: 7, pl.7 (1800)	
	<i>Bossiaea microphylla</i> Sm. sensu Curtis (1956) = Bossiaea tasmanica	
	<i>Bossiaea obcordata</i> (Vent.) Druce = Bossiaea tasmanica	1:148
	Bossiaea prostrata R.Br., Hortus Kew. (W.T.Aiton), ed. 2, 4: 268 (1812)	1:147
	Bossiaea riparia A.Cunn. ex Benth., Fl. Austral. 2: 166 (1864)	1:148
e	Bossiaea tasmanica I.Thomps., Muellera 30: 144 (2012)	1:148
i	Callistachys lanceolata Vent., Jard. Malmaison 2: 115, t. 115 (1805)	
i	Chamaecytisus palmensis (Christ) F.A.Bisby & K.W.Nicholls, Bot. J. Linn. Soc. 74: 114 (1977)	1:151
	<i>Chamaecytisus proliferus</i> Link sensu Curtis & Morris (1975) = Chamaecytisus palmensis	1:151
	<i>Coronilla varia</i> L. = Securigera varia	1:165
	Cullen microcephalum (Rchb. ex Kunze) J.W.Grimes, Muellera 9: 195 (1996)	1:163
	<i>Cytisus monspessulanus</i> L. = Genista monspessulana	
i	Cytisus multiflorus (Aiton) Sweet, Hort. Brit. [Sweet] 112 (1826)	
	<i>Cytisus palmensis</i> (H.Christ) Hutch. = Chamaecytisus palmensis	1:151
	<i>Cytisus proliferus</i> L.f. sensu Curtis (1956) = Chamaecytisus palmensis	
i	Cytisus scoparius (L.) Link, Enum. Hort. Berol. Alt. 2: 241 (1822)	1:151

	Daviesia latifolia R.Br., Hortus Kew. (W.T.Aiton), ed. 2, 3: 20 (1811)	1:136
	Daviesia sejugata G.Chandler & Crisp, Austral. Syst. Bot. 10: 33 (1997)	
	Daviesia ulicifolia Andrews subsp. ruscifolia (A.Cunn. ex Benth.) G.Chandler & Crisp, Austral. Syst. Bot. 10: 44 (1997)	1:136
	Daviesia ulicifolia Andrews subsp. ulicifolia , Bot. Repos. 5: t.304 (1803)	1:136
	<i>Daviesia ulicina</i> Sm. nom. illeg., nom. superfl. = Daviesia ulicifolia	
	<i>Daviesia ulicina</i> Sm. f. <i>communis</i> Benth. = Daviesia ulicifolia	
	<i>Daviesia ulicina</i> Sm. f. <i>ruscifolia</i> (A.Cunn. ex Benth.) Benth. = Daviesia ulicifolia subsp. ruscifolia	
	<i>Daviesia ulicina</i> Sm. f. <i>subumbellata</i> Benth. = Daviesia ulicifolia	
	<i>Daviesia umbellata</i> Labill. = Daviesia ulicifolia	
	Desmodium gunnii Benth. ex Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 101 (1856)	1:166
	Desmodium varians (Labill.) G.Don, Gen. Hist. 2: 298 (1832)	1:166
	<i>Desmodium varians</i> (Labill.) G.Don var. <i>gunnii</i> (Benth. ex Hook.f.) Benth. = Desmodium gunnii	
	Dillwynia cinerascens R.Br. ex Sims, Bot. Mag. 48: t.2247 (1821)	1:145
	<i>Dillwynia ericifolia</i> Sm. f. <i>glaberrima</i> (Sm.) Benth. sensu Bentham (1864) = Dillwynia glaberrima (misapplied in Tasmania)	
	<i>Dillwynia floribunda</i> Sm. sensu Bentham (1864), Rodway (1903), Curtis (1956) = Dillwynia sericea (misapplied in Tasmania)	
	Dillwynia glaberrima Sm., Ann. Bot. [König & Sims] 1: 510 (1805)	1:144
	Dillwynia sericea A.Cunn., Geogr. Mem. New South Wales: 347 (1825)	1:144
i	Dipogon lignosus (L.) Verdc., Taxon 17: 537 (1968)	
	<i>Dolichos lignosus</i> L. = Dipogon lignosus	
	Eutaxia microphylla (R.Br.) C.H.Wright & Dewar, Johnson's Gard. Dict. 1052 (1894)	1:143
	<i>Eutaxia microphylla</i> (R.Br.) C.H.Wright & Dewar var. <i>microphylla</i> = Eutaxia microphylla	
i	Genista linifolia L., Sp. Pl., ed. 2, 2: 997 (1763)	
	<i>Genista maderensis</i> (Webb & Berthel.) Lowe sensu Curtis & Morris (1975) = Genista stenopetala	1:152
i	Genista monspessulana (L.) L.A.S.Johnson, Contr. New South Wales Natl. Herb. 3: 98 (1962)	1:151
i	Genista × spachiana Webb, Bot. Mag. 71: t.4195 (1845)	
i	Genista stenopetala Webb & Berthel., Hist. Nat. Iles Canaries (Phytogr.) 3(2): 39 (1836)	1:152
	Glycine clandestina J.C.Wendl., Bot. Beob. [Wendland]: 54 (1798)	1:168
	<i>Glycine clandestina</i> J.C.Wendl. var. <i>latrobeana</i> Rodway = Glycine latrobeana	
	Glycine latrobeana (Meisn.) Benth., Fl. Austral. 2: 244 (1864)	1:168
	Glycine microphylla (Benth.) Tindale, Brunonia 9: 181 (1987)	
	Glycine tabacina (Labill.) Benth., Fl. Austral. 2: 244 (1864)	
	Gompholobium ecostatum Kuchel, Suppl. Black's Fl. S. Austral. 182 (1965)	1:135
	<i>Gompholobium ellipticum</i> Labill. = Oxylobium ellipticum	
	Gompholobium huegelii Benth., Enum. Pl. [Endlicher]: 29 (1837)	1:135
	<i>Gompholobium latifolium</i> Labill. nom. illeg., non Sm. = Gompholobium huegelii	
	Goodia lotifolia Salisb., Parad. Lond. 1: t.41 (1806)	1:149
	<i>Goodia lotifolia</i> Salisb. var. <i>lotifolia</i> = Goodia lotifolia	1:149
	<i>Goodia lotifolia</i> Salisb. var. <i>pubescens</i> (Sims) H.B.Will. = Goodia pubescens	1:149
	Goodia pubescens Sims, Bot. Mag. 32: 1310 (1810)	1:149
	<i>Hardenbergia monophylla</i> (Vent.) Benth. = Hardenbergia violacea	

	Hardenbergia violacea (Schneev.) Stearn, J. Bot. 78: 70 (1940)	1:169
n	Hedysarum coronarium L. – previously listed as naturalised but insufficient evidence exists to support this	1:165
	Hovea corrickiae J.H.Ross, Muelleria 7: 203 (1990)	
	Hovea heterophylla A.Cunn. ex Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 93 (1856)	1:148
	Hovea lanceolata Sims sensu Buchanan (1999) = Hovea tasmanica	
	Hovea linearis (Sm.) R.Br. sensu Buchanan (1999) = Hovea heterophylla	
	Hovea longifolia R.Br. sensu Curtis (1956), Curtis & Morris (1975) misapplied to H. montana & H. tasmanica	1:149
	Hovea magnibractea I.Thomps., Austral. Syst. Bot. 14: 74 (2001)	
	Hovea montana (Hook.f.) J.H.Ross, Muelleria 6: 427 (1988)	1:149
	Hovea purpurea Sweet var. montana Hook.f. = Hovea montana	
e	Hovea tasmanica I.Thomps. & J.H.Ross, Austral. Syst. Bot. 14: 68 (2001)	1:149
	Indigofera australis Willd. f. angulata Benth. = Indigofera australis subsp. australis	
	Indigofera australis Willd. subsp. australis , Sp. Pl., ed. 4 [Willdenow], 3: 1235 (1802)	1:164
i	Kennedia nigricans Lindl., Edwards's Bot. Reg. 20: 1715, pl. 1715 (1835)	
	Kennedia prostrata R.Br., Hortus Kew. (W.T.Aiton), ed. 2, 4: 299 (1812)	1:169
i	Kennedia rubicunda (Schneev.) Vent., Jard. Malmaison 2: 104 t.104 (1804)	
i #	Laburnum anagyroides Medik., Vorles. Churpfälz. Phys.-Öcon. Ges. 2: 363 (1787)	
i #	Lathyrus nissolia L., Sp. Pl. 2: 729 (1753)	1:168
i	Lathyrus tingitanus L., Sp. Pl. 2: 732 (1753)	
	Leptocyamus clandestinus (J.C.Wendl.) Benth. var. clandestinus = Glycine clandestina	
	Leptocyamus clandestinus (J.C.Wendl.) Benth. var. microphylla (Benth.) Hook.f. = Glycine microphylla	
	Leptocyamus tasmanicus Benth. ex Hook.f. = Glycine latrobeana	
i #	Lotus angustissimus L., Sp. Pl. 2: 774 (1753)	
	Lotus australis Andrews, Bot. Repos. 10 t.624 (1811)	1:162
i	Lotus corniculatus L. var. corniculatus , Sp. Pl. 2: 776 (1753)	1:162
i	Lotus corniculatus L. var. tenuifolius L., Sp. Pl. 2: 776 (1753)	1:162
	Lotus hispidus Desf. ex DC. = Lotus subbiflorus	1:163
	Lotus pedunculatus Cav. sensu Curtis & Morris (1975) = Lotus uliginosus	1:163
	Lotus suaveolens Pers. nom. illeg. = Lotus subbiflorus	1:163
i	Lotus subbiflorus Lag., Varied. Ci. 2(4): 213 (1805)	1:163
	Lotus tenuis Waldst. & Kit. = Lotus corniculatus var. tenuifolius	
i	Lotus uliginosus Schkuhr, Handb. [C.Schkuhr] 2: 412 (1796)	1:163
i #	Lupinus angustifolius L., Sp. Pl. 2: 721 (1753)	1:150
i	Lupinus arboreus Sims, Bot. Mag. 18: t.682 (1803)	1:150
i	Lupinus × regalis Bergmans, Vaste Pl. Rotsheesters: 328 (1924)	
i	Medicago arabica (L.) Huds., Fl. Angl. (Hudson): 288 (1762)	1:154
i #	Medicago arborea L., Sp. Pl. 2: 778 (1753)	
	Medicago denticulata Willd. = Medicago polymorpha	
n	Medicago falcata L. sensu Curtis & Morris (1975) = Medicago sativa nothosubsp × varia (misapplied in Tasmania)	1:153
	Medicago hispida Gaertn. var. apiculata (Willd.) Urb. = Medicago polymorpha	
	Medicago hispida Gaertn. var. confinis (W.D.J.Koch) Burnat = Medicago polymorpha	

	Medicago hispida Gaertn. var. denticulata (Willd.) Urb. = Medicago polymorpha	
i	Medicago lupulina L., Sp. Pl. 2: 779 (1753)	1:153
	Medicago maculata Willd. = Medicago arabica	
i	Medicago minima (L.) L. ex Bartal., Cat. Piante Siena 61 (1776)	1:154
i	Medicago polymorpha L., Sp. Pl. 2: 779 (1753)	1:154
i	Medicago sativa L., Sp. Pl. 2: 778 (1753)	1:153
n i #	Medicago sativa L. nothosubsp. × varia (Martyn) Arcang., Comp. Fl. Ital. 160 = Medicago falcata × M. sativa	1:153
i	Medicago scutellata (L.) Mill., Gard. Dict., ed. 8, no. 2 (1768)	1:154
	Melilotus alba Desr. nom. illeg. = Melilotus albus	
i	Melilotus albus Medik., Vorles. Churpfälz. Phys.-Öcon. Ges. 2: 382 (1787)	1:155
	Melilotus arvensis Wallr. = Melilotus officinalis	
i	Melilotus indicus (L.) All., Fl. Pedem. 1: 308 (1785)	1:155
i	Melilotus officinalis (L.) Pall., Reise Russ. Reich. 3: 537 (1776)	1:155
	Melilotus parviflorus Desf. = Melilotus indicus	
	Mirbelia oxylobioides F.Muell., Fragm. (Mueller) 2: 154 (1861)	
n	Onobrychis viciifolia Scop. – previously listed as naturalised but insufficient evidence exists to support this	1:165
	Ononis arvensis L. sensu Rodway (1903) = Ononis spinosa	1:152
	Ononis repens L. sensu Curtis (1956), Curtis & Morris (1975) = Ononis spinosa	1:152
i	Ononis spinosa L., Sp. Pl. 2: 716 (1753)	1:152
i	Ornithopus compressus L., Sp. Pl. 2: 744 (1753)	
i	Ornithopus pinnatus (Mill.) Druce, J. Bot. 45: 420 (1907)	
i #	Ornithopus sativus Brot., Fl. Lusit. 2: 160 (1805)	
	Ornithopus sativus Brot. subsp. sativus = Ornithopus sativus	
	Oxylobium arborescens R.Br., Hortus Kew. (W.T.Aiton), ed. 2, 3: 10 (1811)	1:134
	Oxylobium ellipticum (Vent.) R.Br., Hortus Kew. (W.T.Aiton), ed. 2, 3: 10 (1811)	1:134
	Oxylobium ellipticum (Vent.) R.Br. var. angustifolium Benth. = Oxylobium arborescens	
e	Phyllota diffusa (Hook.f.) F.Muell., Fragm. (Mueller) 1: 8 (1858)	1:137
	Platylobium formosum Sm. sensu Bentham (1864) = Platylobium parviflorum (misapplied in Tasmania)	1:146
	Platylobium formosum Sm. subsp. parviflorum (Sm.) A.T.Lee = Platylobium parviflorum	
	Platylobium murrayanum Hook.f. = Platylobium triangulare	
	Platylobium obtusangulum Hook., Bot. Mag. 60: t.3258 (1833)	1:146
	Platylobium parviflorum Sm., Spec. Bot. New Holland 18 (1795)	
	Platylobium triangulare R.Br., Hortus Kew. (W.T.Aiton), ed. 2, 4: 266 (1812)	1:146
i	Podalyria sericea (Andrews) R.Br., Hortus Kew. (W.T.Aiton), ed. 2, 3: 7 (1811)	
	Psoralea adscendens F.Muell. = Cullen microcephalum	1:163
i	Psoralea arborea Sims, Bot. Mag. 46: t. 2090 (1819)	
	Psoralea gunnii Hook.f. = Cullen microcephalum	
i	Psoralea pinnata L., Sp. Pl. 2: 762 (1753)	1:163
	Pultenaea cordata Hook. = Pultenaea juniperina	
	Pultenaea daphnoides J.C.Wendl., Bot. Beob. [Wendland]: 49 (1798)	1:139
	Pultenaea daphnoides J.C.Wendl. var. obcordata (Andrews) Hook.f. = Pultenaea daphnoides	
	Pultenaea dentata Labill., Nov. Holl. Pl. 1: 103 t.131 (1805)	1:141

	Pultenaea diffusa Hook.f. = Phyllota diffusa	
	Pultenaea fasciculata Benth., Commentat. Legum. Gen. 18 (1837)	1:142
	Pultenaea gunnii Benth. subsp. gunnii , Commentat. Legum. Gen. 18 (1837)	1:140
	Pultenaea gunnii Benth. var. baeckeoides (A.Cunn. ex Benth.) Rodway = Pultenaea gunnii subsp. gunnii	1:140
	Pultenaea hibbertioides Hook.f. = Pultenaea mollis	1:141
	Pultenaea humilis Benth. ex Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 91 (1856)	1:142
	Pultenaea juniperina Labill., Nov. Holl. Pl. 1: 102 t.130 (1805)	1:142
	Pultenaea juniperina Labill. var. latifolia Benth. = Pultenaea juniperina	
	Pultenaea mollis Lindl., Three Exped. Australia [Mitchell] 2: 258 (1838)	1:141
	Pultenaea paleacea Willd. var. sericea Benth. = Pultenaea sericea	1:140
	Pultenaea pedunculata Hook., Bot. Mag. 55: t.2859 (1828)	1:140
	Pultenaea pimelioides Hook.f. = Pultenaea dentata	
	Pultenaea prostrata Benth. ex Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 89 (1856)	1:142
	Pultenaea selaginoides Hook.f. = Stonesiella selaginoides	1:141
	Pultenaea sericea (Benth.) Corrick, Muelleria 8: 392 (1995)	1:140
	Pultenaea stricta Sims, Bot. Mag. 38: t.1588 (1813)	1:140
	Pultenaea subumbellata Hook. = Almaleea subumbellata	1:141
	Pultenaea tenuifolia R.Br. ex Sims, Bot. Mag. 46: t.2086 (1819)	1:143
	Sarothamnus scoparius (L.) Wimm. ex W.D.J.Koch = Cytisus scoparius	1:151
n i	Securigera varia (L.) Lassen, Svensk. Bot. Tidskr. 83: 86 (1989)	1:165
i	Spartium junceum L., Sp. Pl. 2: 708 (1753)	
	Sphaerolobium minus Labill., Nov. Holl. Pl. 1: 108, t.138 (1805)	
	Sphaerolobium vimineum Sm., Ann. Bot. [König & Sims] 1: 509 (1805)	1:135
e	Stonesiella selaginoides (Hook.f.) Crisp & P.H.Weston, Taxon 48: 712 (1999)	1:141
	Swainsona lessertiifolia DC., Ann. Sci. Nat., Bot., sér. 1, 4: 99 (1825)	1:164
	Trifolium agrarium L. sensu Rodway (1903) = Trifolium campestre	
i	Trifolium alexandrinum L., Cent. Pl. 1: 25 (1755)	
i	Trifolium angustifolium L., Sp. Pl. 2: 769 (1753)	1:161
i	Trifolium arvense L., Sp. Pl. 2: 769 (1753)	1:160
i	Trifolium campestre Schreb., Die Kleearten Deutschlands 1(4): t.17.4 (1800)	1:157
i	Trifolium cernuum Brot., Phytogr. Lusitan. Select. (1816-1827) 1: 150 (1816)	1:159
i	Trifolium dubium Sibth., Fl. Oxon. 231 (1794)	1:157
i	Trifolium fragiferum L., Sp. Pl. 2: 772 (1753)	1:158
i	Trifolium glomeratum L., Sp. Pl. 2: 770 (1753)	1:159
i	Trifolium hybridum L., Sp. Pl. 2: 766 (1753)	1:159
i	Trifolium incarnatum L., Sp. Pl. 2: 769 (1753)	1:160
i	Trifolium lappaceum L., Sp. Pl. 2: 768 (1753)	
	Trifolium medium Huds. = Trifolium pratense (misapplied in Tasmania)	1:159
i	Trifolium micranthum Viv., Fl. Libyc. Spec. 45, pl. 19, Fig. 1 (1824)	1:158
i	Trifolium ornithopodioides L., Sp. Pl. 2: 766 (1753)	1:152
i	Trifolium pratense L., Sp. Pl. 2: 768 (1753)	1:160
	Trifolium procumbens L. sensu Rodway (1903) = Trifolium dubium (misapplied in Tasmania)	
i	Trifolium repens L., Sp. Pl. 2: 767 (1753)	1:158
i	Trifolium resupinatum L., Sp. Pl. 2: 771 (1753)	1:158

i	Trifolium scabrum L., Sp. Pl. 2: 770 (1753)	1:160
i	Trifolium squamosum L., Amoen. Acad., Linnaeus ed. 4: 105 (1759)	1:161
i	Trifolium stellatum L., Sp. Pl. 2: 769 (1753)	1:161
i	Trifolium striatum L., Sp. Pl. 2: 770 (1753)	1:160
i	Trifolium subterraneum L., Sp. Pl. 2: 767 (1753)	1:159
i	Trifolium suffocatum L., Mant. Pl. 2: 276 (1771)	1:159
i	Trifolium tomentosum L., Sp. Pl. 2: 771 (1753)	1:158
n	<i>Trifolium uniflorum</i> L. – previously listed as naturalised but insufficient evidence exists to support this	
	<i>Trigonella ornithopodioides</i> (L.) DC. = Trifolium ornithopodioides	1:152
i	Ulex europaeus L., Sp. Pl. 2: 741 (1753)	1:150
	<i>Vicia angustifolia</i> L. = Vicia sativa	1:167
	<i>Vicia cracca</i> L. sensu Curtis & Morris (1975) = Vicia villosa	1:167
i	Vicia hirsuta (L.) Gray, Nat. Arr. Brit. Pl. 2: 614 (1821)	1:166
	<i>Vicia lathyroides</i> L. recorded in error	
i	Vicia sativa L. subsp. nigra (L.) Ehrh., Hannover. Mag. 15: 229 (1780)	1:167
i	Vicia sativa L. subsp. sativa , Sp. Pl. 2: 736 (1753)	1:167
i	Vicia tetrasperma (L.) Schreb., Spic. Fl. Lips. 26 (1771)	1:167
i	Vicia villosa Roth subsp. eriocarpa (Hauskn.) P.W.Ball, Feddes Repert. 79: 45 (1968)	1:167
	<i>Viminaria denudata</i> (Vent.) Sm. = Viminaria juncea	
	Viminaria juncea (Schrader & J.C.Wendl.) Hoffmanns., Verz. Pfl.-Kult. 200 (1824)	1:136
	FAGACEAE	FTO 66
	<i>Fagus cunninghamii</i> Hook. = Nothofagus cunninghamii	
	<i>Fagus gunnii</i> Hook.f. = Nothofagus gunnii	
	<i>Fuscospora gunnii</i> (Hook.f.) Heenan & Smissen = Nothofagus gunnii	
	<i>Lophozonia cunninghamii</i> (Hook.) Heenan & Smissen = Nothofagus cunninghamii	
	Nothofagus cunninghamii (Hook.) Oerst., Kongel. Danske Vidensk. Selsk. Skr., Naturvidensk. Math. Afd. (ser. 5), 9: 355 (1871)	3:647
e	Nothofagus gunnii (Hook.f.) Oerst., Kongel. Danske Vidensk. Selsk. Skr., Naturvidensk. Math. Afd. (ser. 5), 9: 354 (1871)	3:646
	FRANKENIACEAE	FTO 93
	Frankenia pauciflora DC. var. gunnii Summerh., J. Linn. Soc. Bot. 48: 366 (1930)	1:64
	FUMARIACEAE	FTO 45
i	Fumaria bastardii Boreau, Rev. Bot. Recueil Mans. 2: 359 (1847)	1:30
i	Fumaria densiflora DC., Cat. Pl. Horti Monsp. 113 (1813)	1:30
i	Fumaria muralis Sond. ex W.D.J.Koch subsp. muralis , Syn. Fl. Germ. Helv., ed. 2: 1017 (1845)	1:30
n i *	<i>Fumaria officinalis</i> L. subsp. <i>officinalis</i> , Sp. Pl. 2: 700 (1753)	
n	<i>Pseudofumaria alba</i> (Mill.) Lidén subsp. <i>alba</i> – previously listed as naturalised but insufficient evidence exists to support this	
	GENTIANACEAE	
	<i>Centaurium australe</i> (R.Br.) Druce = Schenkia australis	3:479
i	Centaurium erythraea Rafn, Danm. Holst. Fl. 2: 75 (1800)	3:480
	<i>Centaurium pulchellum</i> (Sw.) Druce sensu Curtis (1967) = Centaurium tenuiflorum	3:480
	<i>Centaurium spicatum</i> (L.) Fritsch ex Janch. sensu Buchanan (1999) = Schenkia australis	3:479

i	Centaurium tenuiflorum (Hoffmanns. & Link) Fritsch ex Janch., Mitt. Naturwiss. Vereins Univ. Wien 5: 97 (1907)	3:480
	Chionogentias brevisepala L.G.Adams = Gentianella brevisepala	3:482
	Chionogentias cunninghamii L.G.Adams = Gentianella cunninghamii	3:482
	Chionogentias demissa L.G.Adams = Gentianella demissa	3:482
	Chionogentias diemensis (Griseb.) L.G.Adams = Gentianella diemensis	3:482
	Chionogentias eichleri L.G.Adams = Gentianella eichleri	3:482
e ?x	Chionogentias grandis L.G.Adams, Austral. Syst. Bot. 8: 960 (1995)	3:482
	Chionogentias gunniana L.G.Adams = Gentianella gunniana	3:482
	Chionogentias pleurogynoides (Griseb.) L.G.Adams = Gentianella pleurogynoides	3:482
	Chionogentias polysperes L.G.Adams = Gentianella polysperes	3:482
i	Cicendia filiformis (L.) Delarbre, Fl. Auvergne (Delarbre), ed. 2, 1: 29 (1800)	3:481
	Erythraea australis R.Br. = Schenkia australis	
	Exacum ovatum Labill. = Sebaea ovata	
	Gentiana montana R.Br. = Gentianella gunniana and Gentianella pleurogynoides	
	Gentiana saxosa G.Forst. sensu Rodway (1903) = Gentianella spp.	
e	Gentianella brevisepala (L.G.Adams) Glenny, New Zealand J. Bot. 42: 518 (2004)	3:482
x	Gentianella cunninghamii (L.G.Adams) Glenny subsp. cunninghamii , New Zealand J. Bot. 42: 518 (2004)	3:482
e	Gentianella demissa (L.G.Adams) Glenny, Muelleria 26: 95 (2008)	3:482
e	Gentianella diemensis (Griseb.) J.H.Willis subsp. diemensis , Vict. Naturalist 73: 199 (1957)	3:482
e	Gentianella diemensis (Griseb.) J.H.Willis subsp. plantaginea (L.G.Adams) Glenny, New Zealand J. Bot. 42: 519 (2004)	3:482
e	Gentianella eichleri (L.G.Adams) Glenny, New Zealand J. Bot. 42: 519 (2004)	3:482
	Gentianella grandis (L.G.Adams) Glenny = Chionogentias grandis	3:482
	Gentianella gunniana (L.G.Adams) Glenny, New Zealand J. Bot. 42: 519 (2004)	3:482
e	Gentianella pleurogynoides (Griseb.) Glenny subsp. milliganii (L.G.Adams) Glenny, New Zealand J. Bot. 42: 519 (2004)	3:482
e	Gentianella pleurogynoides (Griseb.) Glenny subsp. pleurogynoides , New Zealand J. Bot. 42: 519 (2004)	3:482
	Gentianella polysperes (L.G.Adams) Glenny, New Zealand J. Bot. 42: 519 (2004)	3:482
	Schenkia australis (R.Br.) G.Mans., Taxon 53: 725 (2004)	3:479
	Sebaea albidiflora F.Muell., Trans. Philos. Soc. Victoria 1: 46 (1855)	3:479
	Sebaea ovata (Labill.) R.Br., Prodr. Fl. Nov. Holland. 452 (1810)	3:478
	GERANIACEAE	FTO 54
i	Erodium botrys (Cav.) Bertol., Amoen. Ital. 35 (1819)	1:98
i	Erodium cicutarium (L.) L'Hér. ex Aiton, Hortus Kew. (W.Aiton) 2: 414 (1789)	1:97
n i *	Erodium malacoides (L.) L'Hér. ex Aiton, Hortus Kew. (W.Aiton) 2: 415 (1789)	1:98
i	Erodium moschatum (L.) L'Hér. ex Aiton, Hortus Kew. (W.Aiton) 2: 414 (1789)	1:97
	Geranium sp. Pale Pink Flowers (M.Gray 5847) Vic. Herbarium	
	Geranium brevicaule Hook., J. Bot. (Hooker) 1: 252 (1834)	
i	Geranium dissectum L., Cent. Pl. 1: 21 (1755)	1:96
	Geranium dissectum L. var. australe Benth. sensu Bentham (1863) = G. potentilloides , G. retrorsum and G. solanderi	
	Geranium dissectum L. var. pilosum Benth. = Geranium solanderi	

	Geranium dissectum L. var. potentilloides Benth. = Geranium potentilloides	
?i	Geranium homeanum Turcz., Bull. Soc. Imp. Naturalistes Moscou 36: 591 (1863)	
	Geranium microphyllum Hook.f. = Geranium potentilloides var. potentilloides	
i	Geranium molle L., Sp. Pl. 2: 682 (1753)	1:96
	Geranium molle L. var. molle = Geranium molle	
	Geranium pilosum G.Forst. nom. inval., nom. nud. = Geranium solanderi	
	Geranium potentilloides L'Hér. ex DC. var. potentilloides , Prodr. [A. P. de Candolle] 1: 639 (1824)	1:95
	Geranium retrorsum L'Hér. ex DC., Prodr. [A. P. de Candolle] 1: 644 (1824)	
i t	Geranium rotundifolium L., Sp. Pl. 2: 683 (1753)	1:96
	Geranium sessiliflorum Cav. = Geranium brevicaule	
	Geranium sessiliflorum Cav. subsp. brevicaule (Hook.) Carolin = Geranium brevicaule	1:95
	Geranium solanderi Carolin, Proc. Linn. Soc. New South Wales 89: 350 (1965)	1:95
n i	Geranium yeoi Aedo & Muñoz Garm., Kew Bull. 52: 727 (1997)	
	Pelargonium acugnaticum Thouars sensu Hooker (1860) = Pelargonium inodorum (misapplied in Tasmania)	
i	Pelargonium × asperum Ehrh. ex Willd., Sp. Pl., ed. 4 [Willdenow] 3: 678 (1800)	1:99
	Pelargonium australe Willd., Sp. Pl., ed. 4 [Willdenow] 3: 675 (1800)	1:98
i	Pelargonium capitatum (L.) L'Hér. ex Aiton, Hortus Kew. (W.Aiton)2: 425 (1789)	
i	Pelargonium × domesticum L.H.Bailey, Stand. Cycl. Hort. 2532 (1916)	1:99
	Pelargonium inodorum Willd., Enum. Pl. [Willdenow] 2: 702 (1809)	1:99
	Pelargonium littorale Endl., Bot. Arch.(Hügel): t.5 (1837)	
	GOODENIACEAE	FTO 129
x	Coopernookia barbata (R.Br.) Carolin, Proc. Linn. Soc. New South Wales 92: 213 (1968)	2:401
	Dampiera stricta (Sm.) R.Br., Prodr. Fl. Nov. Holland. 589 (1810)	2:404
	Goodenia amplexans F.Muell. sensu Curtis (1963) recorded in error	2:400
	Goodenia barbata R.Br. = Coopernookia barbata	2:401
	Goodenia elongata Labill., Nov. Holl. Pl. 1: 52, t.75 (1805)	2:401
	Goodenia geniculata R.Br., Prodr. Fl. Nov. Holland. 577 (1810)	2:401
	Goodenia geniculata R.Br. var. lanata (R.Br.) Rodway = Goodenia lanata	
	Goodenia hederacea R.Br. = Goodenia lanata (misapplied in Tasmania)	
	Goodenia humilis R.Br., Prodr. Fl. Nov. Holland. 575 (1810)	2:402
	Goodenia lanata R.Br., Prodr. Fl. Nov. Holland. 577 (1810)	2:401
	Goodenia ovata Sm., Trans. Linn. Soc. London 2: 347 (1794)	2:400
x	Goodenia pinnatifida Schltldl., Linnaea 21: 450 (1848)	
	Goodenia repens Labill. = Selliera radicans	
	Scaevola aemula R.Br., Prodr. Fl. Nov. Holland. 584 (1810)	2:404
	Scaevola albida (Sm.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916, Suppl. 2: 644 (1917)	2:404
	Scaevola calendulacea (Andrews) Druce sensu Curtis (1963) recorded in error	
	Scaevola cuneiformis Labill. recorded in error	
	Scaevola hookeri (de Vriese) F.Muell. ex Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 231 (1856)	2:403
	Scaevola microcarpa Cav. = Scaevola albida	
	Selliera radicans Cav., Anales. Hist. Nat. 1: 41, t.5 (1799)	2:402
	Velleia montana Hook.f., London J. Bot. 6: 265 (1847)	2:399

	Velleia paradoxa R.Br., Prodr. Fl. Nov. Holland. 580 (1810)	2:398
	GROSSULARIACEAE	FTO 50
i t	Ribes sanguineum Pursh, Fl. Amer. Sept. (Pursh) 1: 164 (1813)	
	GUNNERACEAE	FTO 49
e	Gunnera cordifolia (Hook.f.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 125 (1856)	1:194
	GYROSTEMONACEAE	FTO 83
	Didymotheca thesioides Hook.f. = Gyrostemon thesioides	3:581
	Gyrostemon thesioides (Hook.f.) A.S.George, Fl. Australia 8: 392 (1982)	3:581
	HALORAGACEAE	
	Gonocarpus humilis Orchard, Bull. Auckland Inst. Mus. 10: 195 (1975)	
	Gonocarpus micranthus Thunb. subsp. micranthus , Nov. Gen. Pl. [Thunberg] 3: 55 (1783)	1:190
	Gonocarpus montanus (Hook.f.) Orchard, Bull. Auckland Inst. Mus. 10: 172 (1975)	1:192
	Gonocarpus serpyllifolius Hook.f., Icon. Pl. 3: t.290 (1840)	1:192
	Gonocarpus tetragynus Labill., Nov. Holl. Pl. 1: 39, t.53 (1805)	1:191
	Gonocarpus teucrioides DC., Prodr. [A. P. de Candolle] 3: 66 (1828)	1:191
	Haloragis aspera Lindl., J. Exped. Trop. Australia [Mitchell]: 306 (1848)	1:191
	Haloragis brownii (Hook.f.) Schindl., Pflanzenr. (Engler) 23: 54 (1905)	1:192
	Haloragis ceratophylla Endl. sensu Bentham (1864) = Haloragis aspera (misapplied in Tasmania)	
	Haloragis depressa (A.Cunn.) Walp. sensu Bentham (1864) = Gonocarpus montanus and G. serpyllifolius	
	Haloragis depressa (A.Cunn.) Walp. var. montana (Hook.f.) Hook.f. = Gonocarpus montanus	
	Haloragis gunnii Hook.f. = Gonocarpus teucrioides	
	Haloragis heterophylla Brongn., Voy. Monde, Atlas: t.68A (1826)	1:190
	Haloragis micrantha (Thunb.) R.Br. ex Sieber & Zucc. = Gonocarpus micranthus	1:190
	Haloragis montana Hook.f. = Gonocarpus montanus	1:192
	Haloragis myriocarpa Orchard, Bull. Auckland Inst. Mus. 10: 132 (1975)	
	Haloragis pinnatifida A.Gray sensu Hooker (1860) = Haloragis aspera	
	Haloragis serpyllifolia (Hook.f.) Walp. = Gonocarpus serpyllifolius	1:192
	Haloragis tetragyna (Labill.) Hook.f. = Gonocarpus tetragynus	1:191
	Haloragis teucrioides (DC.) Schldl. = Gonocarpus teucrioides & G. humilis	1:191
	Meionectes brownii Hook.f. = Haloragis brownii	
	Myriophyllum amphibium Labill., Nov. Holl. Pl. 2: 70, t.220 (1806)	1:193
i	Myriophyllum aquaticum (Vell.) Verdc., Kew Bull. 28: 36 (1973)	1:193
e	Myriophyllum austropygmaeum Orchard, Brunonia 8: 280 (1986)	
	Myriophyllum brasiliense Cambess. = Myriophyllum aquaticum	1:193
?i	Myriophyllum crispatum Orchard, Brunonia 8: 210 (1986)	
	Myriophyllum elatinoides Gaudich. sensu Curtis (1956), Curtis & Morris (1975) =	
	Myriophyllum salsugineum	1:193
x	Myriophyllum glomeratum Schindl., Pflanzenr. (Engler) 23: 103 (1905)	
	Myriophyllum integrifolium (Hook.f.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 123 (1856)	1:194
	Myriophyllum muelleri Sond., Linnaea 28: 233 (1856)	
	Myriophyllum pedunculatum Hook.f. subsp. longibracteolatum (Schindl.) Orchard, Brunonia 8: 273 (1986)	1:194

	Myriophyllum pedunculatum Hook.f. subsp. pedunculatum , London J. Bot. 6: 474 (1847)	1:194
	Myriophyllum propinquum A.Cunn. sensu Curtis (1956), Curtis & Morris (1975) =	
	Myriophyllum simulans & M. variifolium	1:193
	Myriophyllum salsugineum Orchard, Brunonia 4: 48 (1981)	1:193
	Myriophyllum simulans Orchard, Brunonia 8: 203 (1986)	1:193
	Myriophyllum variifolium Hook.f., Icon. Pl. 3: t.289 (1840)	1:193
HYDROPHYLLACEAE		
i	Phacelia tanacetifolia Benth., Edwards's Bot. Reg. 20: t.1696 (1835)	3:486
LAMIACEAE (LABIATAE)		
	Ajuga australis R.Br., Prodr. Fl. Nov. Holland. 503 (1810)	3:557
i	Ajuga reptans L., Sp. Pl. 2: 561 (1753)	
i	Cedronella canariensis (L.) Webb & Berthel., Hist. Nat. Illes Canaries (Phytogr.) 3: 87 (1845)	3:548
i	Lamium amplexicaule L., Sp. Pl. 2: 579 (1753)	3:552
i	Lamium purpureum L., Sp. Pl. 2: 579 (1753)	3:552
i	Lavandula stoechas L. subsp. stoechas , Sp. Pl. 2: 573 (1753)	
i	Leonotis leonurus (L.) R.Br., Hortus Kew. (W.T.Aiton), ed. 2, 3: 410 (1811)	
	Lycopus australis R.Br., Prodr. Fl. Nov. Holland. 500 (1810)	3:546
i	Marrubium vulgare L., Sp. Pl. 2: 583 (1753)	3:550
i	Melissa officinalis L., Sp. Pl. 2: 592 (1753)	3:546
	Mentha australis R.Br., Prodr. Fl. Nov. Holland. 505 (1810)	3:544
	Mentha diemenica Spreng. var. diemenica , Syst. Veg. (ed. 16) [Sprengel] 2: 724 (1825)	3:544
	Mentha diemenica Spreng. var. serpyllifolia (Benth.) J.H.Willis, Muelleria 1: 144 (1967)	3:544
	Mentha gracilis R.Br. = Mentha diemenica	
i	Mentha × piperita L., Sp. Pl. 2: 576 (1753)	3:545
i	Mentha pulegium L., Sp. Pl. 2: 577 (1753)	3:545
	Mentha serpyllifolia Benth. = Mentha diemenica var. serpyllifolia	
i #	Mentha spicata L., Sp. Pl. 2: 576 (1753)	3:545
i	Nepeta cataria L., Sp. Pl. 2: 570 (1753)	3:548
x	Prostanthera cuneata Benth., Prodr. [A. P. de Candolle] 12: 560 (1848)	3:554
	Prostanthera lasianthos Labill. var. lasianthos , Nov. Holl. Pl. 2: 18 t.157 (1806)	3:553
	Prostanthera retusa R.Br. = Prostanthera rotundifolia	
	Prostanthera rotundifolia R.Br., Prodr. Fl. Nov. Holland. 509 (1810)	3:553
i	Prunella laciniata (L.) L., Sp. Pl., ed. 2, 2: 837 (1763)	3:550
i	Prunella vulgaris L., Sp. Pl. 2: 600 (1753)	3:550
	Salvia horminoides Pourr. = Salvia verbenaca	3:547
i	Salvia verbenaca L. var. verbenaca , Sp. Pl. 1: 25 (1753)	3:547
	Scutellaria humilis R.Br., Prodr. Fl. Nov. Holland. 507 (1810)	3:549
i	Stachys arvensis (L.) L., Sp. Pl., ed. 2, 2: 814 (1763)	3:551
i t	Stachys palustris L., Sp. Pl. 2: 580 (1753)	3:551
	Teucrium corymbosum R.Br., Prodr. Fl. Nov. Holland. 504 (1810)	3:556
i t	Teucrium scorodonia L., Sp. Pl. 2: 564 (1753)	
e	Westringia angustifolia R.Br., Prodr. Fl. Nov. Holland. 501 (1810)	3:555
e	Westringia brevifolia Benth., Labiat. Gen. Spec. 459 (1834)	3:555
	Westringia brevifolia Benth. var. raleighii (B.Boivin) W.M.Curtis = Westringia brevifolia	
	Westringia dampieri R.Br. sensu Bentham (1870) misapplied to W. angustifolia or W. rigida	

	Westringia rigida R.Br., Prodr. Fl. Nov. Holland. 501 (1810)	3:555
e	Westringia rubiifolia R.Br., Prodr. Fl. Nov. Holland. 501 (1810)	3:556
	LAURACEAE	FTO 5
	Cassytha glabella R.Br. f. dispar (Schtdl.) J.Z.Weber, J. Adelaide Bot. Gard. 3: 209 (1981)	3:597
	Cassytha glabella R.Br. f. glabella , Prodr. Fl. Nov. Holland. 404 (1810)	3:597
	Cassytha melantha R.Br., Prodr. Fl. Nov. Holland. 404 (1810)	3:597
e	Cassytha pedicellosa J.Z.Weber, J. Adelaide Bot. Gard. 3: 214 (1981)	
	Cassytha pubescens R.Br., Prodr. Fl. Nov. Holland. 404 (1810)	3:597
	LENTIBULARIACEAE	
	Polypompholyx tenella (R.Br.) Lehm. = Utricularia tenella	3:537
	Utricularia australis R.Br., Prodr. Fl. Nov. Holland. 430 (1810)	3:536
	Utricularia barkeri R.W.Jobson, Telopea 15: 131 (2013)	
	Utricularia dichotoma Labill., Nov. Holl. Pl. 1: 11, t.8 (1805)	3:536
	Utricularia dichotoma Labill. var. uniflora (R.Br.) Benth. = Utricularia uniflora	
	Utricularia flexuosa Vahl = Utricularia australis	3:536
n i *	Utricularia gibba L., Sp. Pl. 1: 18 (1753)	
	Utricularia lateriflora R.Br., Prodr. Fl. Nov. Holland. 431 (1810)	3:536
	Utricularia monanthos Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 299 (1857)	3:537
	Utricularia tenella R.Br., Prodr. Fl. Nov. Holland. 432 (1810)	3:537
	Utricularia uniflora R.Br., Prodr. Fl. Nov. Holland. 431 (1810)	3:536
	Utricularia violacea R.Br., Prodr. Fl. Nov. Holland. 431 (1810)	
	LINACEAE	FTO 77
	Linum albidum Ewart & Jean White = Linum marginale	
i t	Linum bienne Mill., Gard. Dict., ed. 8, no.8 (1768)	
i t	Linum catharticum L., Sp. Pl. 1: 281 (1753)	1:92
	Linum gallicum L. = Linum trigynum	
	Linum marginale A.Cunn., Geogr. Mem. New South Wales [Field]: 357 (1825)	1:92
i	Linum trigynum L., Sp. Pl. 1: 279 (1753)	1:93
i	Linum usitatissimum L., Sp. Pl. 1: 277 (1753)	1:92
	LOGANIACEAE	
	Mitrasacme archeri Hook.f. = Schizacme archeri	3:475
	Mitrasacme distylis F.Muell. = Phyllangium distylis	3:477
	Mitrasacme divergens Hook.f. = Phyllangium divergens	3:476
	Mitrasacme montana Hook.f. ex Benth. = Schizacme montana	3:475
	Mitrasacme paradoxa R.Br. sensu Curtis (1967) = Phyllangium divergens	3:476
	Mitrasacme pilosa Labill. var. pilosa , Nov. Holl. Pl. 1: 36, t.49 (1805)	3:476
	Mitrasacme pilosa Labill. var. stuartii Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 274 (1857)	3:476
	Mitrasacme serpyllifolia R.Br., Prodr. Fl. Nov. Holland. 454 (1810)	3:475
	Phyllangium distylis (F.Muell.) Dunlop, Fl. Australia 28: 315 (1996)	3:477
	Phyllangium divergens (Hook.f.) Dunlop, Fl. Australia 28: 315 (1996)	3:476
e	Schizacme archeri (Hook.f.) Dunlop, Fl. Australia 28: 314 (1996)	3:475
	Schizacme montana (Hook.f. ex Benth.) Dunlop, Fl. Australia 28: 314 (1996)	3:475

	LYTHRACEAE	FTO 55
	Lythrum hyssopifolia L., Sp. Pl. 1: 447 (1753)	2:227
	Lythrum salicaria L., Sp. Pl. 1: 446 (1753)	2:226
	MALVACEAE	
i t	Anisodonteia capensis (L.) D.M.Bates, Gentes Herb. 10: 327 (1969)	
e	Asterotrichion discolor (Hook.) Melville, Kew Bull. 20: 512 (1967)	1:86
	Gynatrix pulchella (Willd.) Alef., Oesterr. Bot. Z. 12: 35 (1862)	1:87
n	Hibiscus trionum L. – previously listed as naturalised but insufficient evidence exists to support this	1:88
	Lavatera arborea L. = Malva arborea	1:84
	Lavatera cretica L. has also been missapplied to M. preissiana in = Malva pseudolavatera	1:84
	Lavatera plebeia Sims var. tomentosa Hook.f. = Malva preissiana	1:83
	Lawrenzia spicata Hook., Icon. Pl. 3: t.261 (1840)	1:88
?i #	Lawrenzia squamata Nees, Pl. Preiss. [J.G.C.Lehman] 1: 242 (1845)	
i	Malva arborea (L.) Webb & Berthel., Hist. Nat. Iles Canaries (Phytogr.) 1: 30 (1836)	1:84
	Malva australiana M.F.Ray = Malva preissiana	1:83
	Malva dendromorpha M.F.Ray nom. illeg., nom. superfl. = Malva arborea	
	Malva linnaei M.F.Ray nom. illeg., nom. superfl. = Malva pseudolavatera	
i	Malva moschata L., Sp. Pl. 2: 690 (1753)	1:85
i	Malva neglecta Wallr., Syll. Pl. Nov. 1: 140 (1824)	1:85
i	Malva nicaeensis All., Fl. Pedem. 2: 40 (1785)	1:85
i	Malva parviflora L., Demonstr. Pl. 18 (1753)	1:85
	Malva preissiana Miq., Pl. Preiss. [J.G.C.Lehman] 1: 238 (1845)	1:83
n i	Malva pseudolavatera Webb & Berthel., Hist. Nat. Iles Canaries (Phytogr.). 3(2(1)): 29 (1836)	1:84
	Malva rotundifolia L. sensu Rodway (1903) = Malva neglecta (misapplied in Tasmania)	
i	Malva sylvestris L., Sp. Pl. 2: 689 (1753)	1:85
i	Modiola caroliniana (L.) G.Don, Gen. Hist. 1: 466 (1831)	1:86
	Plagianthus pulchellus (Willd.) A.Gray ex Hook.f. = Gynatrix pulchella	1:87
	Plagianthus pulchellus (Willd.) Hook.f. var. tomentosus Rodway = Gynatrix pulchella	
	Plagianthus sidoides Hook. = Asterotrichion discolor	1:86
	Plagianthus spicatus (Hook.) Benth. = Lawrenzia spicata	1:88
	MENYANTHACEAE	FTO 128
	Limnanthemum exaltatum (Sol. ex Sims) F.Muell. = Liparophyllum exaltatum	
	Limnanthemum exiguum F.Muell. = Liparophyllum exiguum	
	Limnanthemum gunnii (Hook.f.) Hook.f. = Liparophyllum gunnii	
	Liparophyllum exaltatum (Sol. ex Sims) Tippet & Les, Novon 19: 408 (2009)	3:483
e	Liparophyllum exiguum (F.Muell.) Tippet & Les, Novon 19: 408 (2009)	3:483
t	Liparophyllum gunnii Hook.f., London J. Bot. 6: 473 bis (1847)	3:484
	Nymphoides crenata (F.Muell.) Kuntze sensu Curtis (1967) recorded in error	3:483
	Nymphoides exigua (F.Muell.) Kuntze = Liparophyllum exiguum	3:483
	Ornduffia reniformis (R.Br.) Tippet & Les, Novon 19: 410 (2009)	3:483
	Ornduffia umbricola (Aston) Tippet & Les var. umbricola , Novon 19: 410 (2009)	
	Villarsia exaltata (Sol. ex Sims) G.Don = Liparophyllum exaltatum	3:483
	Villarsia parnassifolia (Labill.) R.Br. = Liparophyllum exaltatum	
	Villarsia reniformis R.Br. = Ornduffia reniformis	3:483

Villarsia umbricola Aston = **Ornduffia umbricola**

MIMOSACEAE

- Acacia armata R.Br. = **Acacia paradoxa** 1:127
- e **Acacia axillaris** Benth., London J. Bot. 1: 341 (1842) 1:127
- n i **Acacia baileyana** F.Muell., Trans. & Proc. Roy. Soc. Victoria 24: 168 (1888)
- Acacia botrycephala (Vent.) Desf. = **Acacia terminalis** 1:129
- Acacia crassiuscula H.L.Wendl. sensu Hooker (1860), Bentham (1864) = **Acacia uncifolia**
- Acacia dealbata** Link subsp. **dealbata**, Enum. Hort. Berol. Alt. 2: 445 (1822) 1:130
- i **Acacia decurrens** Willd., Sp. Pl., ed. 4 [Willdenow], 4: 1072 (1806) 1:130
- Acacia decurrens Willd. f. mollis (Lindl.) Benth. = **Acacia dealbata**
- Acacia dependens A.Cunn. ex Benth. nom. illeg. = **Acacia mucronata** subsp. **dependens**
- e **Acacia derwentiana** A.M.Gray, Muellera 21: 107 (2005)
- Acacia diffusa Ker Gawl. = **Acacia genistifolia**
- Acacia discolor (Andrews) Willd. = **Acacia terminalis**
- Acacia dissitiflora Benth. = **Acacia mucronata** subsp. **longifolia**
- i **Acacia floribunda** (Vent.) Willd., Sp. Pl., ed. 4 [Willdenow], 4: 1051 (1806)
- Acacia genistifolia** Link, Enum. Hort. Berol. Alt. 2: 442 (1822) 1:126
- Acacia gunnii** Benth., London J. Bot. 1: 332 (1842) 1:127
- i **Acacia howittii** F.Muell., Vict. Naturalist 10: 16 (1893)
- n Acacia implexa Benth. sensu Buchanan (1999) = **Acacia uncifolia** (misapplied in Tasmania)
- Acacia juniperina (Vent.) Willd. sensu Bentham (1864) = **Acacia ulicifolia** (misapplied in Tasmania)
- Acacia leprosa** Sieber ex DC. var. **graveolens** Maslin & D.J.Murphy, Muellera 27: 201 (2009) 1:127
- Acacia linearis (J.C.Wendl.) Sims sensu Hooker (1860), Bentham (1864) = **Acacia mucronata** subsp. **mucronata** (misapplied in Tasmania)
- Acacia longifolia (Andrews) Willd. f. dissitiflora (Benth.) Benth. = **Acacia mucronata** subsp. **longifolia**
- Acacia longifolia (Andrews) Willd. f. mucronata (Willd. ex H.L.Wendl.) Benth. = **Acacia mucronata**
- Acacia longifolia** (Andrews) Willd. subsp. **longifolia**, Sp. Pl., ed. 4 [Willdenow], 4: 1052 (1806) 1:129
- Acacia longifolia** (Andrews) Willd. subsp. **sophorae** (Labill.) Court, Fl. Australia 11B: 491 (2001) 1:129
- Acacia mearnsii** De Wild., Pl. Bequaert. 3: 61 (1925) 1:130
- Acacia melanoxylon** R.Br., Hortus Kew. (W.T.Aiton), ed. 2, 5: 462 (1813) 1:128
- Acacia mollissima Willd. sensu Hooker (1860) = **Acacia mearnsii**
- e **Acacia mucronata** Willd. ex H.L.Wendl. subsp. **dependens** (Hook.f.) Court, Fl. Australia 11B: 491 (2001) 1:129
- Acacia mucronata** Willd. ex H.L.Wendl. subsp. **longifolia** (Benth.) Court, Fl. Australia 11B: 491 (2001) 1:129
- e **Acacia mucronata** Willd. ex H.L.Wendl. subsp. **mucronata**, Comm. Acac. Aphyll. 46 t.12 (1820) 1:129
- Acacia mucronata Willd. ex H.L.Wendl. var. dissitiflora Benth. = **Acacia mucronata** subsp. **longifolia**
- Acacia mucronata Willd. ex H.L.Wendl. var. linearis (Sims) Rodway = **Acacia mucronata** subsp. **mucronata**

	Acacia myrtifolia (Sm.) Willd., Sp. Pl., ed. 4 [Willdenow], 4: 1054 (1806)	1:128
	Acacia ovoidea Benth. = Acacia verticillata subsp. ovoidea	
	Acacia oxycedrus Sieber ex DC. sensu Bentham (1864) recorded in error	
i	Acacia paradoxa DC., Cat. Pl. Horti Monsp. 74 (1813)	1:127
e	Acacia pataczekii D.I.Morris, Records of the Queen Victoria Museum 50: 1 (1974)	1:128
	Acacia penninervis Sieber ex DC. sensu Bentham (1864) recorded in error	
i	Acacia pravissima F.Muell. ex Benth., Linnaea 26: 608 (1854)	
i	Acacia provincialis A.Camus, Bull. Soc. Dendrol. France 64: 68 (1927)	
i	Acacia pycnantha Benth., London J. Bot. 1: 351 (1842)	
i	Acacia retinodes Schltld., Linnaea 20: 664 (1847)	
	Acacia retinodes Schltld. var. retinodes = Acacia retinodes	
	Acacia retinodes Schltld. var. uncifolia J.M.Black = Acacia uncifolia	1:128
e	Acacia riceana Hensl., Botanist 3: t.135 (1839)	1:127
	Acacia siculiformis A.Cunn. ex Benth., London J. Bot. 1: 337 (1842)	1:126
	Acacia sophorae (Labill.) R.Br. = Acacia longifolia subsp. sophorae	1:129
	Acacia stricta (Andrews) Willd., Sp. Pl., ed. 4 [Willdenow], 4: 1052 (1806)	1:127
	Acacia stuartiana F.Muell. ex Benth. sensu Hooker (1860) = Acacia siculiformis	
	Acacia suaveolens (Sm.) Willd., Sp. Pl., ed. 4 [Willdenow], 4: 1050 (1806)	1:128
e	Acacia sp. Sugarloaf (A.Moscal 8301) Tas Herbarium	
	Acacia terminalis (Salisb.) J.F.Macbr., Contr. Gray Herb. 59: 7 (1919)	1:129
	Acacia ulicifolia (Salisb.) Court, Vict. Naturalist 73: 173 (1957)	1:126
	Acacia uncifolia (J.M.Black) O'Leary, J. Adelaide Bot. Gard. 21: 100 (2007)	1:128
	Acacia verniciflua A.Cunn. sensu Curtis (1963) = Acacia leprosa var. graveolens	1:127
	Acacia verticillata (L'Hér.) Willd. subsp. ovoidea (Benth.) Court, Fl. Australia 11B: 492 (2001)	1:126
	Acacia verticillata (L'Hér.) Willd. subsp. ruscifolia (A.Cunn. ex G.Don) Court, Fl. Australia 11B: 492 (2001)	1:126
	Acacia verticillata (L'Hér.) Willd. subsp. verticillata , Sp. Pl., ed. 4 [Willdenow], 4: 1049 (1806)	1:126
	Acacia verticillata (L'Hér.) Willd. var. latifolia Benth. = Acacia verticillata subsp. ruscifolia	
	Acacia vomeriformis A.Cunn. ex Benth. = Acacia gunnii	1:127
	Albizia lophantha (Willd.) Benth. = Paraserianthes lophantha	1:130
	Mimosa sophorae Labill. = Acacia longifolia subsp. sophorae	
	Mimosa suaveolens Sm. = Acacia suaveolens	
i	Paraserianthes lophantha (Willd.) I.C.Nielsen subsp. lophantha , Bull. Mus. Natl. Hist. Nat., B, Adansonia 5: 326 (1983) - Possibly native in some Furneaux populations, see Harris et al. (2001)	1:130
	Racosperma axillare (Benth.) Pedley = Acacia axillaris	1:127
	Racosperma dealbatum (Link) Pedley = Acacia dealbata	1:130
	Racosperma decurrens (Willd.) Pedley = Acacia decurrens	1:130
	Racosperma gunnii (Benth.) Pedley = Acacia gunnii	1:127
	Racosperma implexum (Benth.) Pedley = Acacia uncifolia	
	Racosperma mearnsii (De Wild.) Pedley = Acacia mearnsii	1:130
	Racosperma melanoxyton (R.Br.) Pedley = Acacia melanoxyton	1:128
	Racosperma myrtifolium (Sm.) Mart. = Acacia myrtifolia	1:128
	Racosperma paradoxum (DC.) Mart. = Acacia paradoxa	1:127
	Racosperma riceanum (Hensl.) Pedley = Acacia riceana	1:127

	Racosperma sophorae (Labill.) Mart. = Acacia longifolia subsp. sophorae	1:129
	Racosperma strictum (Andrews) Mart. = Acacia stricta	1:127
	Racosperma suaveolens (Sm.) Mart. = Acacia suaveolens	1:128
	Racosperma ulicifolium (Salisb.) Pedley = Acacia ulicifolia	1:126
	Racosperma vernicifluum (A.Cunn.) Pedley = Acacia leprosa var. graveolens	1:127
	Racosperma verticillatum (L'Hér.) Pedley = Acacia verticillata	1:126
	MONIMIACEAE	FTO 3, 4
	Atherosperma moschatum Labill. subsp. moschatum , Nov. Holl. Pl. 2: 74, t.224 (1806)	3:594
	Hedycarya angustifolia A.Cunn., Ann. Nat. Hist. Ser. I 1: 215 (1838)	3:595
	MYOPORACEAE	
	Myoporum adscendens R.Br. sensu Rodway (1903) = Myoporum insulare	
	Myoporum insulare R.Br., Prodr. Fl. Nov. Holland. 516 (1810)	3:540
	Myoporum parvifolium R.Br., Prodr. Fl. Nov. Holland. 516 (1810)	3:540
	Myoporum serratum R.Br. nom. illeg., sensu Bentham (1870) = Myoporum insulare (misapplied in Tasmania)	
	Myoporum serratum R.Br. f. obovatum = Myoporum insulare	
	Myoporum tasmanicum A.DC. = Myoporum insulare	
	MYRTACEAE	FTO 57
	Baeckea diffusa Sieber ex DC. = Euryomyrtus ramosissima	
	Baeckea gunniana Schauer, Repert. Bot. Syst. (Walpers) 2: 920 (1843)	1:198
e	Baeckea leptocaulis Hook.f., Icon. Pl. 3: t.298 (1840)	1:199
	Baeckea ramosissima A.Cunn. = Euryomyrtus ramosissima	1:198
	Baeckea thymifolia Hook.f. = Euryomyrtus ramosissima	
	Callistemon pallidus (Bonpl.) DC. = Melaleuca pallida	1:203
	Callistemon paludosus F.Muell. sensu Curtis (1956), Curtis & Morris (1975) = Melaleuca pallida	1:203
	Callistemon salignus (Sm.) Colvill ex Sweet sensu Bentham (1867) = Melaleuca pallida (misapplied in Tasmania)	
	Callistemon salignus (Sm.) Colvill ex Sweet var. australis Benth. = Melaleuca pallida	
	Callistemon salignus (Sm.) Colvill ex Sweet var. hebestachys Benth. = Melaleuca pallida	
	Callistemon salignus (Sm.) Colvill ex Sweet var. viridiflora Benth. = Melaleuca virens	
	Callistemon viridiflorus (Sims) Sweet = Melaleuca virens	1:203
	Calycothrix glabra (R.Br.) Hook.f. = Calytrix tetragona	
	Calytrix tetragona Labill., Nov. Holl. Pl. 2: 8, t.146 (1806)	1:197
	Eucalyptus acervula Hook. sensu Rodway (1903) = Eucalyptus ovata	
	Eucalyptus aggregata H.Deane & Maiden sensu Curtis (1956) = Eucalyptus rodwayi	
	Eucalyptus ambigua DC. can not be confidently applied	
e	Eucalyptus amygdalina Labill., Nov. Holl. Pl. 2: 14, t.154 (1806)	1:224
	Eucalyptus amygdalina Labill. var. nitida (Hook.f.) Benth. = Eucalyptus nitida	
	Eucalyptus amygdalina Labill. var. radiata (DC.) Benth. = Eucalyptus radiata subsp. radiata	
e	Eucalyptus archeri Maiden & Blakely, Crit. Rev. Eucalyptus 8: 58 (1929)	1:215
e	Eucalyptus barberi L.A.S.Johnson & Blaxell, Contr. N.S.W. Natl. Herb. 4: 288 (1972)	1:211
	Eucalyptus bicostata Maiden, Blakely & Simmonds sensu Curtis & Morris (1975) = Eucalyptus globulus subsp. pseudoglobulus	1:219

	Eucalyptus brookeriana A.M.Gray, Austral. Forest Res. 9: 111 (1979)	
e	Eucalyptus coccifera Hook.f., London J. Bot. 6: 477 (1847)	1:225
	<i>Eucalyptus coccifera</i> Hook.f. var. <i>parviflora</i> Benth. = Eucalyptus coccifera	
e	Eucalyptus cordata Labill. subsp. cordata , Nov. Holl. Pl. 2: 13, t.152 (1806)	1:218
e	Eucalyptus cordata Labill. subsp. quadrangulosa D.Nicolle, B.M.Potts & McKinnon, Pap. & Proc. Roy. Soc. Tasmania 142: 75 (2008)	
	<i>Eucalyptus coriacea</i> Schauer = Eucalyptus pauciflora subsp. pauciflora	
	Eucalyptus dalrympleana Maiden subsp. dalrympleana , Forest Fl. N.S.W. 7: 137, t.241 (1920)	1:214
e	Eucalyptus delegatensis R.T.Baker subsp. tasmaniensis Boland, Austral. Forest Res. 15: 177 (1985)	1:220
	<i>Eucalyptus gigantea</i> Hook.f. = Eucalyptus delegatensis subsp. tasmaniensis	1:220
	Eucalyptus globulus Labill. subsp. globulus , Voy. Rech. Perouse 1: 153, t.13 (1800)	1:218
	Eucalyptus globulus Labill. subsp. pseudoglobulus (Naudin) J.B.Kirkp., Bot. J. Linn. Soc. 69: 101 (1975)	1:219
e	Eucalyptus gunnii Hook.f. subsp. divaricata (McAulay & Brett) B.M.Potts, Pap. & Proc. Roy. Soc. Tasmania 135: 57 (2001)	
e	Eucalyptus gunnii Hook.f. subsp. gunnii , London J. Bot. 3: 499 (1844)	1:215
	<i>Eucalyptus haemastoma</i> Sm. sensu Rodway (1903) misapplied to a hybrid involving Eucalyptus sieberi	
e	Eucalyptus johnstonii Maiden, Crit. Rev. Eucalyptus 6: 280 (1922)	1:219
	<i>Eucalyptus linearis</i> Dehnh. = Eucalyptus pulchella	1:224
e	Eucalyptus morrisbyi Brett, Pap. & Proc. Roy. Soc. Tasmania 129: pl. 14-15 (1939)	1:215
	<i>Eucalyptus muelleri</i> T.B.Moore nom. illeg. = Eucalyptus johnstonii	
e	Eucalyptus nebulosa A.M.Gray, Kanunnah 3: 42 (2008)	
i	Eucalyptus nitens (H.Deane & Maiden) Maiden, Crit. Rev. Eucalyptus 2: 272 (1913)	
e	Eucalyptus nitida Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 137, t.29 (1856)	1:225
	Eucalyptus obliqua L'Hér., Sert. Angl. 18, t.20 (1792)	1:220
	Eucalyptus ovata Labill. var. ovata , Nov. Holl. Pl. 2: 13, t.153 (1806)	1:211
	Eucalyptus pauciflora Sieber ex Spreng. subsp. pauciflora , Syst. Veg. (ed. 16) [Sprengel] 4: 195 (1827)	1:222
	Eucalyptus perriniana F.Muell. ex Rodway, Pap. & Proc. Roy. Soc. Tasmania: 181 (1894)	1:217
e	Eucalyptus pulchella Desf., Cat. Pl. Horti Paris., ed. 3: 284, 408 (1829)	1:224
	Eucalyptus radiata Sieber ex DC. subsp. radiata , Prodr. [A. P. de Candolle] 3: 218 (1828)	1:224
	<i>Eucalyptus radiata</i> Sieber ex DC. subsp. <i>robertsonii</i> sensu Curtis & Morris (1975) = Eucalyptus radiata subsp. radiata	
	Eucalyptus regnans F.Muell., Ann. Rep. Victorian Acclim. Soc. 20 in obs. (1871)	1:220
e	Eucalyptus risdonii Hook.f., London J. Bot. 6: 477 bis (1847)	1:226
	<i>Eucalyptus risdonii</i> Hook.f. var. <i>elata</i> = Eucalyptus delegatensis subsp. tasmaniensis	
e	Eucalyptus rodwayi R.T.Baker & H.G.Sm., Pap. & Proc. Roy. Soc. Tasmania 1912: 191 (1913)	1:211
n	Eucalyptus rubida H.Deane & Maiden subsp. rubida , Proc. Linn. Soc. New South Wales 24: 456, t.xl (1899)	1:214
	<i>Eucalyptus salicifolia</i> Cav. = Eucalyptus amygdalina	1:224
	Eucalyptus sieberi L.A.S.Johnson, Contr. New South Wales Natl. Herb. 3: 125 (1962)	1:222
	<i>Eucalyptus sieberiana</i> F.Muell. nom. illeg. = Eucalyptus sieberi	

	Eucalyptus simmondsii Maiden = Eucalyptus nitida	1:225
	Eucalyptus stuartiana F.Muell. ex Miq. = Eucalyptus ovata var. ovata	
e	Eucalyptus subcrenulata Maiden & Blakely, Crit. Revis. Eucalyptus 8: 59 (1929)	1:219
	Eucalyptus tasmanica Blakely = Eucalyptus tenuiramis	1:226
e	Eucalyptus tenuiramis Miq., Ned. Kruidk. Arch. 4: 128 (1856)	1:226
e	Eucalyptus urnigera Hook.f., London J. Bot. 6: 477 bis (1847)	1:217
	Eucalyptus urnigera Hook.f. var. elongata Rodway = Eucalyptus urnigera	
e	Eucalyptus vernicosa Hook.f., London J. Bot. 6: 478 bis (1847)	1:219
e	Eucalyptus viminalis Labill. subsp. hentyensis Brooker & Slee, J. Adelaide Bot. Gard. 21: 92 (2007)	
	Eucalyptus viminalis Labill. subsp. viminalis , Nov. Holl. Pl. 2: 12, t.151 (1806)	1:214
	Euryomyrtus parviflora Miq., Ned. Kruidk. Arch. 4(1): 149 (1856)	
	Euryomyrtus ramosissima (A.Cunn.) Trudgen, Nuytsia 13(3): 560 (2001)	1:198
	Euryomyrtus ramosissima (A.Cunn.) Trudgen subsp. prostrata (Hook.f.) Trudgen = Euryomyrtus parviflora	1:198
	Fabricia laevigata Gaertn. = Leptospermum laevigatum	
	Kunzea ambigua (Sm.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 629 (1917)	1:202
	Kunzea corifolia (Vent.) Schauer = Kunzea ambigua	
i	Kunzea ericoides (A.Rich.) Joy Thoms., Telopea 2: 379 (1983)	
	Leptospermum flavescens Sm. sensu Rodway (1903) = Leptospermum glaucescens	
	Leptospermum flavescens Sm. var. commune Benth. = Leptospermum glaucescens	
	Leptospermum flavescens Sm. var. grandiflorum (Lodd., G.Lodd & W.Lodd.) Benth. = Leptospermum grandiflorum	
	Leptospermum flavescens Sm. var. nitidum (Hook.f.) Rodway = Leptospermum nitidum	
e	Leptospermum glaucescens S.Schauer, Linnaea 15: 421 (1841)	1:201
e	Leptospermum grandiflorum Lodd., G.Lodd & W.Lodd., G.Lodd. & W.Lodd., Bot. Cab. 6: t.514 (1821)	1:200
	Leptospermum humifusum A.Cunn. ex S.Schauer sensu Curtis (1956) = Leptospermum rupestre nom. illeg.	
	Leptospermum laevigatum (Gaertn.) F.Muell., Cat. Pl. Melb. Bot. Gard. 22 (1858)	1:200
	Leptospermum lanigerum (Sol. ex Aiton) Sm., Trans. Linn. Soc. London 3: 263 (1797)	1:200
	Leptospermum lanigerum (Sol. ex Aiton) Sm. var. montanum Rodway = Leptospermum lanigerum	
	Leptospermum myrtifolium Sieber ex DC. sensu Rodway (1903) = Leptospermum glaucescens	
e	Leptospermum nitidum Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 139 (1856)	1:201
	Leptospermum pilosum Schauer = Leptospermum lanigerum	
e	Leptospermum riparium D.I.Morris, Records of the Queen Victoria Museum 50: 2 (1974)	1:201
	Leptospermum rodwayanum Summerh. & H.F.Comber = Leptospermum grandiflorum	
e	Leptospermum rupestre Hook.f., Icon. Pl. 4: t.308 (1840)	1:202
	Leptospermum scoparium J.R.Forst. & G.Forst., Char. Gen. Pl. 72, t.36, figs.f-l (1775)	1:200
	Leptospermum scoparium J.R.Forst. & G.Forst. var. eximium B.L.Burtt = Leptospermum scoparium	
	Leptospermum sericeum Labill. sensu Curtis (1956) = Leptospermum glaucescens	

	Melaleuca armillaris (Sol. ex Gaertn.) Sm. subsp. armillaris , Trans. Linn. Soc. London 3: 277 (1797)	1:205
	Melaleuca ericifolia Sm., Trans. Linn. Soc. London 3: 276 (1797)	1:204
	Melaleuca gibbosa Labill., Nov. Holl. Pl. 2: 30, t.172 (1806)	1:204
	Melaleuca pallida (Bonpl.) Craven, Novon 16: 472 (2006)	1:203
e	Melaleuca pustulata Hook.f., London J. Bot. 6: 476 bis (1847)	1:205
	Melaleuca squamea Labill., Nov. Holl. Pl. 2: 28, t.168 (1806)	1:204
	Melaleuca squarrosa Donn ex Sm., Trans. Linn. Soc. London 6: 300 (1802)	1:204
n e	Melaleuca virens Craven, Novon 16: 473 (2006)	1:203
i	Syzygium smithii (Poir.) Nied., Nat. Pflanzenfam. [Engler & Prantl] III. 7: 85 (1893)	
	Thryptomene micrantha Hook.f., Hooker's J. Bot. Kew Gard. Misc. 5: 299, t.8 (1853)	1:198
NYCTAGINACEAE		
i	Mirabilis jalapa L., Sp. Pl. 1: 177 (1753)	
OLEACEAE		
		FTO 113
i	Fraxinus angustifolia Vahl subsp. angustifolia , Enum. Pl. [Vahl] 1: 52 (1804)	
i	Ligustrum vulgare L., Sp. Pl. 1: 7 (1753)	3:470
	Notelaea ligustrina Vent., Choix Pl. 25 (1804)	3:470
ONAGRACEAE		
	<i>Boisduvalia tasmanica</i> (Hook.f.) Munz = Epilobium curtisiae	2:234
	<i>Epilobium adenocaulon</i> Hausskn. = Epilobium ciliatum	2:233
	<i>Epilobium alpinum</i> L. nom. illeg., sensu Rodway (1903) = Epilobium tasmanicum (misapplied in Tasmania)	
	Epilobium billardioreanum Ser. ex DC. subsp. billardioreanum , Prodr. [A. P. de Candolle] 3: 41 (1828)	2:232
	Epilobium billardioreanum Ser. ex DC. subsp. cinereum (A.Rich.) P.H.Raven & Engelhorn, New Zealand J. Bot. 9: 349 (1971)	2:230
	<i>Epilobium billardioreanum</i> Ser. ex DC. subsp. <i>hydrophilum</i> P.H.Raven & Engelhorn = Epilobium billardioreanum subsp. billardioreanum	
	Epilobium billardioreanum Ser. ex DC. subsp. intermedium P.H.Raven & Engelhorn, New Zealand J. Bot. 9: 348 (1971)	
i	Epilobium ciliatum Raf., Med. Repos. 5: 361 (1808)	2:233
	<i>Epilobium confertifolium</i> Hook.f. sensu Bentham (1867) = Epilobium tasmanicum (misapplied in Tasmania)	
	Epilobium curtisiae P.H.Raven, Aliso 5: 249, fig.1 (1963)	2:234
	<i>Epilobium erosum</i> Hausskn. = Epilobium gunnianum	2:230
e	Epilobium fugitivum P.H.Raven & Engelhorn, New Zealand J. Bot. 9: 346 (1971)	
	<i>Epilobium glabellum</i> G.Forst. = Epilobium billardioreanum	
	Epilobium gunnianum Hausskn., Oesterr. Bot. Z. 29: 149 (1879)	2:230
	Epilobium hirtigerum A.Cunn., Ann. Nat. Hist. 3: 33 (1839)	2:231
	<i>Epilobium junceum</i> G.Forst. ex Spreng. sensu Curtis (1963) = Epilobium billardioreanum subsp. cinereum	2:230
n i * t	<i>Epilobium nummulariifolium</i> R.Cunn. ex A.Cunn., Ann. Nat. Hist. 3: 31 (1839)	
i t	Epilobium obscurum Schreb., Spic. Fl. Lips. 147, 155 (1771)	
	Epilobium pallidiflorum A.Cunn., Ann. Nat. Hist. 3: 34 (1839)	2:231

e	Epilobium perpusillum Hausskn., Monogr. Epilobium: 301, t.21, fig. 90 (1884)	2:233
i t	Epilobium rotundifolium G.Forst., Fl. Ins. Austr. 27 (1786)	
	Epilobium sarmentaceum Hausskn., Oesterr. Bot. Z. 29: 149 (1879)	2:229
	Epilobium tasmanicum Hausskn., Monogr. Epilobium: 296, t.20, fig.84 (1884)	2:233
	Epilobium tenuipes Hook.f. = Epilobium tasmanicum	
	Epilobium tetragonum L. sensu Bentham (1867) = Epilobium billardioreanum (misapplied in Tasmania)	
	Epilobium willisii P.H.Raven & Engelhorn, New Zealand J. Bot. 9: 347 (1971)	
i	Fuchsia magellanica Lam., Encycl. (Lamarck) 2: 565 (1788)	2:235
i #	Oenothera biennis L., Sp. Pl. 1: 346 (1753)	
i	Oenothera glazioviana Micheli, Fl. Bras. (Martius) 13: 178 (1875)	
	Oenothera stricta Ledeb. ex Link = Oenothera stricta subsp. stricta	2:235
i	Oenothera stricta Ledeb. ex Link subsp. stricta , Enum. Hort. Berol. Alt. 1: 377 (1821)	2:235
	Oenothera tasmanica Hook.f. = Epilobium curtisiae	
OROBANCHACEAE		
	Orobanche australiana F.Muell. recorded in error	
i	Orobanche minor Sm., Engl. Bot. 6: t.422 (1797)	3:533
OXALIDACEAE		
		FTO 70
i	Oxalis articulata Savigny, Encycl. (Lamarck) 4: 686 (1798)	1:102
i	Oxalis corniculata L. subsp. corniculata , Sp. Pl. 1: 435 (1753)	1:101
	Oxalis exilis A.Cunn., Ann. Nat. Hist. 3: 316 (1839)	
i	Oxalis incarnata L., Sp. Pl. 1: 433 (1753)	1:102
	Oxalis lactea Hook. = Oxalis magellanica	1:101
i	Oxalis latifolia Kunth, Nov. Gen. Sp. [H.B.K.] 5: 237, t.467 (1823)	1:101
	Oxalis magellanica G.Forst., Commentat. Soc. Regiae Sci. Gott. 9: 33 (1789)	1:101
	Oxalis perennans Haw., Misc. Nat. 181 (1803)	
i	Oxalis pes-caprae L., Sp. Pl. 1: 434 (1753)	1:101
i	Oxalis purpurea L., Sp. Pl. 1: 433 (1753)	1:102
	Oxalis radicata A.Rich., Tent. Fl. Abyss. 2: 123 (1847)	
	Oxalis rubens Haw., Misc. Nat. 182 (1803)	
PAPAVERACEAE		
		FTO 44
	Argemone mexicana L. sensu Curtis & Morris (1975) = Argemone ochroleuca subsp. ochroleuca	1:28
i	Argemone ochroleuca Sweet subsp. ochroleuca , Brit. Fl. Gard. [Sweet] 3: t.242 (1828)	1:28
i	Eschscholzia californica Cham., Horae Phys. Berol. [Nees]: 73-74, t.15 (1820)	1:29
i	Glaucium flavum Crantz, Stirp. Austr. Fasc. Sp. 2: 133 (1763)	1:28
i	Papaver aculeatum Thunb., Prodr. Pl. Cap. 92 (1800)	1:27
i	Papaver argemone L., Sp. Pl. 1: 506 (1753)	1:27
i	Papaver dubium L., Sp. Pl. 2: 1196 (1753)	1:27
i	Papaver hybridum L., Sp. Pl. 1: 506 (1753)	1:27
i	Papaver rhoeas L., Sp. Pl. 1: 507 (1753)	1:27
i	Papaver somniferum L. subsp. setigerum (DC.) L.Corb., Nouv. Fl. Normandie: 30 (1894)	1:28
i	Papaver somniferum L. subsp. somniferum , Sp. Pl. 1: 508 (1753)	1:28

PASSIFLORACEAE

- n ?i # **Passiflora cinnabarina** Lindl., Gard. Chron. 23: 724 (1855)
 Passiflora mollissima (Kunth) L.H.Bailey sensu Buchanan (1999) = **Passiflora tarminiana**
 i **Passiflora tarminiana** Coppens & V.E.Barney, Novon 11: 9 (2001)

PHYTOLACCACEAE

- i **Phytolacca octandra** L., Sp. Pl., ed. 2: 631 (1762)

PITTOSPORACEAE

- Billardiera alpina (McGill.) E.M.Benn. = **Rhytidosporum inconspicuum**
 Billardiera fusiformis Labill. sensu Buchanan (2009) = **Billardiera heterophylla** 1:59
 i **Billardiera heterophylla** (Lindl.) L.W.Cayzer & Crisp, Austral. Syst. Bot. 17: 119 (2004) 1:59
 e **Billardiera longiflora** Labill., Nov. Holl. Pl. 1: 64, t.89 (1805) 1:58
 Billardiera longiflora Labill. var. alpina Rodway = **Billardiera longiflora**
 Billardiera longiflora Labill. var. ovalis (Lindl.) E.M.Benn. = **Billardiera ovalis**
Billardiera macrantha Hook.f., Bot. Antarct. Voy. Ill. (Fl. Tasman.) 1: 37 (1855)
Billardiera mutabilis Salisb., Parad. Lond. 1: t.48 (1806) 1:59
 e **Billardiera nesophila** L.W.Cayzer & D.L.Jones, Austral. Syst. Bot. 17(1): 105 (2004)
 e **Billardiera ovalis** Lindl., Edwards's Bot. Reg. 20: t.1719 (1834)
 Billardiera procumbens (Hook.) E.M.Benn. = **Rhytidosporum procumbens** 1:58
 Billardiera scandens Sm. sensu Curtis & Morris (1975) = **Billardiera mutabilis** 1:59
 e **Billardiera viridiflora** L.W.Cayzer & D.L.Jones, Austral. Syst. Bot. 17: 105 (2004)
Bursaria spinosa Cav. subsp. **spinosa**, Icon. [Cavanilles] 4: 30, t.350 (1797) 1:57
 Marianthus procumbens (Hook.) Benth. = **Rhytidosporum procumbens** 1:58
Pittosporum bicolor Hook., J. Bot. (Hooker) 1: 249 (1834) 1:56
 i **Pittosporum crassifolium** Banks & Sol. ex A.Cunn., Ann. Nat. Hist. 4: 106 (1840)
 i **Pittosporum eugenioides** A.Cunn., Ann. Nat. Hist. 4: 106 (1840)
 i **Pittosporum tenuifolium** Sol. ex Gaertn., Fruct. Sem. Pl. 1: 286 (1788)
 i **Pittosporum undulatum** Vent., Descr. Pl. Nouv. 76, t.76 (1802)
 i **Pittosporum undulatum** Vent. subsp. **x emmettii** W.M.Curtis, Records of the Queen
 Victoria Museum 50: 3(1974) = **Pittosporum bicolor** x **P. undulatum** 1:57
 Rhytidosporum alpinum McGill. sensu Buchanan (1999) = **Rhytidosporum inconspicuum**
Rhytidosporum inconspicuum L.W.Cayzer, Crisp & I.Telford, Austral. Syst. Bot. 12:
 700 (1999)
Rhytidosporum procumbens (Hook.) F.Muell., Pl. Victoria 1: 75 (1862) 1:58
 Sollya heterophylla Lindl. = **Billardiera heterophylla** 1:59

PLANTAGINACEAE

- Plantago antarctica** Decne., Prodr. [A. P. de Candolle] 13: 703 (1852) 3:562
 Plantago archeri Hook.f. = **Plantago tasmanica** var. **archeri**
 i **Plantago australis** Lam., Tabl. Encycl. 1: 339 (1792)
 e **Plantago bellidioides** Decne., Prodr. [A. P. de Candolle] 13: 701 (1852) 3:561
 Plantago brownii Rapin sensu Rodway (1903) = **Plantago triantha**
 Plantago carnosa R.Br. = **Plantago triantha**
 i **Plantago coronopus** L. subsp. **commutata** (Guss.) Pilg., Repert. Spec. Nov. Regni Veg. 28:
 287 (1930) 3:560
 i **Plantago coronopus** L. subsp. **coronopus**, Sp. Pl. 1: 115 (1753) 3:560
 e **Plantago daltonii** Decne., Prodr. [A. P. de Candolle] 13: 703 (1852) 3:563

	Plantago debilis R.Br., Prodr. Fl. Nov. Holland. 425 (1810)	3:560
	Plantago gaudichaudii Barnéoud, Monogr. Plantag. 15 (1845)	
e	Plantago glabrata Hook.f., London J. Bot. 6: 276 (1847)	3:562
	Plantago glacialis B.G.Briggs, Carolin & Pulley, Contr. New South Wales Natl. Herb. 4: 395 (1973)	3:564
e	Plantago gunnii Hook.f., London J. Bot. 5: 446 (1846)	3:564
	Plantago hispida R.Br., Prodr. Fl. Nov. Holland. 425 (1810)	3:561
i	Plantago lanceolata L., Sp. Pl. 1: 113 (1753)	3:560
i	Plantago major L., Sp. Pl. 1: 112 (1753)	3:559
	<i>Plantago muelleri</i> Pilg. sensu Curtis (1967) = Plantago glacialis	3:564
e	Plantago paradoxa Hook.f., London J. Bot. 6: 277 (1847)	3:564
e	Plantago tasmanica Hook.f. var. archeri (Hook.f.) W.M.Curtis, The Student's Flora of Tasmania 3: 650 (1967)	3:563
	<i>Plantago tasmanica</i> Hook.f. var. <i>daltonii</i> (Decne.) Hook.f. = Plantago daltonii	
	<i>Plantago tasmanica</i> Hook.f. var. <i>glabrata</i> (Hook.f.) Hook.f. = Plantago glabrata	
e	Plantago tasmanica Hook.f. var. tasmanica , London J. Bot. 6: 276 (1847)	3:562
t	Plantago triantha Spreng., Syst. Veg. (ed. 16) [Sprengel] 1: 439 (1824)	3:563
	Plantago varia R.Br., Prodr. Fl. Nov. Holland. 425 (1810)	3:561
	PLUMBAGINACEAE	FTO 94
	Limonium australe (R.Br.) Kuntze var. australe , Revis. Gen. Pl. 2: 395 (1891)	3:465
e	Limonium australe (R.Br.) Kuntze var. baudinii (Lincz.) A.M.Gray, Kanunnah 4: 117 (2010)	
	<i>Limonium baudinii</i> Lincz. = Limonium australe var. baudinii	
i #	Limonium sinuatum (L.) Mill., Gard. Dict., ed. 8: 6 (1768)	
	<i>Statice australis</i> (R.Br.) Spreng. = Limonium australe	
	<i>Taxanthea australis</i> R.Br. = Limonium australe	
	POLEMONIACEAE	FTO 102
n	<i>Collomia grandiflora</i> Douglas ex Lindl. – previously listed as naturalised but insufficient evidence exists to support this	3:485
	<i>Collomia linearis</i> (Cav.) Nutt. = <i>Collomia grandiflora</i>	3:485
i	Navarretia squarrosa (Eschsch.) Hook. & Arn., Bot. Beechey Voy. 368 (1839)	3:485
	POLYGALACEAE	FTO 60
	Comesperma calymega Labill., Nov. Holl. Pl. 2: 23, t.162 (1806)	1:62
	Comesperma defoliatum F.Muell., Pl. Victoria 1: 189 (1862)	1:63
	Comesperma ericinum DC., Prodr. [A. P. de Candolle] 1: 334 (1824)	1:62
	Comesperma retusum Labill., Nov. Holl. Pl. 2: 22, t.160 (1806)	1:62
	Comesperma volubile Labill., Nov. Holl. Pl. 2: 24, t.163 (1806)	1:62
i	Polygala myrtifolia L., Sp. Pl. 2: 703 (1753)	1:63
i	Polygala vulgaris L., Sp. Pl. 2: 702 (1753)	
	POLYGONACEAE	FTO 95
i	Acetosa sagittata (Thunb.) L.A.S.Johnson & B.G.Briggs, Contr. New South Wales Natl. Herb. 3: 166 (1962)	
i	Acetosella vulgaris Fourr., Ann. Soc. Linn. Lyon, Ser. 2, 17: 145 (1869)	3:587
i	Emex australis Steinh., Ann. Sci. Nat., Bot., sér. 2, 9: 195 (1838)	3:583
i	Fallopia convolvulus (L.) Á.Löve, Taxon 19: 300 (1970)	3:591

i	Fallopia japonica (Houtt.) Ronse Decr., Bot. J. Linn. Soc. 98: 369 (1988)	
	Muehlenbeckia adpressa (Labill.) Meisn., Pl. Vasc. Gen. [Meisner] 2: 227 (1843)	3:592
	Muehlenbeckia adpressa (Labill.) Meisn. var. hastifolia Meisn. = Muehlenbeckia gunnii	
	Muehlenbeckia adpressa (Labill.) Meisn. var. rotundifolia Benth. nom. illeg. = Muehlenbeckia adpressa	
	Muehlenbeckia australis (G.Forst.) Meisn. sensu Buchanan (2009) = Muehlenbeckia adpressa	
	Muehlenbeckia axillaris (Hook.f.) Endl., Gen. Pl. [Endlicher] Suppl. 4(2): 51 (1848)	3:593
	Muehlenbeckia gunnii (Hook.f.) Endl., Gen. Pl. [Endlicher] Suppl. 4(2): 51 (1848)	3:593
i	Persicaria capitata (Buch.-Ham. ex D.Don) H.Gross, Bot. Jahrb. Syst. 49: 277 (1913)	
	Persicaria decipiens (R.Br.) K.L.Wilson, Telopea 3: 178 (1988)	3:590
	Persicaria hydropiper (L.) Delarbre, Fl. Auvergne (Delarbre) 2: 518 (1800)	3:590
i	Persicaria lapathifolia (L.) Gray, Nat. Arr. Brit. Pl. 2: 270 (1821)	3:591
i	Persicaria maculosa Gray, Nat. Arr. Brit. Pl. 2: 269 (1821)	3:591
	Persicaria praetermissa (Hook.f.) H.Hara, Fl. E. Himalaya: 73 (1966)	3:589
?i	Persicaria prostrata (R.Br.) Soják, Preslia 46: 154 (1974)	3:590
	Persicaria subsessilis (R.Br.) K.L.Wilson, Telopea 3: 180 (1988)	3:591
	Polygonum adpressum Labill. = Muehlenbeckia adpressa	
i	Polygonum arenastrum Jord. ex Boreau, Fl. Centre France, ed. 3 [Boreau], 2: 559 (1857)	3:589
i	Polygonum aviculare L., Sp. Pl. 1: 362 (1753)	3:588
	Polygonum convolvulus L. = Fallopia convolvulus	3:591
	Polygonum decipiens R.Br. = Persicaria decipiens	3:590
	Polygonum hydropiper L. = Persicaria hydropiper	3:590
	Polygonum lapathifolium L. = Persicaria lapathifolia	3:591
	Polygonum minus Huds. sensu Bentham (1870) = Persicaria decipiens (misapplied in Tasmania)	
	Polygonum persicaria L. = Persicaria maculosa	3:591
	Polygonum plebeium R.Br. sensu Curtis (1967) = Polygonum arenastrum	3:589
	Polygonum prostratum R.Br. = Persicaria prostrata	3:590
	Polygonum strigosum R.Br. sensu Curtis (1967) = Persicaria praetermissa	3:589
	Polygonum subsessile R.Br. = Persicaria subsessilis	3:591
	Reynoutria japonica Houtt. = Fallopia japonica	
	Rumex acetosella L. = Acetosella vulgaris	3:587
	Rumex angiocarpus Murb. = Acetosella vulgaris	3:586
	Rumex bidens R.Br., Prodr. Fl. Nov. Holland. 421 (1810)	3:586
	Rumex brownii Campd., Monogr. Rumex 64: 81 (1819)	3:585
i	Rumex conglomeratus Murray, Prodr. Stirp. Gott. 52 (1770)	3:585
i	Rumex crispus L., Sp. Pl. 1: 335 (1753)	3:584
	Rumex dumosiformis Rech. = Rumex dumosus	3:586
	Rumex dumosus A.Cunn. ex Meisn., Prodr. [A. P. de Candolle] 14: 62 (1856)	3:586
	Rumex dumosus A.Cunn. ex Meisn. var. dumosiformis (Rech.f.) Rech.f. = Rumex dumosus	3:586
i n	Rumex obtusifolius L., Sp. Pl. 1: 335 (1753)	3:585
n	Rumex obtusifolius L. subsp. transiens (Simonk.) Rech.f. = Rumex obtusifolius	
i	Rumex pulcher L. subsp. pulcher , Sp. Pl. 1: 336 (1753)	3:585
	Rumex sagittatus Thunb. = Acetosa sagittata	
	Rumex sanguineus L. sensu Rodway (1903) = Rumex conglomeratus (misapplied in Tasmania)	

	PORTULACACEAE	FTO 100
	Calandrinia calyptрата Hook.f., Icon. Pl. 3: t.296 (1840)	1:78
	<i>Calandrinia caulescens</i> Kunth sensu Curtis & Morris (1975) = Calandrinia ciliata	1:79
i	Calandrinia ciliata (Ruiz & Pav.) DC., Prodr. [A. P. de Candolle] 3: 359 (1828)	1:79
	Calandrinia eremaea Ewart, Fl. Victoria: 486 (1931)	
	Calandrinia granulifera Benth., Fl. Austral. 1: 176 (1863)	1:78
	<i>Calandrinia menziesii</i> (Hook.) Torr. & A.Gray sensu Buchanan (1999) = Calandrinia ciliata	1:79
	<i>Calandrinia neesiana</i> H.Eichler = Calandrinia granulifera	1:78
	<i>Calandrinia pygmaea</i> F.Muell. nom. illeg. = Calandrinia granulifera	
	<i>Claytonia australasica</i> Hook.f. = Montia australasica	1:79
n	<i>Claytonia perfoliata</i> Donn ex Willd. subsp. <i>perfoliata</i> – previously listed as naturalised but insufficient evidence exists to support this	
	Montia australasica (Hook.f.) Pax & K.Hoffm., Nat. Pflanzenfam., ed. 2 [Engler & Prantl] 16c: 259 (1934)	1:79
	Montia fontana L. subsp. chondrosperma (Fenzl) Walters, Watsonia 3: 4 (1953)	1:79
	<i>Neopaxia australasica</i> (Hook.f.) O.Nilsson = Montia australasica	1:79
	Portulaca oleracea L., Sp. Pl. 1: 445 (1753)	1:78
	PRIMULACEAE	FTO 103 (SAMOLUS)
	<i>Anagallis arvensis</i> L. = Lysimachia arvensis	3:467
	<i>Anagallis arvensis</i> L. subsp. <i>foemina</i> sensu Curtis (1967) = Lysimachia arvensis	3:468
	<i>Anagallis arvensis</i> L. var. <i>arvensis</i> = Lysimachia arvensis	3:468
	<i>Anagallis arvensis</i> L. var. <i>caerulea</i> Gouan = Lysimachia arvensis	3:468
i	Lysimachia arvensis (L.) U.Manns & Anderb., Willdenowia 39: 51 (2009)	3:467
n i *	<i>Lysimachia minima</i> (L.) U.Manns & Anderb., Willdenowia 39: 52 (2009)	
i	Lysimachia nummularia L., Sp. Pl. 1: 148 (1753)	3:467
	<i>Samolus littoralis</i> R.Br. = Samolus repens	
	Samolus repens (J.R.Forst. & G.Forst.) Pers. var. repens , Syn. Pl. (Persoon) 1: 171 (1805)	3:468
	<i>Sheffieldia incana</i> Labill. = Samolus repens	
	PROTEACEAE	FTO 48
e	Agastachys odorata R.Br., Trans. Linn. Soc. London 10: 158 (1810)	3:601
	<i>Banksia australis</i> R.Br. = Banksia marginata	
	<i>Banksia depressa</i> R.Br. = Banksia marginata	
	<i>Banksia insularis</i> R.Br. = Banksia marginata	
x	Banksia integrifolia L.f. subsp. integrifolia , Suppl. Pl. 127 (1782)	3:616
	Banksia marginata Cav., Anales Hist. Nat. 1(3): 227, t.13 (1800)	3:615
	<i>Banksia media</i> R.Br. sensu Hooker (1860) = Banksia serrata	
	Banksia serrata L.f., Suppl. Pl. 126 (1782)	3:616
e	Bellendena montana R.Br., Trans. Linn. Soc. London 10: 166 (1810)	3:600
e	Cenarrhenes nitida Labill., Nov. Holl. Pl. 1: 36, t.50 (1805)	3:601
e	Conospermum hookeri (Meisn.) E.M.Benn., Fl. Australia 16: 485 (1995)	3:600
	<i>Conospermum taxifolium</i> C.F.Gaertn. = Conospermum hookeri (Tasmanian plants)	3:600
	<i>Embothrium tinctorium</i> Labill. = Lomatia tinctoria	
	<i>Embothrium truncatum</i> Labill. = Telopea truncata	
i	Grevillea hybrids	
	Grevillea australis R.Br., Trans. Linn. Soc. London 10: 171 (1810)	3:606

	Grevillea australis R.Br. var. brevifolia Hook.f. = Grevillea australis	3:606
	Grevillea australis R.Br. var. erecta Hook.f. = Grevillea australis	3:606
	Grevillea australis R.Br. var. linearifolia Hook.f. = Grevillea australis	3:606
	Grevillea australis R.Br. var. montana Hook.f. = Grevillea australis	3:606
	Grevillea australis R.Br. var. planifolia Hook.f. = Grevillea australis	3:606
	Grevillea australis R.Br. var. subulata Hook.f. = Grevillea australis	3:606
	Grevillea australis R.Br. var. tenuifolia (R.Br.) Meisn. = Grevillea australis	3:606
	Grevillea seymouriae Sweet ex Meisn. sensu Meisner (1856) attributed in error	
	Grevillea stuartii Meisn. sensu Hooker (1860) = Grevillea australis	
	Grevillea tenuifolia R.Br. = Grevillea australis	
	Hakea acicularis (Sm. ex Vent.) Knight nom. illeg. sensu Hooker (1860) = Hakea decurrens subsp. platytaenia (misapplied in Tasmania)	
	Hakea acicularis (Sm. ex Vent.) Knight var. lissosperma (R.Br.) Benth. = Hakea lissosperma	
	Hakea decurrens R.Br. subsp. physocarpa W.R.Barker, J. Adelaide Bot. Gard. 17: 193 (1996)	3:610
	Hakea decurrens R.Br. subsp. platytaenia W.R.Barker, J. Adelaide Bot. Gard. 17: 196 (1996)	
e	Hakea epiglottis Labill. subsp. epiglottis , Nov. Holl. Pl. 1: 30, t.40 (1805)	3:609
e	Hakea epiglottis Labill. subsp. milliganii (Meisn.) R.M.Barker, Fl. Australia 17B: 394 (1999)	
n i x	Hakea laurina R.Br., Suppl. Prodr. Fl. Nov. Holl. 29 (1830)	
	Hakea lissosperma R.Br., Trans. Linn. Soc. London 10: 180 (1810)	3:611
e	Hakea megadenia R.M.Barker, Aspects of Tasmanian Botany: 83 (1991)	
	Hakea microcarpa R.Br., Trans. Linn. Soc. London 10: 182 (1810)	3:611
	Hakea nodosa R.Br., Trans. Linn. Soc. London 10: 179 (1810)	3:610
	Hakea pugioniformis R.Br. = Hakea teretifolia	
	Hakea rostrata F.Muell. ex Meisn. sensu Curtis (1967) = Hakea epiglottis & H. megadenia	3:609
	Hakea rugosa R.Br. sensu Curtis (1967) = Hakea epiglottis & H. megadenia	3:609
i	Hakea salicifolia (Vent.) B.L.Burtt subsp. salicifolia , Bull. Misc. Inform. Kew 1: 33 (1941)	
	Hakea sericea Schrad. & J.C.Wendl. sensu Curtis (1967) = Hakea decurrens subsp. physocarpa	3:610
	Hakea teretifolia (Salisb.) Britten subsp. hirsuta (Endl.) R.M.Barker, J. Adelaide Bot. Gard. 13: 105 (1990)	3:609
	Hakea ulicina R.Br., Suppl. Prodr. Fl. Nov. Holl. 29 (1830)	3:611
	Hylogyne australis R.Br. = Telopea truncata	
	Isopogon ceratophyllus R.Br., Trans. Linn. Soc. London 10: 72 (1810)	3:599
i #	Lomatia fraseri R.Br., Suppl. Prodr. Fl. Nov. Holl. 34 (1830)	
e	Lomatia polymorpha R.Br., Trans. Linn. Soc. London 10: 200 (1810)	3:613
e	Lomatia tasmanica W.M.Curtis, The Student's Flora of Tasmania 3: 651 (1967)	3:614
e	Lomatia tinctoria (Labill.) R.Br., Trans. Linn. Soc. London 10: 199 (1810)	3:613
e	Orites acicularis (R.Br.) Roem. & Schult., Syst. Veg., ed. 15 bis [Roemer & Schultes] 3: 427 (1818)	3:605
e	Orites diversifolius R.Br., Trans. Linn. Soc. London 10: 190 (1810)	3:604
e	Orites milliganii Meisn., Prodr. [A. P. de Candolle] 14: 424 (1856)	3:604
e	Orites revolutus R.Br., Trans. Linn. Soc. London 10: 190 (1810)	3:605
e	Persoonia gunnii Hook.f., London J. Bot. 6: 283 (1847)	
	Persoonia gunnii Hook.f. var. angustifolia Benth. = Persoonia muelleri subsp. angustifolia	3:603
	Persoonia gunnii Hook.f. var. oblanceolata Orchard = Persoonia gunnii	3:603
	Persoonia juniperina Labill., Nov. Holl. Pl. 1: 33, t.45 (1805)	3:603

	Persoonia juniperina Labill. var. brevifolia Meisn. = Persoonia juniperina	3:603
	Persoonia juniperina Labill. var. mollis Orchard = Persoonia juniperina	3:603
	Persoonia juniperina Labill. var. ulicina Meisn. = Persoonia juniperina	3:603
e	Persoonia moscallii Orchard, Brunonia 6: 238, fig.12 (1984)	
e	Persoonia muelleri (P.Parm.) Orchard subsp. angustifolia (Benth.) L.A.S.Johnson & P.H.Weston, Fl. Australia 16: 472 (1995)	3:603
e	Persoonia muelleri (P.Parm.) Orchard subsp. densifolia (Orchard) L.A.S.Johnson & P.H.Weston, Fl. Australia 16: 472 (1995)	
e	Persoonia muelleri (P.Parm.) Orchard subsp. muelleri , Brunonia 6: 226 (1984)	
	Persoonia muelleri (P.Parm.) Orchard var. angustifolia (Benth.) Orchard = Persoonia muelleri subsp. angustifolia	3:603
	Persoonia muelleri (P.Parm.) Orchard var. densifolia Orchard = Persoonia muelleri subsp. densifolia	
	Persoonia muelleri (P.Parm.) Orchard var. muelleri = Persoonia muelleri subsp. muelleri	
e	Telopea truncata (Labill.) R.Br., Trans. Linn. Soc. London 10: 198 (1810)	3:612
	RANUNCULACEAE	FTO 47
n i *	Adonis microcarpa DC., Syst. Nat. [Candolle] 1: 223 (1817)	
e	Anemone crassifolia Hook., Icon. Pl. 3(6): t.257 (1840)	1:11
n i	Aquilegia vulgaris L., Sp. Pl. 1: 533 (1753)	
	Batrachium trichophyllum (Chaix) F.W.Schultz = Ranunculus trichophyllum	1:14
	Caltha introloba F.Muell. sensu Bentham (1863) = Psychrophila phylloptera (misapplied in Tasmania)	
	Caltha novae-zelandiae Hook. sensu Rodway (1903) = Psychrophila phylloptera (misapplied in Tasmania)	
	Caltha phylloptera A.W.Hill = Psychrophila phylloptera	1:20
	Clematis aristata R.Br. ex Ker Gawl., Bot. Reg. 3: t.238 (1817)	1:9
	Clematis aristata R.Br. ex Ker Gawl. subsp. confertissima Kuntze = Clematis aristata	
	Clematis aristata R.Br. ex Ker Gawl. subsp. gentianoides (DC.) Kuntze = Clematis gentianoides	
	Clematis aristata R.Br. ex Ker Gawl. subsp. gunniana Kuntze = Clematis clitorioides	
	Clematis aristata R.Br. ex Ker Gawl. subsp. procumbens Kuntze = Clematis gentianoides	
	Clematis aristata R.Br. ex Ker Gawl. subsp. pubescens (Hügel ex Endl.) Kuntze = Clematis aristata	
	Clematis aristata R.Br. ex Ker Gawl. subsp. tasmanica Kuntze = Clematis gentianoides	
	Clematis aristata R.Br. ex Ker Gawl. var. blanda (Hook.) Benth. = Clematis clitorioides	
	Clematis aristata R.Br. ex Ker Gawl. var. coriacea (DC.) Benth. = Clematis aristata	
	Clematis aristata R.Br. ex Ker Gawl. var. gentianoides (DC.) F.Muell. = Clematis gentianoides	
	Clematis aristata R.Br. ex Ker Gawl. var. gunniana (Kuntze) Domin = Clematis clitorioides	
	Clematis aristata R.Br. ex Ker Gawl. var. minor Hook.f. = Clematis clitorioides	
	Clematis blanda Hook. = Clematis clitorioides	
	Clematis clitorioides DC., Syst. Nat. [Candolle] 1: 158 (1817)	
	Clematis clitorioides DC. var. decipiens Domin = Clematis clitorioides	
	Clematis coriacea DC. = Clematis aristata	
	Clematis decipiens H.Eichler ex Jeanes, Fl. Australia 2: 461 (2007)	
e	Clematis gentianoides DC., Syst. Nat. [Candolle] 1: 159 (1817)	1:10

	Clematis gentianoides DC. var. normalis Domin nom. inval. = Clematis gentianoides	
	Clematis gentianoides var. procumbens = Clematis gentianoides	
	Clematis gentianoides DC. var. tasmanica (Kuntze) Domin = Clematis gentianoides	
	Clematis hexapetala L.f. subsp. brachystemon Kuntze = Clematis clitorioides	
	Clematis linearifolia Steud. sensu Hooker (1860) = Clematis clitorioides (misapplied in Tasmania)	
	Clematis microphylla DC., Syst. Nat. [Candolle] 1: 147 (1817)	1:10
i	Clematis vitalba L. var. vitalba , Sp. Pl. 1: 544 (1753)	1:10
	Myosurus australis F.Muell., Trans. Philos. Soc. Victoria 1: 6 (1854)	1:11
	Myosurus minimus L. sensu Curtis & Morris (1975) = Myosurus australis	1:11
e	Psychophila phylloptera (A.W.Hill) H.Eichler, Fl. Australia 2: 459 (2007)	1:20
t	Ranunculus acaulis Banks & Sol. ex DC., Syst. Nat. [Candolle] 1: 270 (1817)	1:17
n i	Ranunculus acris L. subsp. acris , Sp. Pl. 1: 554 (1753)	1:18
	Ranunculus amphitrichus Colenso, Trans. & Proc. New Zealand Inst. 17: 237 (1885)	1:17
	Ranunculus aquatilis L. sensu Curtis (1956) = Ranunculus trichophyllus	
n	Ranunculus arvensis L. – previously listed as naturalised but insufficient evidence exists to support this	1:18
e	Ranunculus collicola Menadue, Brunonia 8(2): 373 (1986)	
	Ranunculus collinus R.Br. ex DC., Syst. Nat. [Candolle] 1: 271 (1817)	1:17
	Ranunculus concinnus (Hook.f.) Melville = Ranunculus decurvus	1:15
	Ranunculus cuneatus Hook. nom. illeg. = Ranunculus triplodontus	
e	Ranunculus decurvus (Hook.f.) Melville, Kew Bull. 10: 202 (1955)	1:15
	Ranunculus diminutus B.G.Briggs, Telopea 5(4): 583 (1994)	
n	Ranunculus flammula L. subsp. flammula – previously listed as naturalised but insufficient evidence exists to support this	
	Ranunculus glabrifolius Hook., J. Bot. (Hooker) 1: 243 (1834)	1:17
	Ranunculus gunnianus Hook., J. Bot. (Hooker) 1: 244, t.133 (1834)	1:14
	Ranunculus hirtus Banks & Sol. ex DC. nom. illeg. = Ranunculus pimpinellifolius	
	Ranunculus inconspicuus Hook.f. = Ranunculus collinus	
	Ranunculus inundatus R.Br. ex DC. sensu Curtis & Morris (1975) = Ranunculus amphitrichus	1:17
e	Ranunculus jugosus Menadue, Brunonia 8(2): 377 (1986)	
	Ranunculus lappaceus Sm., Cycl. (Rees) 29(2): no.61 (1815)	1:14
	Ranunculus lappaceus Sm. var. nanus (Hook.) Benth. = Ranunculus nanus	
	Ranunculus lappaceus Sm. var. pimpinellifolius (Hook.) Benth. = Ranunculus pimpinellifolius	
	Ranunculus lappaceus Sm. var. scapigerus (Hook.) Benth. = Ranunculus scapiger	
	Ranunculus lappaceus Sm. var. subsericeus Benth. = Ranunculus pascuinus	
	Ranunculus millanii F.Muell. sensu Rodway (1903) = Ranunculus setaceus (misapplied in Tasmania)	
i	Ranunculus muricatus L., Sp. Pl. 1: 555 (1753)	1:18
e	Ranunculus nanus Hook., J. Bot. (Hooker) 1: 242 (1834)	1:16
i	Ranunculus parviflorus L., Syst. Nat., ed. 10, 2: 1087 (1759)	1:19
e	Ranunculus pascuinus (Hook.f.) Melville, Kew Bull. 10: 198 (1955)	1:15
	Ranunculus philonotis Retz. sensu Bentham (1863) = Ranunculus sardous (misapplied in Tasmania)	
	Ranunculus pimpinellifolius Hook., J. Bot. (Hooker) 1: 243 (1834)	1:14

	Ranunculus plebeius R.Br. ex DC. sensu Curtis (1956) mistakenly attributed to Tasmania	
e	Ranunculus prasinus Menadue, Brunonia 8: 375 (1986)	
	Ranunculus pumilio R.Br. ex DC. var. pumilio , Syst. Nat. [Candolle] 1: 271 (1817)	1:19
i	Ranunculus repens L., Sp. Pl. 1: 554 (1753)	1:18
	Ranunculus rivularis Banks & Sol. ex DC. sensu Curtis & Morris (1975) = Ranunculus amphitrichus	1:17
	Ranunculus rivularis Banks & Sol. ex DC. var. inconspicuus Benth. = Ranunculus collinus	
	Ranunculus rivularis Banks & Sol. ex DC. var. major Benth. = Ranunculus glabrifolius	
	Ranunculus rivularis Banks & Sol. ex DC. var. subfluitans Benth. nom. illeg. = Ranunculus amphitrichus	
i	Ranunculus sardous Crantz, Stirp. Austr. Fasc. 2: 84 (1763)	1:19
	Ranunculus scapiger Hook., J. Bot. (Hooker) 1: 224 (1834)	1:15
n	Ranunculus sceleratus L. subsp. sceleratus – previously listed as naturalised but insufficient evidence exists to support this	1:20
	Ranunculus sessiliflorus R.Br. ex DC. var. sessiliflorus , Syst. Nat. [Candolle] 1: 302 (1817)	1:19
e	Ranunculus setaceus Rodway, Pap. & Proc. Roy. Soc. Tasmania 1900-1901: 107 (1902)	1:14
?i	Ranunculus trichophyllus Chaix, Hist. Pl. Dauphiné (Villars) 1: 335 (1786)	1:14
	Ranunculus trichophyllus Chaix subsp. drouetii (F.W.Schultz ex Godr.) A.R.Clapham = Ranunculus trichophyllus	
n i	Ranunculus trilobus Desf., Fl. Atlant. 1: 437, t.113 (1798)	1:19
e	Ranunculus triplodontus Melville, Kew Bull. 10: 204 (1955)	1:16
	Valvaria gentianoides (DC.) Ser. = Clematis gentianoides	
	RESEDACEAE	FTO 84
i	Reseda alba L., Sp. Pl. 1: 449 (1753)	1:53
i	Reseda lutea L., Sp. Pl. 1: 449 (1753)	1:52
i	Reseda luteola L., Sp. Pl. 1: 448 (1753)	1:52
	Reseda odorata L. = Reseda lutea (misapplied in Tasmania)	
	RHAMNACEAE	
e	Cryptandra alpina Hook.f., Bot. Antarct. Voy. Ill. (Fl. Tasman.) 1: 75, t.12B (1855)	1:121
	Cryptandra amara Sm., Cycl. (Rees) 10: no.2 (1808)	1:120
e	Cryptandra exilis D.I.Morris, Aspects of Tasmanian Botany: 57 (1991)	
	Cryptandra mollis Hook.f. = Spyridium parvifolium var. molle	
	Cryptandra obovata Hook.f. = Spyridium obovatum	
	Cryptandra parvifolia Hook.f. = Spyridium parvifolium var. parvifolium	
	Cryptandra pimelioides Hook.f. = Stenanthemum pimeleoides	
	Cryptandra sieberi Fenzl sensu Hooker (1860) = Cryptandra amara	
	Cryptandra tomentosa Lindl. sensu Buchanan et al. (1989) = Cryptandra exilis	
	Cryptandra vexillifera Hook. = Spyridium vexilliferum	
	Discaria australis Hook. nom. illeg. = Discaria pubescens	
	Discaria pubescens (Brongn.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 620 (1917)	1:121
	Pomaderris affinis N.A.Wakef. sensu Curtis (1956) = Pomaderris intermedia	1:114
	Pomaderris apetala Labill. subsp. apetala , Nov. Holl. Pl. 1: 62, t.87 (1805)	1:115
	Pomaderris apetala Labill. subsp. maritima N.G.Walsh & Coates, Muelleria 10: 34 (1997)	
	Pomaderris aspera Sieber ex DC., Prodr. [A. P. de Candolle] 2: 33 (1825)	
	Pomaderris discolor (Vent.) Poir. sensu Hooker (1860) = Pomaderris intermedia	

	Pomaderris elachophylla F.Muell., <i>Fragm.</i> (Mueller) 2: 131 (1861)	1:116
e	Pomaderris elliptica Labill. var. diemenica N.G.Walsh & Coates, <i>Muelleria</i> 10: 51 (1997)	
	Pomaderris elliptica Labill. var. elliptica , <i>Nov. Holl. Pl.</i> 1: 61, t.86 (1805)	1:114
	<i>Pomaderris ferruginea</i> Sieber ex Fenzl sensu Bentham (1863) recorded in error	
	Pomaderris intermedia Sieber ex DC., <i>Prodr.</i> [A. P. de Candolle] 2: 33 (1825)	1:114
	<i>Pomaderris kumeraho</i> A.Cunn. mistakenly attributed to Tasmania	
	Pomaderris oraria F.Muell. ex Reissek subsp. oraria , <i>Linnaea</i> 29: 268 (1858)	1:116
	Pomaderris paniculosa F.Muell. ex Reissek subsp. paralia N.G.Walsh, <i>Muelleria</i> 7: 274 (1990)	
	Pomaderris phyllicifolia Lodd. ex Link subsp. ericoides (Maiden & Betche) N.G.Walsh & Coates, <i>Muelleria</i> 10: 52 (1997)	
	Pomaderris phyllicifolia Lodd. ex Link subsp. phyllicifolia , <i>Enum. Hort. Berol. Alt.</i> 1: 232 (1821)	1:116
	Pomaderris pilifera N.A.Wakef. subsp. pilifera , <i>Vict. Naturalist</i> 68: 140 (1951)	1:115
e	Pomaderris pilifera N.A.Wakef. subsp. talpicutica A.M.Gray & Wapstra, <i>Muelleria</i> 25: 129 (2007)	
	Pomaderris racemosa Hook., <i>J. Bot. (Hooker)</i> 1: 256 (1834-35)	1:116
i	Rhamnus alaternus L., <i>Sp. Pl.</i> 1: 193 (1753)	
	Spyridium eriocephalum Fenzl var. eriocephalum , <i>Enum. Pl.</i> [Endlicher]: 24 (1837)	1:119
e	Spyridium gunnii (Hook.f.) Benth., <i>Fl. Austral.</i> 1: 429 (1863)	1:118
e	Spyridium lawrencei (Hook.f.) Benth., <i>Fl. Austral.</i> 1: 430 (1863)	1:119
	<i>Spyridium microphyllum</i> (F.Muell. ex Reissek) Druce = Spyridium lawrencei	1:119
e	Spyridium obcordatum (Hook.f.) W.M.Curtis, <i>Vict. Naturalist</i> 87: 251 (1970)	1:117
	<i>Spyridium obovatum</i> (Hook.f.) Benth. var. <i>gunnii</i> (Hook.f.) Rodway = Spyridium gunnii	
e	Spyridium obovatum (Hook.) Benth. var. obovatum , <i>Fl. Austral.</i> 1: 429 (1863)	1:118
e	Spyridium obovatum (Hook.) Benth. var. velutinum (F.Muell. ex Reissek) Benth., <i>Fl. Austral.</i> 1: 429 (1863)	1:118
e	Spyridium parvifolium (Hook.) F.Muell. var. molle (Hook.f.) Benth., <i>Fl. Austral.</i> 1: 428 (1863)	1:118
	Spyridium parvifolium (Hook.) F.Muell. var. parvifolium , <i>Fragm.</i> (Mueller) 3: 79 (1862)	1:118
	<i>Spyridium serpyllaceum</i> F.Muell. nom. illeg. = Spyridium obcordatum	
e	Spyridium ulicinum (Hook.) Benth., <i>Fl. Austral.</i> 1: 434 (1863)	1:119
	Spyridium vexilliferum (Hook.) Reissek var. vexilliferum , <i>Linnaea</i> 29: 285 (1858)	1:119
e	Stenanthemum pimeleoides (Hook.f.) Benth., <i>Fl. Austral.</i> 1: 436 (1863)	1:120
ROSACEAE		
	<i>Acaena agnipila</i> Gand. var. <i>aequispina</i> Orchard = Acaena ovina	1:176
	<i>Acaena agnipila</i> Gand. var. <i>tenuispica</i> (Bitter) Orchard = Acaena ovina	1:176
	<i>Acaena anserinifolia</i> (J.R.Forst. & G.Forst.) Druce sensu Curtis (1956) = Acaena novae-zelandiae	
	Acaena × anserovina Orchard, <i>Trans. Roy. Soc. South Australia</i> 93: 104 (1969)	1:176
	Acaena echinata Nees, <i>Pl. Preiss.</i> [J.G.C.Lehman] 1: 95 (1844)	1:175
	<i>Acaena echinata</i> Nees var. <i>retrorsumpilosa</i> (Bitter) Orchard = Acaena echinata	1:175
	<i>Acaena echinata</i> Nees var. <i>subglabrallyx</i> (Bitter) Orchard = Acaena echinata	1:175
	<i>Acaena echinata</i> Nees var. <i>tylacantha</i> Orchard = Acaena echinata	1:175
e	Acaena montana Hook.f., <i>London J. Bot.</i> 6: 476 bis (1847)	1:175
	Acaena novae-zelandiae Kirk, <i>Trans. Proc. New Zealand Inst.</i> 3: 177 (1871)	1:175
	Acaena ovina A.Cunn., <i>Geog. Mem. New South Wales</i> [Field]: 358 (1825)	1:175
	<i>Acaena ovina</i> A.Cunn. var. <i>velutina</i> Orchard = Acaena ovina	1:175

- Acaena pallida** (Kirk) Allan, Fl. New Zealand 1: 360 (1961)
Acaena sanguisorbae (L.) Vahl sensu Bentham (1864) = **Acaena novae-zelandiae** (misapplied in Tasmania)
Acaena sanguisorbae (L.) Vahl var. *montana* (Hook.f.) Hook.f. = **Acaena montana**
Alchemilla arvensis (L.) Scop. = **Aphanes arvensis**
- i **Aphanes arvensis** L., Sp. Pl. 1: 123 (1753) 1:174
Aphanes australiana (Rothm.) Rothm., Bull. Misc. Inform. Kew 1938: 270 (1938)
Aphanes inexpectata W.Lippert sensu Buchanan (1999) = **Aphanes microcarpa**
- i **Aphanes microcarpa** (Boiss. & Reut.) Rothm., Repert. Spec. Nov. Regni Veg. 42: 172 (1937)
 ?i **Argentina anserina** (L.) Rydb., Mem. Dept. Bot. Columbia Coll. 2: 159 (1898) 1:173
- i **Cotoneaster franchetii** Bois, Rev. Hort. [Paris] 74: 379 (1902)
 i **Cotoneaster glaucophyllus** Franch. var. **serotinus** (Hutch.) L.T.Lu & Brach, Novon 12: 495 (2002)
 i **Cotoneaster pannosus** Franch., Pl. Delavay. 223 (1890)
 i **Cotoneaster simonsii** Baker, Refug. Bot. [Saunders] 1: t.55 (1869)
Cotoneaster symondsii T.Moore = **Cotoneaster simonsii**
- i **Crataegus monogyna** Jacq., Fl. Austriac. (Jacquin) 3: 50 (1775) 1:178
Geum renifolium F.Muell. = **Geum talbotianum**
- e **Geum talbotianum** W.M.Curtis, Records of the Queen Victoria Museum 50: 4 (1974) 1:172
 x **Geum urbanum** L. var. **strictum** Hook.f., Bot. Antarct. Voy. III (Fl. Tasman.) 1: 114 (1856) 1:172
Malus × domestica Borkh. = **Malus pumila**
- i **Malus pumila** Mill., Gard. Dict., ed. 8: Malus no 3 (1768)
 i **Potentilla anglica** Laichard., Veg. Eur. 1: 475 (1790) 1:173
Potentilla anserina L. = **Argentina anserina** 1:173
- i **Potentilla recta** L., Sp. Pl. 1: 497 (1753) 1:173
 i **Potentilla reptans** L., Sp. Pl. 1: 499 (1753) 1:173
Poterium polygamum Waldst. & Kit. = **Sanguisorba minor** 1:176
Poterium sanguisorba L. sensu Rodway (1903) = **Sanguisorba minor** 1:176
- i **Prunus domestica** L. subsp. **insititia** (L.) Bonnier & Layens, Fl. France [Rouy & Foucard]: 95 (1894) 1:178
Prunus insititia L. = **Prunus domestica** subsp. **insititia**
- i **Prunus laurocerasus** L., Sp. Pl. 1: 474 (1753)
 i **Prunus spinosa** L., Sp. Pl. 1: 475 (1753) 1:178
 i **Rosa canina** L., Sp. Pl. 1: 491 (1753) 1:177
 i **Rosa rubiginosa** L., Mant. Pl. 2: 564 (1771) 1:177
- i **Rubus sp. Tasmania (J.R.Hosking 1551) SA Herbarium**
 i **Rubus anglocandicans** A.Newton, Watsonia 11: 243 (1977) 1:171
 i **Rubus echinatus** Lindl., Syn. Brit. Fl. 94 (1829)
 i **Rubus erythrops** Edees & A.Newton, Watsonia 12: 135 (1978)
Rubus fruticosus L. a catch-all name for all the blackberry species of **Rubus**
- e **Rubus gunnianus** Hook., Icon. Pl. 3: t.291 (1840) 1:171
 i **Rubus laciniatus** Willd., Hort. Berol. [Willdenow] 2(8): t.82 (1806) 1:171
 i **Rubus leucostachys** Schleich. ex Sm., Engl. Fl. 2: 403 (1824) 1:171
 i **Rubus loganobaccus** L.H.Bailey, Gentes Herb. 1: 155 (1923)
Rubus macropodus Ser. ex DC. sensu Hooker (1860) = **Rubus parvifolius**
Rubus parvifolius L., Sp. Pl. 2: 1197 (1753) 1:171

n i	Rubus philadelphicus Blanch., Torreyia 7: 56 (1907)	
i	Rubus polyanthemus Lindeb., Bot. Not. 1883: 105 (1883)	
n i	Rubus rubritinctus W.C.R.Watson, Watsonia 3: 287 (1956)	
i #	Rubus rugosus Sm., Cycl. (Rees) 30: no 34 (1815)	
i	Rubus vestitus Weihe, Comp. Fl. German. 1: 684 (1825)	
i	Sanguisorba minor Scop., Fl. Carniol., ed. 2, 1: 110 (1771)	1:176
	Sanguisorba minor Scop. subsp. muricata (Spach) Briq. = Sanguisorba minor	1:176
i	Sorbus aucuparia L., Sp. Pl. 1: 477 (1753)	

RUBIACEAE

	Asperula charophyton Airy Shaw & Turrill sensu Curtis (1963) recorded in error	2:276
	Asperula conferta Hook.f., London J. Bot. 6: 464 bis (1847)	2:275
	Asperula conferta Hook.f. var. abbreviata Airy Shaw & Turrill = Asperula conferta	2:275
	Asperula conferta Hook.f. var. scoparioides Airy Shaw & Turrill = Asperula conferta	2:275
	Asperula gunnii Hook.f., London J. Bot. 6: 464 bis (1847)	2:275
	Asperula gunnii Hook.f. var. curta (Hook.f.) Airy Shaw & Turrill = Asperula gunnii	2:276
	Asperula gunnii Hook.f. var. pusilla (Hook.f.) Benth. = Asperula pusilla	
	Asperula minima Hook.f., London J. Bot. 6: 464 bis (1847)	2:276
	Asperula oblanceolata I.Thomps., Muellera 27: 68 (2009)	
	Asperula oligantha F.Muell. nom. illeg., sensu Rodway (1903) a catch-all name that includes most Tasmanian Asperula species	
	Asperula pusilla Hook.f., London J. Bot. 6: 464 bis (1847)	2:276
	Asperula scoparia Hook.f. subsp. scoparia , London J. Bot. 6: 463 bis (1847)	2:275
	Asperula subsimplex Hook.f., London J. Bot. 6: 463 bis (1847)	2:276
	Canthium quadrifidum Labill. = Coprosma quadrifida	
	Coprosma billardierei Hook.f. nom. illeg. = Coprosma quadrifida	
	Coprosma hirtella Labill., Nov. Holl. Pl. 1: 70, t.95 (1805)	2:268
	Coprosma moorei F.Muell. ex Rodway, Pap. & Proc. Roy. Soc. Tasmania 1893: 179, t.1 (1894)	2:269
	Coprosma nitida Hook.f., London J. Bot. 6: 465 bis (1847)	2:269
	Coprosma nivalis W.R.B.Oliv., Bull. Bernice P. Bishop Mus. 132: 37 (1935)	
	Coprosma perpusilla Colenso subsp. perpusilla , Trans. & Proc. New Zealand Inst. 22: 466 (1890)	
	Coprosma pumila Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.). 2: 543 (1847)	2:269
	Coprosma quadrifida (Labill.) B.L.Rob., Proc. Amer. Acad. Arts 45: 409 (1910)	2:268
i	Coprosma repens A.Rich., Voy. Astrolabe I: 264 (1832)	
i	Coprosma robusta Raoul, Ann. Sci. Nat., Bot., sér. 3, 2: 121 (1844)	
e	Galium albescens Hook.f., London J. Bot. 6: 462 bis (1847)	2:273
i	Galium aparine L., Sp. Pl. 1: 108 (1753)	2:273
	Galium australe DC., Prodr. [A. P. de Candolle] 4: 608 (1830)	2:273
	Galium binifolium N.A.Wakef. subsp. conforme I.Thomps., Muellera 27: 88 (2009)	
	Galium ciliare Hook.f. subsp. ciliare , London J. Bot. 6: 461 bis (1847)	2:272
	Galium ciliare Hook.f. subsp. terminale I.Thomps., Muellera 27: 82 (2009)	
	Galium compactum Ehrend. & McGill., Telopea 2: 370 (1983)	
	Galium densum Hook.f., London J. Bot. 6: 461 bis (1847)	
i	Galium divaricatum Pourr. ex Lam., Encycl. (Lamarck) 2: 580 (1788)	
	Galium gaudichaudii DC. subsp. parviflorum I.Thomps., Muellera 27: 98 (2009)	2:272
	Galium leiocarpum I.Thomps., Muellera 27: 79 (2009)	

i	Galium murale (L.) All., Fl. Pedem. 1: 8 (1785)	2:273
i	Galium palustre L., Sp. Pl. 1: 105 (1753)	
	<i>Galium squalidum</i> Hook.f. = Galium australe	
n	<i>Galium tricornutum</i> Dandy – previously listed as naturalised but insufficient evidence exists to support this	
	<i>Galium umbrosum</i> G.Forst. nom. illeg., sensu Rodway (1903) a catch-all name that includes all glabrous-fruited Tasmanian Galium	
	<i>Galium vagans</i> Hook.f. = Galium binifolium subsp. conforme (uncertain)	
i # t	Galium verum L., Sp. Pl. 1: 107 (1753)	
	<i>Nertera depressa</i> Banks & Sol. ex Gaertn. = Nertera granadensis	2:270
	Nertera granadensis (Mutis ex L.f.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 637 (1917)	2:270
	Opercularia ovata Hook.f., London J. Bot. 6: 465 bis (1847)	2:270
	Opercularia varia Hook.f., London J. Bot. 6: 466 bis (1847)	2:271
i	Sherardia arvensis L., Sp. Pl. 1: 102 (1753)	2:277
	RUTACEAE	FTO 87
e	Acradenia frankliniae Kippist, Proc. Linn. Soc. London 2: 201 (1853)	1:106
	<i>Boronia anemonifolia</i> A.Cunn. subsp. <i>anemonifolia</i> recorded in error	
	Boronia anemonifolia A.Cunn. subsp. variabilis (Hook.) P.G.Neish, Muelleria 14: 11 (2000)	1:105
	<i>Boronia anemonifolia</i> A.Cunn. var. <i>dentigera</i> (F.Muell.) Benth. = <i>Boronia anemonifolia</i> subsp. <i>anemonifolia</i>	
e	Boronia citriodora Gunn ex Hook.f. subsp. citriodora , Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 68 (1855)	1:105
e	Boronia citriodora Gunn ex Hook.f. subsp. orientalis Duretto, Muelleria 17: 83 (2003)	
e	Boronia citriodora Gunn ex Hook.f. subsp. paulwilsonii Duretto, Muelleria 17: 81 (2003)	
e	Boronia elisabethiae Duretto, Muelleria 17: 88 (2003)	
e	Boronia gunnii Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 68, t.10 (1855)	
e	Boronia hemichiton Duretto, Muelleria 17: 87 (2003)	
e	Boronia hippopala Duretto, Muelleria 17: 84 (2003)	
	Boronia nana Hook. var. hyssoipifolia Melville, Kew Bull. 9: 463 (1954)	1:105
	Boronia nana Hook. var. nana , Icon. Pl. 3: t.270 (1840)	1:105
	Boronia parviflora Sm., Tracts Nat. Hist. 295: t.6 (1798)	1:105
	<i>Boronia pilonema</i> Labill. = Boronia parviflora	
	Boronia pilosa Labill. subsp. pilosa , Nov. Holl. Pl. 1: 97, t.124 (1805)	1:105
e	Boronia pilosa Labill. subsp. tasmanensis Duretto, Muelleria 17: 97 (2003)	
	<i>Boronia pilosa</i> Labill. var. <i>floribunda</i> Hook. = Boronia pilosa subsp. pilosa	1:105
	<i>Boronia pilosa</i> Labill. var. <i>laricifolia</i> (Hook.) Hook.f. = Boronia pilosa subsp. pilosa	1:105
	<i>Boronia pinnata</i> Sm. var. <i>citriodora</i> (Gunn ex Hook.f.) Rodway = Boronia citriodora	
	<i>Boronia pinnata</i> Sm. var. <i>gunnii</i> (Hook.f.) Benth. = Boronia gunnii	
	<i>Boronia polygalifolia</i> Sm. sensu Bentham (1863) = Boronia nana var. nana (misapplied in Tasmania)	
	<i>Boronia polygalifolia</i> Sm. var. <i>trifoliata</i> Benth. = Boronia nana var. nana	
	Boronia rhomboidea Hook., Icon. Pl. 8: t.722 (1845)	1:105
e	Boronia rozefeldsii Duretto, Muelleria 17: 101 (2003)	
	<i>Boronia tetrandra</i> Labill. var. <i>grandiflora</i> Hook. = Boronia gunnii	

	Boronia variabilis Hook. = Boronia anemonifolia subsp. variabilis	
i	Coleonema pulchellum I.Williams, J. S. African Bot. 47: 89 (1981)	
	Correa alba Andrews var. alba , Bot. Repos. 1: t.18 (1798)	1:109
e	Correa alba Andrews var. rotundifolia DC., Prodr. [A. P. de Candolle] 1: 719 (1824)	1:109
	Correa backhouseana Hook. var. backhouseana , J. Bot. (Hooker) 1: 253 (1834)	1:110
e	Correa lawrenceana Hook. var. ferruginea Hook.f., Bot. Antarct. Voy. III (Fl. Tasman.) 1: 62 (1855)	
e	Correa lawrenceana Hook. var. lawrenceana , J. Bot. (Hooker) 1: 254 (1834)	1:111
	Correa lawrenciana Hook. var. glabra Benth. = Correa lawrenceana var. lawrenceana	
e	Correa reflexa (Labill.) Vent. var. nummulariifolia (Hook.f.) Paul G.Wilson, Trans. Roy. Soc. South Australia 85: 30 (1961)	1:110
	Correa reflexa (Labill.) Vent. var. reflexa , Jard. Malmaison 1: t.13 (1803)	1:110
	Correa rufa (Labill.) Vent. sensu Brown (1810) = Correa alba	
	Correa speciosa Donn ex Andrews = Correa reflexa	
	Correa speciosa Donn ex Andrews var. backhouseana (Hook.) Benth. = Correa backhouseana	
	Correa speciosa Donn ex Andrews var. normalis Benth. nom. inval., nom. superfl. = Correa reflexa	
	Eriostemon daviesii (Hook.f.) F.Muell. = Phebalium daviesii	
	Eriostemon hillebrandii F.Muell. nom. illeg., sensu Rodway (1903) = Leionema bilobum	
	Eriostemon montanus (Hook.f.) F.Muell. = Leionema montanum	
	Eriostemon obovalis A.Cunn. sensu Bentham (1863) = Philothea verrucosa (misapplied in Tasmania)	
	Eriostemon oldfieldii F.Muell. = Leionema oldfieldii	
	Eriostemon squameus Labill. = Nematolepis squamea	
	Eriostemon verrucosus A.Rich. = Philothea verrucosa	1:107
	Eriostemon virgatus Hook.f. = Philothea virgata	1:107
e	Leionema bilobum (Lindl.) Paul G.Wilson subsp. truncatum (Hook.f.) Duretto & K.L.Durham, Muelleria 23: 11 (2006)	1:108
e	Leionema montanum (Hook.) Paul G.Wilson, Nuytsia 12: 275 (1998)	1:108
e	Leionema oldfieldii (F.Muell.) Paul G.Wilson, Nuytsia 12: 276 (1998)	1:108
e	Nematolepis squamea (Labill.) Paul G.Wilson subsp. retusa (Hook.) Paul G.Wilson, Nuytsia 12: 279 (1998)	1:109
	Nematolepis squamea (Labill.) Paul G.Wilson subsp. squamea , Nuytsia 12: 279 (1998)	1:109
	Phebalium billardierei A.Juss. = Nematolepis squamea	
	Phebalium bilobum Lindl. = Leionema bilobum	1:108
e	Phebalium daviesii Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 358 (1859)	1:108
	Phebalium glandulosum Hook. var. daviesii (Hook.f.) Benth. = Phebalium daviesii	
	Phebalium montanum Hook. = Leionema montanum	1:108
	Phebalium oldfieldii (F.Muell.) Benth. = Leionema oldfieldii	1:108
	Phebalium squameum (Labill.) Engl. = Nematolepis squamea	1:109
	Phebalium truncatum Hook.f. = Leionema bilobum subsp. truncatum	
e	Philothea freyciana Rozefelds, Muelleria 15: 23 (2001)	
	Philothea verrucosa (A.Rich.) Paul G.Wilson, Nuytsia 12: 260 (1998)	1:107
	Philothea virgata (Hook.f.) Paul G.Wilson, Nuytsia 12: 260 (1998)	1:107
	Zieria arborescens Sims subsp. arborescens , Bot. Mag. 34: t.1395 (1811)	1:103
	Zieria cytisoides Sm. sensu Curtis & Morris (1975) = Zieria littoralis	

	Zieria littoralis J.A.Armstr., Austral. Syst. Bot. 15: 389 (2002)	1:103
	Zieria smithii Jacks. sensu Bentham (1863) = Zieria arborescens subsp. arborescens (misapplied in Tasmania)	
	Zieria smithii Jacks. var. macrophylla (Bonpl.) Benth. = Zieria arborescens subsp. arborescens	
	Zieria veronicea (F.Muell.) Benth. subsp. veronicea , Fl. Austral. 1: 305 (1863)	1:103
	SALICACEAE	FTO 80
i	Populus alba L., Sp. Pl. 2: 1034 (1753)	
n i *	Salix alba L. var. vitellina (L.) Stokes, Bot. Mat. Med. 4: 506 (1812)	
	Salix alba × fragilis sensu Curtis (1967) = Salix fragilis nothovar. fragilis	3:648
	Salix atrocinnerea Brot. sensu Curtis (1967) = Salix reichardtii	3:649
	Salix babylonica L. sensu Curtis (1967) = Salix × pendulina nothovar. pendulina	3:648
n i *	Salix × calodendron Wimm., Sal. Eur. (Wimm.): 187 (1866)	
i	Salix cinerea L. subsp. cinerea , Sp. Pl. 2: 1021 (1753)	3:649
i	Salix cinerea L. subsp. oleifolia (Sm.) Macreight, Man. Brit. Bot. (Macreight): 212 (1837)	3:649
i	Salix × fragilis L. nothovar. fragilis , Sp. Pl. 2: 1017 (1753)	3:648
n i *	Salix matsudana Koidz. cv. tortuosa, Bot. Mag. (Tokyo) 29: 312 (1915)	
	Salix × pendulina Wender. nothovar. pendulina – not considered naturalised	
i #	Salix purpurea L., Sp. Pl. 2: 1017 (1753)	
i	Salix × reichardtii A.Kern., Verh. Zool.-Bot. Ges. Wien 10: 249 (1860)	3:649
n i *	Salix × rubens Schrank, Baier. Fl. 1: 226 (1789)	3:648
n i *	Salix × sepulcralis Simonk. nothovar. chrysocoma (Dode) Meikle, Watsonia 15: 274 (1985)	
	SANTALACEAE	FTO 91
	Exocarpos cupressiformis Labill., Voy. Rech. Perouse 1: 156, t.14 (1800)	3:628
e	Exocarpos humifusus R.Br., Prodr. Fl. Nov. Holland. 356 (1810)	3:629
	Exocarpos nanus Hook.f., London J. Bot. 6: 281 (1847)	3:629
	Exocarpos strictus R.Br., Prodr. Fl. Nov. Holland. 357 (1810)	3:628
	Exocarpos syrticola (F.Muell. ex Miq.) Stauffer, Mitt. Bot. Mus. Univ. Zurich 213: 173 (1959)	3:628
	Leptomeria billardierei R.Br. = Leptomeria drupacea	3:626
	Leptomeria drupacea (Labill.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916: 632 (1917)	3:626
e	Leptomeria glomerata F.Muell. ex Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 370 (1859)	3:627
x	Thesium australe R.Br., Prodr. Fl. Nov. Holland. 353 (1810)	3:626
	Thesium drupaceum Labill. = Leptomeria drupacea	
	SAPINDACEAE	FTO 86
	Dodonaea ericifolia G.Don = Dodonaea filiformis	1:122
e	Dodonaea filiformis Link, Enum. Hort. Berol. Alt. 1: 381 (1821)	1:122
	Dodonaea viscosa Jacq. subsp. spatulata (Sm.) J.G.West, Brunonia 7: 43 (1984)	1:122
	SCROPHULARIACEAE	
i #	Antirrhinum majus L., Sp. Pl. 2: 617 (1753)	
i	Bartsia trixago L., Sp. Pl. 2: 602 (1753)	
	Bellardia trixago (L.) All. = Bartsia trixago	
	Celsia cretica L. = Verbascum creticum	3:513
	Chionohebe ciliolata (Hook.f.) B.G.Briggs & Ehrend. = Veronica ciliolata subsp. fiordensis	
i	Cymbalaria muralis G.Gaertn., B.Mey. & Scherb., Oekon. Fl. Wetterau 2: 397 (1800)	3:514

	Derwentia derwentiana (Andrews) B.G.Briggs & Ehrend. subsp. derwentiana = Veronica	
	derwentiana subsp. derwentiana	3:523
	Derwentia nivea (Lindl.) B.G.Briggs & Ehrend. = Veronica nivea	3:523
i	Digitalis purpurea L., Sp. Pl. 2: 621 (1753)	3:519
i	Erythranthe moschata (Douglas ex Lindl.) G.L.Nesom, Phytoneuron 39: 38 (2012)	
e	Euphrasia sp. Bivouac Bay (W.R.Barker 7626 et al.) W.R.Barker	
	Euphrasia alpina R.Br. nom. illeg. – a name of uncertain application	
	Euphrasia alpina R.Br. var. angustifolia Benth. sensu Hooker (1860) = Euphrasia collina subsp. collina	
	Euphrasia alpina R.Br. var. humilis Benth. sensu Hooker (1860) = Euphrasia striata	
e	Euphrasia amphisysepala W.R.Barker, J. Adelaide Bot. Gard. 10: 204 (1987)	
e	Euphrasia amplidens W.R.Barker, J. Adelaide Bot. Gard. 26: 23 (2013)	
	Euphrasia brownii F.Muell. nom. illeg., sensu Rodway (1903) a catch-all name that includes several	
	Euphrasia species	
	Euphrasia brownii F.Muell. var. striata (R.Br.) Rodway = Euphrasia striata	3:530
	Euphrasia collina R.Br. subsp. collina , Prodr. Fl. Nov. Holland. 436 (1810)	3:527
e	Euphrasia collina R.Br. subsp. deflexifolia (Gand.) W.R.Barker, The Endemic Flora of	
	Tasmania 6: 477 (1978)	
e	Euphrasia collina R.Br. subsp. diemenica (Spreng.) W.R.Barker, The Endemic Flora of	
	Tasmania 6: 477 (1978)	3:528
e	Euphrasia collina R.Br. subsp. Dukes Marshes (A.Moscal 861) Tas Herbarium	
e	Euphrasia collina R.Br. subsp. gunnii (Du Rietz) W.R.Barker, J. Adelaide Bot. Gard. 5: 199	
	(1982)	3:528
e	Euphrasia collina R.Br. subsp. Northwest Tasmania (M.Visoiu 216) Tas Herbarium	
e	Euphrasia collina R.Br. subsp. tasmanica (Gand.) W.R.Barker, J. Adelaide Bot. Gard. 21: 93	
	(2007)	
	Euphrasia collina R.Br. subsp. tetragona (R.Br.) W.R.Barker, J. Adelaide Bot. Gard. 5: 189 (1982)	
	Euphrasia cuspidata Hook.f. = Euphrasia hookeri	3:532
	Euphrasia diemenica Spreng. = Euphrasia collina subsp. diemenica	3:528
	Euphrasia sp. fabula W.C.Potts & W.R.Barker MS = Euphrasia Bivouac Bay (W.R.Barker	
	7626 et al.) W.R.Barker	
e	Euphrasia fragosa W.R.Barker, J. Adelaide Bot. Gard. 17: 217 (1996)	
	Euphrasia gibbsiae Du Rietz subsp. aff. subglabrifolia (Du Rietz) W.R.Barker = Euphrasia	
	gibbsiae subsp. Mt Field (W.R.Barker 1187) Tas Herbarium	
e	Euphrasia gibbsiae Du Rietz subsp. comberi (Du Rietz) W.R.Barker, J. Adelaide Bot. Gard. 5:	
	122 (1982)	3:531
e	Euphrasia gibbsiae Du Rietz subsp. discolor W.R.Barker, J. Adelaide Bot. Gard. 5: 128 (1982)	
e	Euphrasia gibbsiae Du Rietz subsp. gibbsiae , Svensk Bot. Tidskr. 42: 104 (1948)	3:531
e	Euphrasia gibbsiae Du Rietz subsp. kingii (W.M.Curtis) W.R.Barker, The Endemic Flora of	
	Tasmania 6: 477 (1978)	3:530
e	Euphrasia gibbsiae Du Rietz subsp. microdonta W.R.Barker, J. Adelaide Bot. Gard. 5: 126 (1982)	
e	Euphrasia gibbsiae Du Rietz subsp. Mt Anne (A.M.Buchanan 5109) Tas Herbarium	
e	Euphrasia gibbsiae Du Rietz subsp. Mt Field (W.R.Barker 1187) Tas Herbarium	
e	Euphrasia gibbsiae Du Rietz subsp. psilantherea (F.Muell.) W.R.Barker, J. Adelaide Bot. Gard.	
	5: 119 (1982)	
e	Euphrasia gibbsiae Du Rietz subsp. pulvinestris W.R.Barker, J. Adelaide Bot. Gard. 5: 131 (1982)	

e	Euphrasia gibbsiae Du Rietz subsp. wellingtonensis W.R.Barker, J. Adelaide Bot. Gard. 5: 120 (1982)	
	Euphrasia gunnii Du Rietz = Euphrasia collina subsp. gunnii	3:528
e	Euphrasia hookeri Wettst., Monogr. Euphrasia: 268 (1896)	3:532
	Euphrasia kingii W.M.Curtis = Euphrasia gibbsiae subsp. kingii	3:530
	Euphrasia multicaulis Benth. sensu Hooker (1860) = Euphrasia collina subsp. tetragona	
e	Euphrasia phragmostoma W.R.Barker, J. Adelaide Bot. Gard. 5: 103 (1982)	
	Euphrasia scabra R.Br., Prodr. Fl. Nov. Holland. 437 (1810)	3:531
e	Euphrasia semipicta W.R.Barker, J. Adelaide Bot. Gard. 5: 139 (1982)	
e	Euphrasia striata R.Br., Prodr. Fl. Nov. Holland. 436 (1810)	3:530
	Glossostigma elatinoides (Benth.) Benth. ex Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 189 (1853)	3:518
	Gratiola latifolia R.Br. = Gratiola peruviana	3:517
	Gratiola nana Benth., Prodr. [A. P. de Candolle] 10: 404 (1846)	3:517
	Gratiola peruviana L., Sp. Pl. 1: 17 (1753)	3:517
	Gratiola pubescens R.Br., Prodr. Fl. Nov. Holland. 435 (1810)	3:517
	Gratiola pumilo F.Muell., Linnaea 25: 431 (1853)	
	Hebe elliptica (G.Forst.) Pennell = Veronica elliptica	
i	Kickxia elatine (L.) Dumort. subsp. elatine , Fl. Belg. (Dumortier): 35 (1827)	3:514
n i *	Kickxia spuria (L.) Dumort. subsp. integrifolia (Brot.) R.Fern., Bot. J. Linn. Soc. 64: 74 (1971)	3:514
	Limosella aquatica L. sensu Rodway (1903) = Limosella australis	3:519
	Limosella australis R.Br., Prodr. Fl. Nov. Holland. 443 (1810)	3:519
	Limosella lineata Glück sensu Curtis (1967) = Limosella australis	3:519
	Linaria spuria (L.) Mill. = Kickxia spuria	
i	Linaria vulgaris Mill., Gard. Dict., ed. 8, LIN I (1768)	3:513
	Mazus pumilio R.Br., Prodr. Fl. Nov. Holland. 439 (1810)	3:516
	Mimulus moschatus Douglas ex Lindl. = Erythranthe moschata	3:516
	Mimulus repens R.Br. = Thyridia repens	3:515
e	Ourisia integrifolia R.Br., Prodr. Fl. Nov. Holland. 439 (1810)	3:520
	Parahebe derwentiana (Andrews) B.G.Briggs & Ehrend. = Veronica derwentiana	3:523
i	Parentucellia latifolia (L.) Caruel, Fl. Ital. (Parlatore) 6: 480 (1885)	3:532
i	Parentucellia viscosa (L.) Caruel, Fl. Ital. (Parlatore) 6: 482 (1885)	3:533
	Pygmea ciliolata Hook.f. = Veronica ciliolata subsp. fiordensis	
	Scrophularia aquatica L. sensu Curtis (1967) = Scrophularia auriculata	3:515
i	Scrophularia auriculata L., Sp. Pl. 2: 620 (1753)	3:515
	Thyridia repens (R.Br.) W.R.Barker & Beardsley, Phytoneuron 39: 20 (2012)	
i	Verbascum blattaria L., Sp. Pl. 1: 178 (1753)	3:512
i	Verbascum creticum (L.) Cav., Elench. Pl. Horti Matr. 39 (1803)	3:513
i	Verbascum thapsus L., Sp. Pl. 1: 177 (1753)	3:512
i	Verbascum virgatum Stokes, Bot. Arr. Brit. Pl., ed. 2: 227 (1787)	3:512
	Veronica arguta R.Br. sensu Hooker (1860) – a name of uncertain application	
i	Veronica arvensis L., Sp. Pl. 1: 13 (1753)	3:525
	Veronica calycina R.Br., Prodr. Fl. Nov. Holland. 435 (1810)	3:524
t	Veronica ciliolata (Hook.f.) Cheeseman subsp. fiordensis (Ashwin) Meudt, Austral. Syst. Bot. 21: 413 (2008)	

e	Veronica continua B.G.Briggs, <i>Telopea</i> 11: 278 (2006)	
	Veronica derwentiana Andrews subsp. derwentiana , <i>Bot. Repos</i> 8: t. 531 (1808)	3:523
	<i>Veronica distans</i> R.Br. var. <i>pubescens</i> Benth. = Veronica novae-hollandiae	3:523
i t	Veronica elliptica G.Forst., <i>Fl. Ins. Austr.</i> 3 (1786)	
e	Veronica formosa R.Br., <i>Prodr. Fl. Nov. Holland.</i> 434 (1810)	3:522
	Veronica gracilis R.Br., <i>Prodr. Fl. Nov. Holland.</i> 435 (1810)	3:523
i	Veronica hederifolia L., <i>Sp. Pl.</i> 1: 13 (1753)	3:525
	<i>Veronica labiata</i> R.Br. nom. illeg. = Veronica derwentiana	
	Veronica nivea Lindl., <i>Edwards's Bot. Reg.</i> 28: 42 (1842)	3:523
?i # x	Veronica notabilis F.Muell. ex Benth., <i>Fl. Austral.</i> 4: 511 (1868)	3:524
e	Veronica novae-hollandiae Poir., <i>Encycl. (Lamarck)</i> 8: 526 (1808)	3:523
n	<i>Veronica peregrina</i> L. – previously listed as naturalised but insufficient evidence exists to support this	3:525
i	Veronica persica Poir., <i>Encycl. (Lamarck)</i> 8: 542 (1808)	3:526
	Veronica plebeia R.Br., <i>Prodr. Fl. Nov. Holland.</i> 435 (1810)	3:524
i t	Veronica scutellata L., <i>Sp. Pl.</i> 1: 12 (1753)	
i	Veronica serpyllifolia L., <i>Sp. Pl.</i> 1: 12 (1753)	3:525
SOLANACEAE		FTO 112
	<i>Anthocercis tasmanica</i> (Miers) Hook.f. = Cyphanthera tasmanica	3:509
e	Cyphanthera tasmanica Miers, <i>Ann. Mag. Nat. Hist., Ser. 2</i> , 11: 377 (1853)	3:509
i	Datura ferox L. d, <i>Amoen. Acad., Linnaeus ed.</i> 3: 403 (1756)	3:508
i	Datura stramonium L. d, <i>Sp. Pl.</i> 1: 179 (1753)	3:508
n	<i>Hyoscyamus albus</i> L. – previously listed as naturalised but insufficient evidence exists to support this	3:509
	<i>Hyoscyamus niger</i> L. sensu Curtis (1967) = <i>Hyoscyamus albus</i>	3:509
i	Lycium barbarum L., <i>Sp. Pl.</i> 1: 192 (1753)	
i	Lycium ferocissimum Miers, <i>Ann. Mag. Nat. Hist., Ser.2</i> , 14: 187 (1854)	3:507
i t	Nicotiana rustica L., <i>Sp. Pl.</i> 1: 180 (1753)	
n	<i>Nicotiana sylvestris</i> Speg. & Comes – previously listed as naturalised but insufficient evidence exists to support this	
n i	Physalis peruviana L., <i>Sp. Pl., ed. 2</i> , 2: 1670 (1763)	
i	Salpichroa organifolia (Lam.) Thell., <i>Mem. Soc. Sci. Nat. Math. Cherbourg</i> 38: 452 (1912)	3:506
	<i>Solanum americanum</i> Mill. = Solanum nodiflorum (misapplied in Tasmania)	
	<i>Solanum aviculare</i> G.Forst. sensu Bentham (1868) = Solanum laciniatum (misapplied in Tasmania)	
i t	Solanum dulcamara L., <i>Sp. Pl.</i> 1: 185 (1753)	3:504
i	Solanum furcatum Dunal ex Poir., <i>Encycl. (Lamarck) Suppl.</i> 3: 750 (1814)	3:504
	Solanum laciniatum Aiton, <i>Hortus Kew. (W.Aiton)</i> 1: 247 (1789)	3:505
i	Solanum marginatum L.f., <i>Suppl. Pl.</i> 147 (1782)	3:506
i	Solanum mauritianum Scop., <i>Delic. Fl. Faun. Insubr.</i> 3: 16, t. 8 (1788)	
i	Solanum nigrum L., <i>Sp. Pl.</i> 1: 186 (1753)	3:504
	<i>Solanum nitidibaccatum</i> Bitter = Solanum physalifolium var. nitidibaccatum	3:505
n i *	<i>Solanum nodiflorum</i> Jacq., <i>Collectanea [Jacquin]</i> 2: 288 (1789)	
	Solanum opacum A.Braun & Bouché, <i>Index Seminum Hort. Berol.</i> 8: 18 no.38 (1853)	

i	Solanum physalifolium Rusby var. nitidibaccatum (Bitter) Edmonds, Bot. J. Linn. Soc. 92: 27 (1986)	3:505
i	Solanum pseudocapsicum L., Sp. Pl. 1: 184 (1753) Solanum sarrachoides Sendtn. = Solanum physalifolium var. nitidibaccatum	3:506
n i	Solanum triflorum Nutt., Gen. N. Amer. Pl. [Nuttall] 1: 128 (1818)	
	Solanum vescum F.Muell., Trans. & Proc. Victorian Inst. Advancem. Sci. 1: 69 (1855) Solanum vescum F.Muell. var. <i>dauidii</i> Geras. (a cultivar name.)	3:506
STACKHOUSIACEAE		
	Stackhousia flava Hook. = Stackhousia viminea	1:112
	Stackhousia gunnii Hook.f. sensu Curtis (1956), Curtis and Morris (1975) = Stackhousia subterranea	1:112
	Stackhousia lineariifolia A.Cunn. = Stackhousia monogyna	
	Stackhousia monogyna Labill., Nov. Holl. Pl. 1: 77 t.104 (1805)	1:112
	Stackhousia pulvinaris F.Muell., Trans. Philos. Soc. Victoria 1: 101 (1855)	1:112
	Stackhousia spathulata Sieber ex Spreng., Syst. Veg. (ed. 16) [Sprengel] 4: 124 (1827)	1:112
	Stackhousia subterranea W.R.Barker, J. Adelaide Bot. Gard. 21: 90 (2007)	1:112
	Stackhousia viminea Sm., Cycl. (Rees): 33 (1816)	1:112
STERCULIACEAE		
	Lasiopetalum baueri Steetz, Pl. Preiss. [J.G.C.Lehman] 2: 339 (1848)	1:90
	Lasiopetalum dasyphyllum Sieber ex Steetz = Lasiopetalum macrophyllum	1:89
	Lasiopetalum discolor Hook., Companion Bot. Mag. 1: 276 (1836)	1:89
	Lasiopetalum macrophyllum Graham, Edinburg New Philos. J. 31: 390 (1841)	1:89
e	Lasiopetalum micranthum Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 51 (1855)	1:90
STYLIDIACEAE FTO 127		
	Candollea armeria Labill. = Stylidium armeria	
	Candollea serrulata Labill. = Stylidium graminifolium	
e	Forstera bellidifolia Hook., Icon. Pl. 9: t.851 (1851)	2:395
x	Levenhookia dubia Sond., Pl. Preiss. [J.G.C.Lehman] 1: 392 (1845)	2:395
t	Phyllachne colensoi (Hook.f.) Berggr., Minneskr. Kongl. Fysiogr. Sällsk. Lund 8: 11, t.3 figs.1-27 (1877)	2:396
	Stylidium armeria (Labill.) Labill. subsp. armeria , Nov. Holl. Pl. 2: 66 (1806)	
	Stylidium beaugleholei J.H.Willis, Muellera 1: 153 (1967)	2:394
	Stylidium brachyphyllum Sond. sensu Curtis (1963) = Stylidium beaugleholei	2:394
	Stylidium despectum R.Br., Prodr. Fl. Nov. Holland. 571 (1810)	2:394
	Stylidium dilatatum W.D.Jacks. & R.J.E.Wiltshire = Stylidium armeria subsp. armeria	
	Stylidium graminifolium Sw., Sp. Pl., ed. 4 [Willdenow], 4: 146 (1805)	2:393
	Stylidium inundatum R.Br. sensu Buchanan (2005) = Stylidium beaugleholei	2:394
	Stylidium melastachys R.Br. = Stylidium armeria	
	Stylidium perpusillum Hook.f., London J. Bot. 6: 266 (1847)	2:394
	Stylidium umbellatum (Labill.) Labill. sensu Brown (1810) = Stylidium armeria – a name of uncertain application	
THYMELAEACEAE FTO 89		
i t	Daphne laureola L., Sp. Pl. 1: 356 (1753)	
	Drapetes tasmanicus Hook.f. = Kelleria dieffenbachii	3:625

	Kelleria dieffenbachii (Hook.) Endl., Gen. Pl. [Endlicher] Suppl. 4(2): 61 (1848)	3:625
	Pimelea axiflora F.Muell. ex Meisn. subsp. axiflora , Linnaea 26: 345 (1854)	3:622
	<i>Pimelea cernua</i> R.Br. = Pimelea linifolia	
e	Pimelea cinerea R.Br., Prodr. Fl. Nov. Holland. 361 (1810)	3:619
	Pimelea curviflora R.Br., Prodr. Fl. Nov. Holland. 362 (1810)	3:624
	<i>Pimelea curviflora</i> R.Br. var. <i>gracilis</i> (R.Br.) Threlfall = Pimelea curviflora	3:624
	<i>Pimelea curviflora</i> R.Br. var. <i>sericea</i> Benth. = Pimelea curviflora	3:624
	Pimelea drupacea Labill., Nov. Holl. Pl. 1: 10 (1805)	3:622
e	Pimelea filiformis Hook.f., London J. Bot. 6: 280 (1847)	3:622
	Pimelea flava R.Br. subsp. flava , Prodr. Fl. Nov. Holland. 361 (1810)	3:623
n	<i>Pimelea</i> sp. Freycinet (A.M.Buchanan 15902) Tas Herbarium = Pimelea leiophylla	
	Pimelea glauca R.Br., Prodr. Fl. Nov. Holland. 360 (1810)	3:619
	<i>Pimelea gracilis</i> R.Br. sensu Hooker (1860) = Pimelea curviflora	
	<i>Pimelea gunnii</i> Hook.f. = Pimelea cinerea	
	Pimelea humilis R.Br., Prodr. Fl. Nov. Holland. 361 (1810)	3:620
	<i>Pimelea incana</i> R.Br. = Pimelea nivea	
n e	Pimelea leiophylla A.M.Gray & M.Baker, Muelleria 35: 16 (2016)	
	Pimelea ligustrina Labill. subsp. ligustrina , Nov. Holl. Pl. 1: 9, f.3 (1805)	
	<i>Pimelea lindleyana</i> Meisn. = Pimelea linifolia	3:620
	Pimelea linifolia Sm., Spec. Bot. New Holland 31, t.11 (1793)	3:620
	<i>Pimelea linifolia</i> Sm. subsp. <i>linifolia</i> = Pimelea linifolia	
	<i>Pimelea linifolia</i> Sm. subsp. <i>linoides</i> (A.Cunn.) Threlfall = Pimelea linifolia	
	Pimelea micrantha F.Muell. ex Meisn., Linnaea 26: 351 (1854)	3:624
e	Pimelea milliganii Meisn., Prodr. [A. P. de Candolle] 14: 509 (1857)	3:619
e	Pimelea nivea Labill., Nov. Holl. Pl. 1: 10 (1805)	3:621
	Pimelea pauciflora R.Br., Prodr. Fl. Nov. Holland. 360 (1810)	3:622
	<i>Pimelea phycoides</i> Meisn. sensu Rye (1990) probably recorded in error	
e	Pimelea pygmaea F.Muell. & C.Stuart ex Meisn., Linnaea 26: 346 (1853)	3:623
e	Pimelea sericea R.Br., Prodr. Fl. Nov. Holland. 361 (1810)	3:621
	Pimelea serpyllifolia R.Br. subsp. serpyllifolia , Prodr. Fl. Nov. Holland. 360 (1810)	3:623
	<i>Pimelea spatulata</i> Labill. = Pimelea linifolia	
	<i>Pimelea stricta</i> Meisn. sensu Curtis (1967) = Pimelea linifolia	3:624
	Pimelea sp. Tunbridge (A.Moscal 9026) Tas Herbarium	
TREMANDRACEAE		FTO 71
	Tetradthea ciliata Lindl., Three Exped. Australia [Mitchell] 2: 205 (1838)	1:60
e	Tetradthea sp. Flinders Is. (T.Rudman HO510551) Tas Herbarium	
e	Tetradthea sp. Freycinet Pen. (A.C.Rozefelds 323) Tas Herbarium	
	<i>Tetradthea glandulosa</i> Labill. = Tetradthea labillardierei	1:60
e	Tetradthea gunnii Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.). 1: 36, t.7B (1855)	
	Tetradthea labillardierei Joy Thomps., Telopea 1: 189 (1976)	1:60
	Tetradthea pilosa Labill. subsp. latifolia Joy Thomps., Telopea 1: 213 (1976)	
	Tetradthea pilosa Labill. subsp. pilosa , Nov. Holl. Pl. 1: 95, t.122 (1805)	1:60
	<i>Tetradthea pilosa</i> Labill. var. <i>procumbens</i> = Tetradthea procumbens	
	Tetradthea procumbens Gunn ex Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 35, t.7A (1855)	1:61

	TROPAEOLACEAE	FTO 82
i	Tropaeolum majus L., Sp. Pl. 1: 345 (1753)	
	ULMACEAE	FTO 63
i	Ulmus × hollandica Mill., Gard. Dict., ed. 8, 5 (1768)	3:642
	URTICACEAE	FTO 64
	Australina muelleri Wedd. = Australina pusilla subsp. muelleri	3:641
	Australina pusilla (Poir.) Gaudich. subsp. muelleri (Wedd.) Friis & Wilmot-Dear, Nordic. J. Bot. 7: 126 (1987)	3:641
	Australina pusilla (Poir.) Gaudich. subsp. pusilla , Voy. Bonite, Bot. 3: t. 114A (1852)	3:641
	Helxine soleirolii Req. sensu Curtis (1967) = Soleirolia soleirolii	3:640
	Parietaria cardiostegia Greuter, Fl. Australia 3: 190 (1989)	
	Parietaria debilis G.Forst., Fl. Ins. Austr. 73 (1786)	3:640
n i *	Parietaria judaica L., Sp. Pl., ed. 2, 2: 1492 (1763)	
i	Soleirolia soleirolii (Req.) Dandy, Feddes Repert. 70: 4 (1965)	3:640
	Urtica incisa Poir., Encycl. (Lamarck) Suppl. 4: 224 (1816)	3:639
i	Urtica urens L., Sp. Pl. 2: 984 (1753)	3:639
	VALERIANACEAE	FTO 135
i	Centranthus ruber (L.) DC., Fl. Franc. (DC. & Lamarck), ed. 3, 4(2): 239 (1805)	2:278
i	Valerianella eriocarpa Desv., J. Bot. (Desvaux) 2: 314, t. 11 fig. 2 (1809)	2:278
i	Valerianella locusta (L.) Laterr., Fl. Bordel., ed. 2, 93 (1821)	
i t	Valerianella rimosa Bastard, J. Bot. Agric. 3: 20 (1814)	
	VERBENACEAE	
i	Verbena bonariensis L., Sp. Pl. 1: 20 (1753)	
	Verbena incompta P.W.Michael = Verbena bonariensis	
i	Verbena officinalis L., Sp. Pl. 1: 20 (1753)	3:541
	VIOLACEAE	FTO 79
	Hymenanchera angustifolia R.Br. = Melicytus angustifolius	
	Hymenanchera banksii F.Muell. nom. illeg., nom. superfl. = Melicytus dentatus	
	Hymenanchera dentata R.Br. ex DC. sensu Curtis & Morris (1975) = Melicytus dentatus and M. angustifolius	1:55
e	Melicytus angustifolius (DC.) Garn.-Jones subsp. angustifolius , New Zealand J. Bot. 25: 127 (1987)	
	Melicytus angustifolius (DC.) Garn.-Jones subsp. divaricatus Stajsic & R.Douglas, Austral. Syst. Bot. 27: 320 (2014)	
	Melicytus dentatus (R.Br. ex DC.) Molloy & Mabb., Curtis's Bot. Mag. 17: 234 (2000)	1:55
i	Viola arvensis Murray, Prodr. Stirp. Gott. 73 (1770)	1:55
	Viola betonicifolia Sm. subsp. betonicifolia , Cycl. (Rees) 37: no.7 (1817)	1:54
	Viola caleyana G.Don, Gen. Hist. 1: 329 (1831)	1:55
	Viola cleistogamoides (L.G.Adams) Seppelt, Fl. S. Australia, ed. 4, 2: 870 (1986)	
t	Viola cunninghamii Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 16 (1852)	1:54
	Viola fuscoviolacea (L.G.Adams) T.A.James, Muellera 9: 35 (1996)	
	Viola hederacea Labill. subsp. cleistogamoides L.G.Adams = Viola cleistogamoides	
e	Viola hederacea Labill. subsp. curtisiae L.G.Adams, Fl. Australia 8: 386 (1982)	
	Viola hederacea Labill. subsp. fuscoviolacea L.G.Adams = Viola fuscoviolacea	
	Viola hederacea Labill. subsp. hederacea , Nov. Holl. Pl. 1: 66, t.91 (1805)	1:54

i	Viola odorata L., Sp. Pl. 2: 934 (1753)	
	Viola sieberiana Spreng., Syst. Veg. (ed. 16) [Sprengel] 4(2): 96 (1827)	1:54
WINTERACEAE		FTO 2
	<i>Drimys aromatica</i> (R.Br. ex DC.) F.Muell. = Tasmannia lanceolata	
	<i>Drimys lanceolata</i> (Poir.) Baill. = Tasmannia lanceolata	1:25
	<i>Tasmannia aromatica</i> R.Br. ex DC. = Tasmannia lanceolata	
	Tasmannia lanceolata (Poir.) A.C.Sm., Taxon 18: 287 (1969)	1:25
ZYGOPHYLLACEAE		FTO 58
	<i>Roepera billardierei</i> A.Juss. sensu Hooker (1860) = Zygophyllum billardierei	
	<i>Roepera latifolia</i> Hook.f. sensu Hooker (1860) recorded in error	
	<i>Zygophyllum apiculatum</i> F.Muell. sensu Curtis (1975) recorded in error	1:93
	Zygophyllum billardierei DC., Prodr. [A. P. de Candolle] 1: 705 (1824)	1:93

MONOCOTYLEDONEAE

AGAVACEAE

i	Agave americana L., Sp. Pl. 1: 323 (1753)	
i	Cordyline australis (G.Forst.) Endl., Prodr. Fl. Norfolk. 29 (1833)	
i	Phormium tenax J.R.Forst. & G.Forst., Char. Gen. Pl. 48, t.24 (1775)	4b:418

ALISMATACEAE

i	Alisma lanceolatum With., Arr. Brit. Pl., ed. 3, 2: 362 (1796)	
i	Alisma plantago-aquatica L., Sp. Pl. 1: 342 (1753)	4b:4
	<i>Damasonium australe</i> Salisb. = Damasonium minus	4b:6
	Damasonium minus (R.Br.) Buchenau, Abh. Naturwiss. Vereins Bremen 2: 20 (1869)	4b:6

ALOEACEAE

i	Aloe maculata All., Auct. Syn. Meth. Stirp. Hort. Regii Taur. 13 (1773)	
	<i>Aloe saponaria</i> (Aiton) Haw. = Aloe maculata	
n i	Kniphofia uvaria (L.) Oken, Allg. Naturgesch. 3: 566 (1841)	

APONOGETONACEAE

i	Aponogeton distachyos L.f., Suppl. Pl. 215 (1782)	4b:13
---	--	-------

ARACEAE

i	Zantedeschia aethiopica (L.) Spreng., Sys. Veg. (ed. 16) [Sprengel] 3: 765 (1826)	4b:30
---	--	-------

BURMANNIACEAE

	Thismia rodwayi F.Muell., Vict. Naturalist 7: 115 (1890)	4b:423
--	---	--------

CENTROLEPIDACEAE

	<i>Alepyrum monogynum</i> Hook.f. = Centrolepis monogyna	
	<i>Alepyrum muelleri</i> Hook.f. = Centrolepis glabra	
	<i>Alepyrum muscoides</i> Hook.f. = Centrolepis muscoides	
	<i>Alepyrum polygynum</i> R.Br. sensu Hooker (1860) = Centrolepis polygyna	
	Aphelia gracilis Sond., Linnaea 28: 227 (1856)	4b:49
	<i>Aphelia gunnii</i> Hook.f. = Aphelia gracilis	

	Aphelia pumilio F.Muell. ex Sond., Linnaea 28: 226 (1856)	4b:49
	Centrolepis aristata (R.Br.) Roem. & Schult., Syst. Veg., ed. 15 bis [Roemer & Schultes] 1: 44 (1817)	4b:54
	Centrolepis fascicularis Labill., Nov. Holl. Pl. 1: 7, t.1 (1804)	4b:55
	Centrolepis glabra (F.Muell. ex Sond.) Hieron., Abh. Naturf. Ges. Halle 12: 209 (1873)	4b:52
e	Centrolepis monogyna (Hook.f.) Benth., Fl. Austral. 7: 205 (1878)	4b:53
	Centrolepis monogyna (Hook.f.) Benth. subsp. paludicola (W.M.Curtis) D.A.Cooke =	
	Centrolepis monogyna	4b:53
e	Centrolepis muscoides (Hook.f.) Hieron., Abh. Naturf. Ges. Halle 12: 209 (1873)	4b:53
	Centrolepis paludicola W.M.Curtis = Centrolepis monogyna	4b:53
e	Centrolepis pedderensis W.M.Curtis, Brunonia 7: 299 (1984)	4b:53
	Centrolepis polygyna (R.Br.) Hieron., Abh. Naturf. Ges. Halle 12: 210 (1873)	4b:51
	Centrolepis pulvinata (R.Br.) Roem. & Schult. = Centrolepis strigosa subsp. pulvinata	4b:55
e	Centrolepis strigosa (R.Br.) Roem. & Schult. subsp. pulvinata (R.Br.) D.A.Cooke, J. Adelaide Bot. Gard. 15: 28 (1992)	4b:55
	Centrolepis strigosa (R.Br.) Roem. & Schult. subsp. strigosa , Syst. Veg., ed. 15 bis [Roemer & Schultes] 1: 43 (1817)	4b:55
	Centrolepis tenuior (R.Br.) Roem. & Schult. sensu Hooker (1860) = Centrolepis strigosa subsp. strigosa	
	Devauxia billardierei R.Br. = Centrolepis fascicularis	
	Devauxia pulvinata R.Br. = Centrolepis strigosa subsp. pulvinata	
	Devauxia tenuior R.Br. = Centrolepis strigosa subsp. strigosa	
e	Gaimardia amblyphylla W.M.Curtis, Brunonia 7: 299 (1984)	4b:57
e	Gaimardia fitzgeraldii F.Muell. & Rodway, Pap. & Proc. Roy. Soc. Tasmania 1894-5: 55 (1896)	4b:57
t	Gaimardia setacea Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 267 (1853)	4b:57
COMMELINACEAE		
	Tradescantia albiflora Kunth = Tradescantia fluminensis	4b:36
i	Tradescantia fluminensis Vell., Fl. Flumin. 140 (1829)	4b:36
CYMODOCEACEAE		
	Amphibolis antarctica (Labill.) Sond. & Asch. ex Asch., Linnaea 35: 164 (1867)	4b:27
	Cymodocea antarctica (Labill.) Endl. ex Kunth = Amphibolis antarctica	4b:27
CYPERACEAE		
	Baumea acuta (Labill.) Palla, Allg. Bot. Z. Syst. 8: 69 (1902)	4b:131
	Baumea arthropphylla (Nees) Boeckeler, Linnaea 38: 242 (1874)	4b:129
	Baumea articulata (R.Br.) S.T.Blake, Contr. Queensland Herb. 8: 28 (1969)	4b:128
	Baumea gunnii (Hook.f.) S.T.Blake, Contr. Queensland Herb. 8: 27 (1969)	4b:130
	Baumea juncea (R.Br.) Palla, Allg. Bot. Z. Syst. 15: 113 (1909)	4b:129
?i	Baumea planifolia (Benth.) K.L.Wilson, Telopea 5: 589 (1994)	
	Baumea rubiginosa (Spreng.) Boeckeler, Linnaea 38: 241 (1874)	4b:129
	Baumea tetragona (Labill.) S.T.Blake, Contr. Queensland Herb. 8: 30 (1969)	4b:131
	Bolboschoenus caldwellii (V.J.Cook) Soják, Cas. Nár. Mus., Odd. Prír. 141: 62 (1972)	4b:92
	Bolboschoenus medianus (V.J.Cook) Soják, Cas. Nár. Mus., Odd. Prír. 141: 63 (1972)	4b:93
	Carex acicularis Boott sensu Rodway (1903) = Carex archeri	4b:148
	Carex albula Allan sensu Curtis & Morris (1994) recorded in error	4b:164

e	Carex sp. Algonkian Rivulet (S.J.Jarman HOI 10282) Tas Herbarium	4b:163
	Carex appressa R.Br., Prodr. Fl. Nov. Holland. 242 (1810)	4b:152
	<i>Carex appressa</i> R.Br. f. minor Kük. = Carex appressa	4b:152
	<i>Carex appressa</i> R.Br. var. <i>virgata</i> (Boott) Kük. = Carex appressa	4b:153
	Carex archeri Boott, Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 98 (1858)	4b:148
e	Carex barbata Boott, Ill. Gen. Carex 1: 68, t.187 (1858)	4b:160
	Carex bichenoviana Boott, Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 101 (1858)	4b:167
	Carex breviculmis R.Br., Prodr. Fl. Nov. Holland. 242 (1810)	4b:158
n i *	<i>Carex buxbaumii</i> Wahlenb., Kongl. Vetensk. Acad. Nya Handl. 24: 163 (1803)	
	<i>Carex caespitosa</i> L. sensu Brown (1810) = Carex gaudichaudiana	
	<i>Carex canescens</i> L. = Carex curta	4b:155
	Carex capillacea Boott, Ill. Gen. Carex 1: 44, t.110 (1858)	4b:148
e	Carex cataractae R.Br., Prodr. Fl. Nov. Holland. 242 (1810)	4b:162
	Carex cephalotes F.Muell., Trans. Philos. Soc. Victoria 1: 110 (1855)	4b:149
	Carex chlorantha R.Br., Prodr. Fl. Nov. Holland. 242 (1810)	4b:149
	<i>Carex</i> aff. <i>cirrhosa</i> Berggr. sensu Curtis & Morris (1994) = Carex sp. Algonkian Rivulet (S.J.Jarman HOI 10282) Tas Herbarium	4b:163
	Carex curta Gooden., Trans. Linn. Soc. London 2: 145 (1794)	4b:155
i t	Carex demissa Hornem., Fl. Dan., 7(21): 4, t.1342 (1806)	4b:161
	<i>Carex</i> aff. <i>diandra</i> Schrank sensu Curtis & Morris (1994) = Carex sp. Western Tasmania (A.Moscal 7489) Tas Herbarium	4b:150
i	Carex divisa Huds., Fl. Angl. (Hudson): 348 (1762)	4b:149
i	Carex divulsa Stokes, Bot. Arr. Brit. Pl., ed. 2. 2: 1035 (1787)	4b:150
	Carex fascicularis Sol. ex Boott, Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 283 (1853)	4b:166
i	Carex flacca Schreb., Spicil. Fl. Lips. 178 (1771)	4b:157
i t	Carex flagellifera Colenso, Trans. & Proc. New Zealand Inst. 16: 342 (1884)	4b:163
	<i>Carex flava</i> L. sensu Rodway (1903) = Carex cataractae , C. demissa , C. flaviformis & C. lepidocarpa	
t	Carex flaviformis Nelves, Kew Bull. 10: 84 (1955)	4b:162
	Carex gaudichaudiana Kunth, Enum. Pl. [Kunth] 2: 417 (1837)	4b:156
	Carex gunniana Boott, Proc. Linn. Soc. London 1: 258 (1845)	4b:160
	Carex hypandra F.Muell. ex Benth., Fl. Austral. 7: 439 (1878)	4b:157
	Carex inversa R.Br., Prodr. Fl. Nov. Holland. 242 (1810)	4b:153
	Carex iynx Nelves, Proc. Linn. Soc. London 155: 279 (1944)	4b:159
i t	Carex lepidocarpa Tausch, Flora 17: 179 (1834)	4b:161
i	Carex leporina L., Sp. Pl. 2: 973 (1753)	4b:155
	<i>Carex littorea</i> Labill. = Carex pumila	
	Carex longebrachiata Boeckeler, Linnaea 41: 282 (1877)	4b:158
	<i>Carex longifolia</i> R.Br. sensu Rodway (1903) = Carex iynx & C. longebrachiata	
	<i>Carex ovalis</i> Gooden. = Carex leporina	
	<i>Carex paniculata</i> L. sensu Rodway (1903) = Carex appressa	4b:152
n i * t	<i>Carex pilulifera</i> L., Sp. Pl. 2: 976 (1753)	
	Carex polyantha F.Muell., Trans. Philos. Soc. Victoria 1: 110 (1855)	4b:156
	<i>Carex pseudocyperus</i> L. sensu Rodway (1903) = Carex fascicularis	4b:166
	Carex pumila Thunb. ex Murray, Syst. Veg., ed. 14 (J. A. Murray). 846 (1784)	4b:166

	Carex raleighii Nelves, Bull. Misc. Inform. Kew 1939: 310 (1939)	4b:154
n i *	<i>Carex scoparia</i> Schkuhr ex Willd., Sp. Pl., ed. 4 [Willdenow], 4: 230 (1805)	4b:154
	Carex tasmanica Kük., Bull. Herb. Boissier 4: 59 (1904)	4b:165
	Carex tereticaulis F.Muell., Fragm. (Mueller) 8: 256 (1874)	4b:151
n	<i>Carex testacea</i> Sol. ex Boott – previously listed as naturalised but insufficient evidence exists to support this	4b:164
	<i>Carex virgata</i> Sol. ex Boott = Carex appressa	4b:153
	<i>Carex vulgaris</i> Fr. sensu Rodway (1903) = Carex gaudichaudiana	4b:156
e	Carex sp. Western Tasmania (A.Moscal 7489) Tas Herbarium	4b:150
	Carpha alpina R.Br., Prodr. Fl. Nov. Holland. 230 (1810)	4b:87
e	Carpha curvata W.M.Curtis, Brunonia 7: 303 (1985)	4b:88
e	Carpha rodwayi W.M.Curtis, Brunonia 7: 302 (1985)	4b:88
	Caustis pentandra R.Br., Prodr. Fl. Nov. Holland. 240 (1810)	4b:137
	<i>Chaetospora axillaris</i> R.Br. sensu Hooker (1860) = Schoenus maschalinus	
	<i>Chaetospora capillacea</i> Hook.f. nom. illeg. = Tetraria capillaris	
	<i>Chaetospora imberbis</i> R.Br. sensu Hooker (1860) = Schoenus apogon	
	<i>Chaetospora nitens</i> R.Br. = Schoenus nitens	
	<i>Chaetospora tenuissima</i> Hook.f. nom. illeg. = Schoenus lepidosperma	
	Chorizandra australis K.L.Wilson, Telopea 5: 594 (1994)	4b:138
	<i>Chorizandra cymbaria</i> R.Br. sensu Rodway (1903) = Chorizandra australis	4b:138
	Chorizandra enodis Nees, Pl. Preiss. [J.G.C.Lehman] 2: 73 (1846)	4b:138
	<i>Cladium acutum</i> (Labill.) Poir. = Baumea acuta	
	<i>Cladium filum</i> (Labill.) R.Br. = Gahnia filum	4b:136
	<i>Cladium glomeratum</i> R.Br. sensu Rodway (1903) = Baumea rubiginosa	4b:129
	<i>Cladium gunnii</i> Hook.f. = Baumea gunnii	4b:130
	<i>Cladium junceum</i> R.Br. = Baumea juncea	4b:129
	<i>Cladium laxiflorum</i> Hook.f. = Baumea gunnii	
	<i>Cladium mariscus</i> (L.) R.Br. recorded in error	
n ?i #	Cladium procerum S.T.Blake, Trans. Roy. Soc. South Australia 67: 57 (1943)	4b:428
	<i>Cladium schoenoides</i> R.Br. = Baumea acuta	4b:131
	<i>Cladium tetraquetrum</i> Hook.f. = Baumea tetragona	4b:131
i	Cyperus congestus Vahl, Enum. Pl. [Vahl] 2: 358 (1805)	4b:91
i	Cyperus eragrostis Lam., Tabl. Encycl. 1: 146 (1791)	4b:90
	Cyperus gunnii Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 80, t.140, fig.A (1858)	4b:91
	Cyperus lucidus R.Br., Prodr. Fl. Nov. Holland. 218 (1810)	4b:91
	<i>Cyperus sanguineo-fuscus</i> Nees sensu Hooker (1860) = Cyperus lucidus	
?i #	Cyperus sanguinolentus Vahl, Enum. Pl. [Vahl] 2: 351 (1805)	4b:90
	<i>Cyperus tenellus</i> L.f. = Isolepis levynsiana	4b:90
	<i>Eleocharis acicularis</i> (L.) Roem. & Schult. sensu Rodway (1903) = Eleocharis pusilla	4b:108
	Eleocharis acuta R.Br., Prodr. Fl. Nov. Holland. 224 (1810)	4b:107
	Eleocharis gracilis R.Br., Prodr. Fl. Nov. Holland. 224 (1810)	4b:107
	Eleocharis pusilla R.Br., Prodr. Fl. Nov. Holland. 225 (1810)	4b:108
	Eleocharis sphacelata R.Br., Prodr. Fl. Nov. Holland. 224 (1810)	4b:107
	<i>Elynanthus capillaceus</i> Benth. = Tetraria capillaris	4b:132
	Ficinia nodosa (Rottb.) Goetgh., Muasya & D.A.Simpson, Novon 10: 133 (2000)	4b:105

	Gahnia filum (Labill.) F.Muell., Key to the System of Victorian Plants 1: 456 (1888)	4b:136
	Gahnia fitzgeraldii Rodway = Gahnia microstachya	4b:134
	Gahnia graminifolia Rodway = Gahnia rodwayi	4b:134
	Gahnia grandis (Labill.) S.T.Blake, Contr. Queensland Herb. 8: 33 (1969)	4b:135
	Gahnia melanocarpa R.Br. sensu Buchanan et al. (1989) = Gahnia grandis (misapplied in Tasmania)	
	Gahnia microstachya Benth., Fl. Austral. 7: 414 (1878)	4b:134
	Gahnia psittacorum Labill. = Gahnia grandis	4b:135
	Gahnia radula (R.Br.) Benth., Fl. Austral. 7: 417 (1878)	4b:135
e	Gahnia rodwayi F.Muell. ex Rodway, Pap. & Proc. Roy. Soc. Tasmania 1892: 93 (1893)	4b:134
	Gahnia sieberiana Kunth, Enum. Pl. [Kunth] 2: 332 (1837)	4b:135
	Gahnia trifida Labill., Nov. Holl. Pl. 1: 89, t.116 (1805)	4b:136
	Gymnoschoenus sphaerocephalus (R.Br.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 83, t.142 (1858)	4b:119
	Isolepis alpina Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 86, t.143, fig.B (1858)	4b:103
	Isolepis aucklandica Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 88 (1844), pl.50 (1845)	4b:102
	Isolepis cartilaginea R.Br. = Isolepis marginata	
	Isolepis cernua (Vahl) Roem. & Schult., Syst. Veg., ed. 15 bis [Roemer & Schultes] 2: 106 (1817)	4b:99
	Isolepis crassiuscula Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 86, t.143, fig.A (1858)	4b:98
	Isolepis fluitans (L.) R.Br., Prodr. Fl. Nov. Holland. 221 (1810)	4b:98
	Isolepis habra (Edgar) Soják, Casopsis Narodniho Muzea v Praze 148: 194 (1980)	4b:101
	Isolepis hookeriana Boeckeler, Flora 41: 418 (1858)	4b:104
n i	Isolepis hystrix (Thunb.) Nees, Linnaea 7: 496 (1832)	
	Isolepis inundata R.Br., Prodr. Fl. Nov. Holland. 222 (1810)	4b:100
	Isolepis lenticularis R.Br. sensu Hooker (1860) = Isolepis fluitans	
?i	Isolepis levynsiana Muasya & D.A.Simpson, Novon 17: 59 (2007)	4b:90
e	Isolepis limbata W.M.Curtis, Brunonia 7: 300 (1985)	4b:103
	Isolepis marginata (Thunb.) A.Dietr., Sp. Pl., ed. 6. 1(2): 110 (1832)	4b:104
	Isolepis montivaga (S.T.Blake) K.L.Wilson, Telopea 2: 168 (1981)	4b:103
	Isolepis nodosa (Rottb.) R.Br. = Ficinia nodosa	4b:105
	Isolepis platycarpa (S.T.Blake) Soják, Cas. Nár. Muz. Praze, Rada Prír. 148: 194 (1980)	4b:99
	Isolepis producta (C.B.Clarke) K.L.Wilson, Telopea 2: 168 (1981)	4b:98
i	Isolepis prolifera (Rottb.) R.Br., Prodr. Fl. Nov. Holland. 223 (1810)	
	Isolepis riparia R.Br. sensu Hooker (1860) = Isolepis cernua	
	Isolepis saviana Schult. nom. illeg. sensu Hooker (1860) – a name of uncertain application	
i t	Isolepis setacea (L.) R.Br., Prodr. Fl. Nov. Holland. 222 (1810)	4b:105
	Isolepis stellata (C.B.Clarke) K.L.Wilson, Telopea 2: 169 (1981)	4b:104
	Isolepis subtilissima Boeckeler, Flora 41: 416 (1858)	4b:101
e	Isolepis tasmanica (S.T.Blake) K.L.Wilson, Telopea 2: 170 (1981)	4b:102
	Isolepis wakefieldiana (S.T.Blake) K.L.Wilson, Telopea 2: 170 (1981)	4b:100
	Lampocarya hexandra R.Br. = Gahnia trifida	
	Lepidosperma angustifolia Hook.f. sensu Hooker (1860) = Lepidosperma laterale	
	Lepidosperma concavum R.Br., Prodr. Fl. Nov. Holland. 234 (1810)	4b:126
	Lepidosperma curtisiae K.L.Wilson & D.I.Morris, Telopea 5: 423 (1993)	4b:123
	Lepidosperma elatior Labill. orth. var. sensu Rodway (1903) = Lepidosperma elatius	4b:124

	Lepidosperma elatius Labill., Nov. Holl. Pl. 1: 15, t.11 (1805)	4b:124
	Lepidosperma elatius Labill. var. ensiforme Rodway = Lepidosperma ensiforme	4b:125
	Lepidosperma elatius Labill. var. oldfieldii (Hook.f.) Rodway = Lepidosperma oldfieldii	4b:125
	Lepidosperma ensiforme (Rodway) D.I.Morris, The Student's Flora of Tasmania 4b: 425 (1994)	4b:125
	Lepidosperma falcatum Rodway = Lepidosperma tortuosum	
	Lepidosperma filiforme Labill., Nov. Holl. Pl. 1: 17, t.15 (1805)	4b:121
	Lepidosperma forsythii A.A.Ham., Proc. Linn. Soc. New South Wales 35: 411 (1910)	4b:122
	Lepidosperma gladiatum Labill., Nov. Holl. Pl. 1: 15, t.12 (1805)	4b:125
e	Lepidosperma globosum Labill., Nov. Holl. Pl. 1: 16, t.14 (1805)	4b:123
	Lepidosperma gunnii Boeckeler, Linnaea 38: 325 (1874)	4b:123
e	Lepidosperma inops F.Muell. ex Rodway, Pap. & Proc. Roy. Soc. Tasmania 1892: 93 (1893)	4b:122
	Lepidosperma laterale R.Br., Prodr. Fl. Nov. Holland. 234 (1810)	4b:124
	Lepidosperma lineare R.Br. sensu Rodway (1903) = Lepidosperma gunnii	4b:123
	Lepidosperma lineare R.Br. var. inops (F.Muell. ex Rodway) Rodway = Lepidosperma inops	4b:122
	Lepidosperma longitudinale Labill., Nov. Holl. Pl. 1: 16, t.13 (1805)	4b:124
e	Lepidosperma monticola G.T.Plunkett & J.J.Bruhl, Phytokeys 28: 26 (2013)	
	Lepidosperma neesii Kunth, Enum. Pl. [Kunth] 2: 319 (1837)	4b:127
e	Lepidosperma oldfieldii Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 91, t.146A (1858)	4b:125
	Lepidosperma squamata Labill. sensu Rodway (1903) = Lepidosperma concavum	4b:126
	Lepidosperma tetragonum Labill. sensu Brown (1810) = Baumea tetragona	
	Lepidosperma tortuosum F.Muell., Fragm. (Mueller) 9: 23 (1875)	4b:121
	Lepidosperma viscidum R.Br., Prodr. Fl. Nov. Holland. 234 (1810)	4b:126
	Mesomelaena sphaerocephala (R.Br.) Benth. = Gymnoschoenus sphaerocephalus	4b:119
e	Oreobolus acutifolius S.T.Blake, Contr. Queensland Herb. 8: 39 (1969)	4b:109
	Oreobolus distichus F.Muell., Trans. Philos. Soc. Victoria 1: 109 (1855)	4b:109
e	Oreobolus oligocephalus W.M.Curtis, Brunonia 7: 301 (1985)	4b:110
e	Oreobolus oxycarpus S.T.Blake subsp. brownii Seberg, Bot. J. Linn. Soc. 96: 178 (1988)	4b:110
	Oreobolus pumilio R.Br. subsp. pumilio , Prodr. Fl. Nov. Holland. 236 (1810)	4b:109
e	Oreobolus tholicarpus D.I.Morris, Muelleria 15: 28 (2001)	
	Schoenoides oligocephalus (W.M.Curtis) Seberg = Oreobolus oligocephalus	4b:110
	Schoenoplectus pungens (Vahl) Palla, Bot. Jahrb. Syst. 10: 299 (1888)	4b:94
	Schoenoplectus tabernaemontani (C.C.Gmel.) Palla, Bot. Jahrb. Syst. 10: 299 (1888)	4b:95
	Schoenoplectus validus (Vahl) Á.Löve & D.Löve = Schoenoplectus tabernaemontani	4b:95
e	Schoenus absconditus Kük., Repert. Spec. Nov. Regni Veg. 44: 99 (1938)	4b:117
	Schoenus acutus Labill. = Baumea acuta	
	Schoenus apogon Roem. & Schult., Syst. Veg., ed. 15 bis [Roemer & Schultes] 2: 77 (1817)	4b:114
	Schoenus axillaris (R.Br.) Poir. = Schoenus maschalinus	4b:116
e	Schoenus biglumis Kük., Repert. Spec. Nov. Regni Veg. 44: 164 (1938)	4b:118
	Schoenus brevifolius R.Br., Prodr. Fl. Nov. Holland. 231 (1810)	4b:113
	Schoenus brownii Hook.f. = Schoenus apogon	4b:114
	Schoenus calyptratus Kük., Repert. Spec. Nov. Regni Veg. 48: 248 (1940)	4b:117
	Schoenus carsei Cheeseman, Man. New Zealand Fl. 781 (1906)	4b:113
	Schoenus filum Labill. = Gahnia filum	
	Schoenus fluitans Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 81 (1858)	4b:114

	Schoenus latelaminatus Kük., Repert. Spec. Nov. Regni Veg. 44: 88 (1938)	4b:116
	Schoenus lepidosperma (F.Muell.) K.L.Wilson subsp. lepidosperma , Telopea 5: 619 (1994)	4b:114
	Schoenus maschalinus Roem. & Schult., Syst. Veg., ed. 15 bis [Roemer & Schultes] 2: 77 (1817)	4b:116
	Schoenus nitens (R.Br.) Poir., Encycl. (Lamarck) Suppl. 2: 252 (1812)	4b:118
e	Schoenus pygmaeus S.T.Blake, Contr. Queensland Herb. 8: 41 (1969)	4b:116
	<i>Schoenus tenuissimus</i> (Hook.f.) Benth. sensu Rodway (1903), Curtis & Morris (1994) =	
	Schoenus lepidosperma subsp. lepidosperma	4b:114
	Schoenus tesquorum J.M.Black, Fl. S. Austral. [J.M. Black] 1: 90 (1922)	4b:115
	Schoenus turbinatus (R.Br.) Poir., Encycl. (Lamarck) Suppl. 2: 251 (1811)	4b:118
	<i>Scirpus americanus</i> Pers. sensu Willis (1970) = Schoenoplectus pungens	4b:94
	<i>Scirpus antarcticus</i> L. sensu Willis (1970) = Isolepis marginata	4b:104
	<i>Scirpus aucklandicus</i> (Hook.f.) Boeckeler = Isolepis aucklandica	4b:102
	<i>Scirpus caldwelii</i> V.J.Cook = Bolboschoenus caldwelii	4b:92
	<i>Scirpus cartilagineus</i> (R.Br.) Poir. = Isolepis marginata	4b:104
	<i>Scirpus cartilagineus</i> (R.Br.) Spreng. var. <i>propinqua</i> (Nees) Benth. = Isolepis inundata	
	<i>Scirpus cernuus</i> Vahl = Isolepis cernua	4b:99
	<i>Scirpus crassiusculus</i> (Hook.f.) Benth. = Isolepis crassiuscula	4b:98
	<i>Scirpus fluitans</i> L. = Isolepis fluitans	4b:98
	<i>Scirpus fluviatilis</i> (Torr.) A.Gray sensu Willis (1970) = Bolboschoenus medianus	4b:93
	<i>Scirpus hookerianus</i> (Boeckeler) S.T.Blake = Isolepis hookeriana	4b:104
	<i>Scirpus inundatus</i> (R.Br.) Poir. = Isolepis inundata	4b:100
	<i>Scirpus lacustris</i> L. sensu Rodway (1903) = Schoenoplectus tabernaemontani	4b:95
	<i>Scirpus lenticularis</i> (R.Br.) Poir. sensu Rodway (1903) = Isolepis fluitans	4b:98
	<i>Scirpus maritimus</i> L. sensu Rodway (1903) = Bolboschoenus caldwelii	4b:92
	<i>Scirpus montivagus</i> S.T.Blake = Isolepis montivaga	4b:103
	<i>Scirpus nodosus</i> Rottb. = Ficinia nodosa	4b:105
	<i>Scirpus platycarpus</i> S.T.Blake = Isolepis platycarpa	4b:99
	<i>Scirpus productus</i> C.B.Clarke = Isolepis producta	4b:98
	<i>Scirpus pungens</i> Vahl = Schoenoplectus pungens	4b:94
	<i>Scirpus riparius</i> (R.Br.) Poir. sensu Rodway (1903) = Isolepis cernua	4b:99
	<i>Scirpus setaceus</i> L. = Isolepis setacea	4b:105
	<i>Scirpus stellatus</i> C.B.Clarke = Isolepis stellata	4b:104
	<i>Scirpus subtilissimus</i> (Boeckeler) S.T.Blake = Isolepis subtilissima	4b:101
	<i>Scirpus tasmanicus</i> S.T.Blake = Isolepis tasmanica	4b:102
	<i>Scirpus triqueter</i> L. sensu Brown (1810) = Schoenoplectus pungens	
	<i>Scirpus validus</i> Vahl = Schoenoplectus tabernaemontani	4b:95
	<i>Scirpus wakefieldianus</i> S.T.Blake = Isolepis wakefieldiana	4b:100
	Tetraria capillaris (F.Muell.) J.M.Black, Trans. Roy. Soc. South Australia 58: 169 (1934)	4b:132
	Tricostularia pauciflora (F.Muell.) Benth., Fl. Austral. 7: 383 (1878)	4b:127
	Uncinia compacta R.Br., Prodr. Fl. Nov. Holland. 241 (1810)	4b:142
t	Uncinia elegans (Kük.) Hamlin, Rec. Domin. Mus. 19: 11 (1959)	4b:140
	Uncinia flaccida S.T.Blake, Proc. Roy. Soc. Queensland 51: 49 (1940)	4b:143
t	Uncinia nervosa Boott, Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 102 (1858)	4b:142
	Uncinia riparia R.Br., Prodr. Fl. Nov. Holland. 241 (1810)	4b:140

	Uncinia tenella R.Br., Prodr. Fl. Nov. Holland. 241 (1810)	4b:143
HAEMODORACEAE		
i #	Anigozanthos flavidus DC., Liliac. (Redouté) 3: t. 176 (1807)	
e	Haemodorum distichophyllum Hook., Icon. Pl. 9: t.866 (1851)	4b:364
HYDATELLACEAE		
	Hydatella filamentosa (Rodway) W.M.Curtis = Trithuria filamentosa	4b:361
e	Trithuria filamentosa Rodway, Pap. & Proc. Roy. Soc. Tasmania 1897: 48 (1898)	4b:361
	Trithuria submersa Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 79 (1858)	4b:360
HYDROCHARITACEAE		
i	Egeria densa Planch., Ann. Sci. Nat., Bot., sér. 3, 11: 80 (1849)	4b:8
i	Elodea canadensis Michx., Fl. Bor.-Amer. (Michaux) 1: 20 (1803)	4b:8
	Elodea densa (Planch.) Casp. = Egeria densa	4b:8
	Halophila australis Doty & B.C.Stone, Brittonia 18: 306, fig.2 (1966)	4b:13
	Halophila ovalis (R.Br.) Hook.f. sensu Rodway (1903) = Halophila australis	4b:13
n	Lagarosiphon major (Ridl.) Moss – previously listed as naturalised but insufficient evidence exists to support this	4b:9
	Vallisneria americana Michx. sensu Buchanan (2007) = Vallisneria australis	4b:11
	Vallisneria australis S.W.L.Jacobs & Les, Syst. Bot. 33: 62 (2008)	4b:11
	Vallisneria gigantea Graebn. sensu Curtis & Morris (1994) = Vallisneria australis	4b:11
	Vallisneria spiralis L. sensu Rodway (1903) = Vallisneria australis	4b:11
IRIDACEAE		
i	Chasmanthe floribunda (Salisb.) N.E.Br., Trans. Roy. Soc. South Africa 20: 274 (1932)	
i	Crocoshmia × crocosmiiflora (Lemoine ex E.Morren) N.E.Br., Trans. Roy. Soc. South Africa 20: 264 (1932)	4b:417
e	Diplarrena latifolia Benth., Fl. Austral. 6: 400 (1873)	4b:405
	Diplarrena moraea Labill., Voy. Rech. Pérouse 1: 157 (1800)	4b:405
	Diplarrena moraea Labill. var. alpina Hook.f. = Diplarrena moraea	
i	Freesia a complex of garden hybrids involving F. alba and F. leichtlinii	4b:416
	Genosiris fragilis Labill. = Paterosonia fragilis	
i	Gladiolus × colvillii Sweet, Brit. Fl. Gard. [Sweet] 2: t.155 (1826)	
i	Gladiolus communis L. subsp. byzantinus (Mill.) A.P.Ham., Bot. J. Linn. Soc. 76: 358 (1978)	4b:413
	Gladiolus cuspidatus Jacq. = Gladiolus undulatus	4b:413
i	Gladiolus tristis L., Sp. Pl., ed. 2: 53 (1762)	4b:411
i	Gladiolus undulatus L., Mant. Pl. 1: 27 (1767)	4b:413
i t	Hesperantha coccinea (Backh. & Harv.) Goldblatt & J.C.Manning, Novon 6: 263 (1996)	4b:417
	Hewardia tasmanica Hook. = Isophysis tasmanica	4b:401
	Homeria breyniana (L.) G.J.Lewis sensu Willis (1973) = Moraea flaccida	4b:408
	Homeria flaccida Sweet = Moraea flaccida	4b:408
i	Iris foetidissima L., Sp. Pl. 1: 39 (1753)	4b:406
i	Iris germanica L., Sp. Pl. 1: 38 (1753)	4b:406
e	Isophysis tasmanica (Hook.) T.Moore, Proc. Linn. Soc. London 2: 212 (1853)	4b:401
i	Ixia flexuosa L., Sp. Pl., ed. 2: 51 (1762)	4b:414
i	Ixia maculata L., Sp. Pl., ed. 2: 1664 (1763)	4b:414
i	Ixia polystachya L., Sp. Pl., ed. 2: 51 (1762)	4b:414

	Libertia laurencei Hook.f. = Libertia pulchella	
	Libertia pulchella (R.Br.) Spreng. var. pulchella , Syst. Veg. (ed. 16) [Sprengel] 1: 69 (1824)	4b:402
e	Libertia pulchella (R.Br.) Spreng. var. pygmaea D.I.Morris, The Student's Flora of Tasmania 4b: 425 (1994)	4b:402
i	Moraea flaccida (Sweet) Steud., Nomencl. Bot. [Steudel], ed. 2. 2: 160 (1841)	4b:408
	Patersonia fragilis (Labill.) Asch. & Graebn., Syn. Mitteleur. Fl. [Ascherson & Graebner]. 3: 532 (1906)	4b:403
	Patersonia glauca R.Br. = Patersonia fragilis	4b:403
	Patersonia longiscapa Sweet = Patersonia occidentalis	4b:403
	Patersonia occidentalis R.Br. var. occidentalis , Prodr. Fl. Nov. Holland. 304 (1810)	4b:403
	Romulea longifolia (Salisb.) Baker = Romulea rosea var. australis	4b:409
	Romulea minutiflora Klatt sensu Buchanan (2009) probably Romulea rosea	
i	Romulea rosea (L.) Eckl. var. australis (Ewart) M.P.de Vos, J. S. African Bot. Suppl. 9: 254 (1972)	4b:409
	Schizostylis coccinea Backh. & Harv. = Hesperantha coccinea	4b:417
i	Sisyrinchium iridifolium Kunth, Nov. Gen. Sp. [H.B.K.] 1: 324 (1816)	4b:402
i	Sparaxis bulbifera (L.) Ker Gawl., Ann. Bot. [König & Sims] 1: 226 (1804)	4b:415
	Trichonema roseum Ker Gawl. sensu Rodway (1903) = Romulea rosea	4b:409
i #	Tritonia gladiolaris (Lam.) Goldblatt & J.C.Manning, Bothalia 36: 57 (2006)	4b:416
	Tritonia lineata (Salisb.) Ker Gawl. = Tritonia gladiolaris	4b:416
	Watsonia bulbillifera J.W.Mathews & L.Bolus = Watsonia meriana var. bulbillifera	4b:408
i	Watsonia meriana (L.) Mill. var. bulbillifera (J.W.Mathews & L.Bolus) D.A.Cooke, J. Adelaide Bot. Gard. 18: 6 (1998)	4b:408
i	Watsonia meriana (L.) Mill. var. meriana , Gard. Dict., ed. 8, no.1 (1768)	4b:409
i	Watsonia versfeldii J.W.Mathews & L.Bolus, Ann. Bolus Herb. 3: 140 (1922)	4b:409
	Watsonia versfeldii J.W.Mathews & L.Bolus var. alba J.W.Mathews & L.Bolus = Watsonia versfeldii	4b:409
JUNCACEAE		
i	Juncus acuminatus Michx., Fl. Bor.-Amer. (Michaux) 1: 192 (1803)	4b:75
i	Juncus acutiflorus Ehrh. ex Hoffm., Deutschl. Fl. (Hoffm.) 1: 125 (1791)	4b:77
i	Juncus acutus L., Sp. Pl. 1: 325 (1753)	
	Juncus amabilis Edgar, New Zealand J. Bot. 2: 186, figs.7, 21 (1964)	4b:67
	Juncus antarcticus Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 79, pl.46 (1844)	4b:71
i	Juncus articulatus L., Sp. Pl. 1: 327 (1753)	4b:77
e	Juncus astreptus L.A.S.Johnson, Aspects of Tasmanian Botany: 41 (1991)	4b:66
	Juncus australis Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 66, t.134a (1858)	4b:67
	Juncus bassianus L.A.S.Johnson, Aspects of Tasmanian Botany: 40 (1991)	4b:66
	Juncus bufonius L., Sp. Pl. 1: 328 (1753)	4b:63
i	Juncus bulbosus L., Sp. Pl. 1: 327 (1753)	4b:73
	Juncus caespiticius E.Mey., Pl. Preiss. [J.G.C.Lehman] 2: 47 (1846)	4b:72
	Juncus capillaceus Hook.f. sensu Rodway (1903) = Juncus sandwithii	4b:74
i	Juncus capitatus Weigel, Observ. Bot. (Weigel): 28 (1772)	4b:70
	Juncus communis E.Mey. sensu Rodway (1903) = Juncus australis	4b:67
i	Juncus conglomeratus L., Sp. Pl. 1: 326 (1753)	4b:69
e	Juncus curtisiae L.A.S.Johnson, Aspects of Tasmanian Botany: 44 (1991)	4b:74

i	Juncus effusus L., Sp. Pl. 1: 326 (1753)	4b:69
	Juncus falcatus E.Mey. subsp. falcatus , Syn. Luzul. 34 (1823)	4b:71
	Juncus filicaulis Buchenau, Proc. Linn. Soc. New South Wales 28: 912 (1904)	4b:68
	Juncus fockei Buchenau, Bot. Jahrb. Syst. 12: 358 (1890)	4b:75
i	Juncus gerardii Loisel., J. Bot. (Desvaux) 2: 284 (1809)	
	Juncus gregiflorus L.A.S.Johnson, Contr. New South Wales Natl. Herb. 3: 243 (1963)	4b:66
	<i>Juncus gunnii</i> Hook.f. = Juncus pauciflorus	
	Juncus holoschoenus R.Br., Prodr. Fl. Nov. Holland. 259 (1810)	4b:75
i	Juncus indescrptus Steud., Syn. Pl. Glum. 2: 304 (1855)	4b:72
	Juncus kraussii Hochst. subsp. australiensis (Buchenau) Snogerup, Willdenowia 23: 61 (1993)	4b:70
	<i>Juncus maritimus</i> Lam. sensu Rodway (1903) = Juncus kraussii subsp. australiensis	4b:70
i #	Juncus microcephalus Kunth, Bonpland & Kunth, Nov. Gen. Sp. [H.B.K.] 1: 237 (1816)	4b:75
	Juncus pallidus R.Br., Prodr. Fl. Nov. Holland. 258 (1810)	4b:64
	Juncus pauciflorus R.Br., Prodr. Fl. Nov. Holland. 259 (1810)	4b:65
	Juncus planifolius R.Br., Prodr. Fl. Nov. Holland. 259 (1810)	4b:71
	Juncus prismatocarpus R.Br., Prodr. Fl. Nov. Holland. 259 (1810)	4b:73
	Juncus procerus E.Mey., Linnaea 3: 367 (1828)	4b:65
	<i>Juncus pusillus</i> Buchenau sensu Willis (1973) = Juncus sandwithii	4b:74
e	Juncus ratkowskyanus L.A.S.Johnson, Aspects of Tasmanian Botany: 43 (1991)	4b:74
	Juncus revolutus R.Br., Prodr. Fl. Nov. Holland. 259 (1810)	4b:63
	Juncus sandwithii Lourteig, Comite National Francais des Recherches Antarctiques 23: 44 (1968)	4b:74
	Juncus sarophorus L.A.S.Johnson, Contr. New South Wales Natl. Herb. 3: 242 (1963)	4b:68
i t	Juncus squarrosus L., Sp. Pl. 1: 327 (1753)	4b:62
	Juncus subsecundus N.A.Wakef., Vict. Naturalist 73: 211 (1957)	4b:69
i	Juncus tenuis Willd., Sp. Pl., ed. 4 [Willdenow] 2: 214 (1799)	4b:62
	Juncus vaginatus R.Br., Prodr. Fl. Nov. Holland. 258 (1810)	4b:65
	Luzula acutifolia H.Nordensk. subsp. acutifolia , Bot. Not. 122: 85 (1969)	4b:84
	Luzula atrata Edgar, New Zealand J. Bot. 13: 794 (1975)	4b:83
e	Luzula australasica Steud. subsp. australasica , Syn. Pl. Glumac. 2: 294 (1855)	4b:82
i t	Luzula campestris (L.) DC., Fl. Franc. (DC. & Lamarck), ed. 3. 3: 161 (1805)	4b:81
i t	Luzula congesta (Thuill.) Lej., Fl. Spa 1: 168 (1811)	4b:81
	Luzula densiflora (H.Nordensk.) Edgar, New Zealand J. Bot. 13: 786 (1975)	4b:80
	Luzula flaccida (Buchenau) Edgar, New Zealand J. Bot. 13: 786 (1975)	4b:80
	Luzula meridionalis H.Nordensk., Bot. Not. 122: 71 (1969)	4b:78
	Luzula modesta Buchenau, Pflanzenr. (Engler) 25: 80, fig.51 (1906)	4b:82
i t	Luzula multiflora (Ehrh.) Lej., Fl. Spa 1: 169 (1811)	4b:81
	Luzula novae-cambriae Gand., Bull. Soc. Bot. France 46: 392 (1900)	4b:82
	<i>Luzula oldfieldii</i> Hook.f. = Luzula australasica subsp. australasica	4b:82
e	Luzula poimena W.M.Curtis, Brunonia 7: 297 (1985)	4b:83

JUNCAGINACEAE

	Cycnogeton alcockiae (Aston) Mering & Kadereit, Diversity, Phylogeny, and Evolution in the Monocotyledons: 73 (2010)	4b:427
	Cycnogeton procerum (R.Br.) Buchenau, Abh. Naturwiss. Vereins Bremen 224 (1867)	4b:14
	Cycnogeton rheophilum (Aston) Mering & Kadereit, Diversity, Phylogeny, and Evolution in the Monocotyledons: 73 (2010)	4b:427

	Triglochin alcockiae Aston = Cycnogeton alcockiae	4b:427
	Triglochin centrocarpum Hook. = Triglochin nana (Tasmanian plants)	4b:16
	Triglochin decipiens R.Br. = Triglochin striata	
	Triglochin minutissima F.Muell., Fragm. (Mueller) 6: 82 (1867)	4b:16
	Triglochin mucronata R.Br., Prodr. Fl. Nov. Holland. 343 (1810)	4b:16
	Triglochin nana F.Muell., Fragm. (Mueller) 6: 82 (1867)	4b:16
	Triglochin procera R.Br. = Cycnogeton procerum	4b:14
	Triglochin rheophila Aston = Cycnogeton rheophilum	4b:427
	Triglochin striata Ruiz & Pav., Fl. Peruv. 3: 72 (1802)	4b:16
	Triglochin triandra Michx. sensu Hooker (1860) = Triglochin striata	
LEMNACEAE		
	Landoltia punctata (G.Mey.) Les & D.J.Crawford, Novon 9: 532 (1999)	
	Lemna disperma Hegelm., Bot. Zeitung (Berlin) 29: 655 (1871)	4b:32
	Lemna minor L. sensu Rodway (1903) = Lemna disperma	4b:32
	Lemna trisulca L., Sp. Pl. 2: 970 (1753)	4b:32
	Spirodela polyrhiza (L.) Schleid. probably misapplied to Landoltia punctata	
	Wolffia arrhiza (L.) Horkel ex Wimm. sensu Willis (1973) = Wolffia australiana	4b:32
	Wolffia australiana (Benth.) Hartog & Plas, Blumea 20: 151 (1972)	4b:32
LILIACEAE		
i	Agapanthus praecox Willd. subsp. orientalis (F.M.Leight.) F.M.Leight., J. S. African Bot. 4: 21 (1965)	
	Aletris punicea Labill. = Blandfordia punicea	
i	Allium ampeloprasum L., Sp. Pl. 1: 294 (1753)	
i	Allium neapolitanum Cirillo, Pl. Rar. Neap. 1: 13, t.4 (1788)	4b:392
i	Allium triquetrum L., Sp. Pl. 1: 300 (1753)	4b:392
i	Allium vineale L., Sp. Pl. 1: 299 (1753)	4b:392
i #	Alstroemeria aurea Graham, Edinburgh New Philos. J. 15: 181 (1833)	
	Anguillaria dioica R.Br. pro spec. Tasm. = Wurmbea uniflora , W. dioica & W. latifolia	
	Anguillaria uniflora R.Br. = Wurmbea uniflora	
	Anthericum semibarbatum R.Br. = Bulbine semibarbata	
	Arthropodium laxum Hook.f. nom. illeg. = Arthropodium strictum	
	Arthropodium milleflorum (DC.) J.F.Macbr., Contr. Gray Herb. 3(56): 2 (1918)	4b:384
	Arthropodium minus R.Br., Prodr. Fl. Nov. Holland. 276 (1810)	4b:385
	Arthropodium paniculatum (Haw.) R.Br. = Arthropodium milleflorum	4b:384
e	Arthropodium pendulum DC., Cat. Pl. Horti Monsp. 80 (1813)	
	Arthropodium strictum R.Br., Prodr. Fl. Nov. Holland. 276 (1810)	4b:388
i	Asparagus asparagoides (L.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 3: 414 (1914)	
i	Asparagus officinalis L., Sp. Pl. 1: 313 (1753)	4b:370
i	Asparagus scandens Thunb., Prod. Pl. Cap. 66 (1794)	
i	Asphodelus fistulosus L., Sp. Pl. 1: 309 (1753)	4b:380
e	Astelia alpina R.Br. var. alpina , Prodr. Fl. Nov. Holland. 291 (1810)	4b:370
e	Astelia sp. Quartzite (A.M.Buchanan 16828) Tas Herbarium	
	Astelia stylosa F.Muell. ex Hook.f. = Milligania stylosa	
	Blandfordia grandiflora Herb. var. backhousii (Lindl.) Hook.f. = Blandfordia punicea	
	Blandfordia marginata Herb. = Blandfordia punicea	4b:374
e	Blandfordia punicea (Labill.) Sweet, Hort. Brit. [Sweet], ed 2: 517 (1830)	4b:374

	Bulbine bulbosa (R.Br.) Haw., Revis. Pl. Succ. 33 (1821)	4b:383
	Bulbine crassa D.I.Morris & Duretto, Muelleria 22: 93 (2006)	
	Bulbine glauca (Raf.) E.M.Watson, Fl. Australia 45: 469 (1987)	4b:382
	Bulbine semibarbata (R.Br.) Haw., Revis. Pl. Succ. 33 (1821)	4b:382
	Burchardia umbellata R.Br., Prodr. Fl. Nov. Holland. 273 (1810)	4b:396
	Caesia alpina Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 373 (1859)	4b:386
	Caesia calliantha R.J.F.Hend., Fl. Australia 45: 471 (1987)	4b:387
	<i>Caesia corymbosa</i> R.Br. = Chamaescilla corymbosa	
	Caesia parviflora R.Br. var. minor R.J.F.Hend., Fl. Australia 45: 471 (1987)	4b:386
	Caesia parviflora R.Br. var. parviflora , Prodr. Fl. Nov. Holland. 277 (1810)	4b:386
	Caesia parviflora R.Br. var. vittata (R.Br.) R.J.F.Hend., Fl. Australia 45: 472 (1987)	4b:386
	<i>Caesia vittata</i> R.Br. sensu Rodway (1903) = Caesia calliantha	4b:387
	<i>Caesia vittata</i> R.Br. = Caesia parviflora var. vittata	
e	Campynema lineare Labill., Nov. Holl. Pl. 1: 93, t.121 (1805)	4b:395
	<i>Campynema pygmaeum</i> F.Muell. ex Benth. = Campynema lineare	
	Chamaescilla corymbosa (R.Br.) F.Muell. ex Benth. var. corymbosa , Fl. Austral. 7: 48 (1878)	4b:387
	<i>Chlorophytum alpinum</i> (Hook.f.) Benth. ex Baker = Caesia alpina	4b:386
	Dianella amoena G.W.Carr & P.F.Horsfall, Muelleria 8: 369 (1995)	4b:377
	<i>Dianella archeri</i> Hook.f. = Dianella tasmanica	
	Dianella brevicaulis (Ostenf.) G.W.Carr & P.F.Horsfall, Muelleria 8: 375 (1995)	4b:378
	<i>Dianella caerulea</i> Sims sensu Henderson (1987) = Dianella amoena (Tasmanian plants)	
	<i>Dianella laevis</i> R.Br. = Dianella amoena	4b:377
	<i>Dianella longifolia</i> R.Br. sensu Curtis & Morris (1994) = Dianella amoena	4b:377
	<i>Dianella longifolia</i> R.Br. var. <i>aspera</i> Rodway – a name of uncertain application	
	<i>Dianella revoluta</i> R.Br. var. brevicaulis Ostenf. = Dianella brevicaulis	4b:378
	Dianella revoluta R.Br. var. revoluta , Prodr. Fl. Nov. Holland. 280 (1810)	4b:378
	Dianella tasmanica Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 57, t.133A (1858)	4b:378
	<i>Dichopogon strictus</i> (R.Br.) Baker = Arthropodium strictum	4b:388
	Drymophila cyanocarpa R.Br., Prodr. Fl. Nov. Holland. 292 (1810)	4b:369
	Herpolirion novae-zelandiae Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 258 (1853)	4b:383
	<i>Herpolirion tasmaniae</i> Hook.f. = Herpolirion novae-zelandiae	
	<i>Hypoxis glabella</i> R.Br. var. <i>glabella</i> = Pauridia glabella var. glabella	
	Hypoxis hygrometrica Labill. var. hygrometrica , Nov. Holl. Pl. 1: 82 t.108 (1805)	4b:376
	Hypoxis hygrometrica Labill. var. villosisepala R.J.F.Hend., Fl. Australia 45: 488 (1987)	4b:377
	<i>Hypoxis pusilla</i> Hook.f. = Pauridia glabella var. glabella	4b:375
	<i>Hypoxis vaginata</i> Schldtl. var. brevistigmata R.J.F.Hend. = Pauridia vaginata var. brevistigmata	4b:376
	<i>Hypoxis vaginata</i> Schldtl. var. <i>vaginata</i> = Pauridia vaginata var. vaginata	4b:376
	<i>Laxmannia minor</i> R.Br. sensu Hooker (1860) = Laxmannia orientalis	
	<i>Laxmannia morrisii</i> Keighery = <i>Laxmannia squarrosa</i>	
	Laxmannia orientalis Keighery, Fl. Australia 45: 492 (1987)	4b:388
	<i>Laxmannia sessiliflora</i> Decne. sensu Rodway (1903) = Laxmannia orientalis	4b:388
	<i>Laxmannia squarrosa</i> Lindl. recorded in error	
i	Leucojum aestivum L., Syst. Nat., ed. 10. 2: 975 (1759)	
e	Milligania densiflora Hook.f., Hooker's J. Bot. Kew Gard. Misc. 5: 298 (1853)	4b:374

e	Milligania johnstonii F.Muell. ex Benth., Fl. Austral. 7: 26 (1878)	4b:371
e	Milligania lindoniana Rodway ex W.M.Curtis, Records of the Queen Victoria Museum 45: 1 (1972)	4b:372
e	Milligania longifolia Hook.f., Hooker's J. Bot. Kew Gard. Misc. 5: 297 (1853)	4b:373
e	Milligania stylosa (F.Muell. ex Hook.f.) F.Muell. ex Benth., Fl. Austral. 7: 27 (1878)	4b:373
i	Muscari armeniacum Leichtlin ex Baker, Gard. Chron. 798 (1878) Myrsiphyllum asparagoides (L.) Willd. = Asparagus asparagoides Myrsiphyllum scandens (Thunb.) Oberm. = Asparagus scandens	
i	Narcissus pseudonarcissus L., Sp. Pl. 1: 289 (1753)	4b:394
i	Narcissus tazetta L., Sp. Pl. 1: 290 (1753)	
i	Nothoscordum borbonicum Kunth, Enum. Pl. [Kunth] 4: 463 (1843) Nothoscordum gracile (Aiton) Stearn sensu Curtis & Morris (1994) = Nothoscordum borbonicum	4b:394 4b:394
	Ornithogalum angustifolium Boreau sensu Buchanan (1999) = Ornithogalum umbellatum	
i	Ornithogalum umbellatum L., Sp. Pl. 1: 307 (1753)	4b:369
	Pauridia glabella (R.Br.) Snijman & Kocyan var. glabella , Phytotaxa 116: 27 (2013)	4b:375
	Pauridia vaginata (Schltdl.) Snijman & Kocyan var. brevistigmata (R.J.F.Hend.) Snijman & Kocyan, Phytotaxa 116: 31 (2013)	4b:376
	Pauridia vaginata (Schltdl.) Snijman & Kocyan var. vaginata (Schltdl.) Snijman & Kocyan, Phytotaxa 116: 31 (2013)	4b:376
i #	Scilla peruviana L., Sp. Pl. 1: 309 (1753)	4b:391
	Sowerbaea juncea Andrews, Bot. Repos. 2: t.81 (1800)	4b:389
	Stypantra caespitosa R.Br. = Thelionema caespitosum	4b:379
	Stypantra umbellata R.Br. = Thelionema umbellatum	
	Thelionema caespitosum (R.Br.) R.J.F.Hend., Austrobaileya 2: 109 (1985)	4b:379
	Thelionema umbellatum (R.Br.) R.J.F.Hend., Austrobaileya 2: 109 (1985)	4b:380
	Thysanotus patersonii R.Br., Prodr. Fl. Nov. Holland. 284 (1810)	4b:389
	Tricoryne elatior R.Br., Prodr. Fl. Nov. Holland. 278 (1810)	4b:391
	Wurmbea biglandulosa (R.Br.) T.D.Macfarl. subsp. biglandulosa , Brunonia 3: 191 (1980)	
	Wurmbea dioica (R.Br.) F.Muell. subsp. dioica , Fragm. (Mueller) 10: 119 (1877)	4b:396
	Wurmbea latifolia T.D.Macfarl. subsp. vanessae R.J.Bates, J. Adelaide Bot. Gard. 16: 48 (1995)	4b:398
	Wurmbea uniflora (R.Br.) T.D.Macfarl., Brunonia 3: 194 (1980)	4b:398

ORCHIDACEAE

	Acianthus bifolius R.Br. = Chiloglottis reflexa	
	Acianthus caudatus R.Br., Prodr. Fl. Nov. Holland. 321 (1810)	4a:117
	Acianthus exsertus R.Br. sensu Curtis (1979) = Acianthus pusillus	4a:117
	Acianthus pusillus D.L.Jones, Austral. Orchid Res. 2: 7 (1991)	4a:117
	Acianthus reniformis (R.Br.) Schltr. = Cyrtostylis reniformis	4a:119
	Acianthus viridis Hook.f. = Townsonia viridis	4a:118
	Anzybas fordhamii (Rupp) D.L.Jones & M.A.Clem. = Corybas fordhamii	4a:124
	Anzybas unguiculatus (R.Br.) D.L.Jones & M.A.Clem. = Corybas unguiculatus	4a:124
	Arachnorchis anthracina (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia anthracina	
	Arachnorchis australis (G.W.Carr) D.L.Jones & M.A.Clem. = Caladenia australis	
	Arachnorchis brachyscapa (G.W.Carr) D.L.Jones & M.A.Clem. = Caladenia brachyscapa	
	Arachnorchis cardiochila (Tate) D.L.Jones & M.A.Clem. = Caladenia cardiochila	

	Arachnorchis caudata (Nicholls) D.L.Jones & M.A.Clem. = Caladenia caudata	4a:101
	Arachnorchis clavigera (A.Cunn. ex Lindl.) D.L.Jones & M.A.Clem. = Caladenia clavigera	4a:105
	Arachnorchis dienema (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia dienema	
	Arachnorchis dilatata (R.Br.) D.L.Jones & M.A.Clem. = Caladenia dilatata	4a:100
	Arachnorchis echidnachila (Nicholls) D.L.Jones & M.A.Clem. = Caladenia echidnachila	4a:101
	Arachnorchis helvina (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia helvina	
	Arachnorchis lindleyana (Rchb.f.) D.L.Jones & M.A.Clem. = Caladenia lindleyana	
	Arachnorchis pallida (Lindl.) D.L.Jones & M.A.Clem. = Caladenia pallida	4a:104
	Arachnorchis patersonii (R.Br.) D.L.Jones & M.A.Clem. = Caladenia patersonii	4a:100
	Arachnorchis saggicola (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia saggicola	
	Arthrochilus huntianus (F.Muell.) Blaxell subsp. huntianus = Thynninorchis huntiana	4a:89
	Arthrochilus huntianus (F.Muell.) Blaxell subsp. nothofagicola D.L.Jones = Thynninorchis nothofagicola	
	Bunochilus melagrammus (D.L.Jones) D.L.Jones & M.A.Clem. = Pterostylis melagramma	4a:27
	Bunochilus stenochilus (D.L.Jones) D.L.Jones & M.A.Clem. = Pterostylis stenochila	
	Bunochilus tunstallii (D.L.Jones & M.A.Clem.) D.L.Jones & M.A.Clem. = Pterostylis tunstallii	
	Bunochilus williamsonii (D.L.Jones) D.L.Jones & M.A.Clem. = Pterostylis williamsonii	
	Burnettia cuneata Lindl., Gen. Sp. Orchid. Pl. 518 (1840)	4a:92
	Caladenia alata R.Br., Prodr. Fl. Nov. Holland. 324 (1810)	4a:107
	Caladenia alba R.Br. recorded in error	
	Caladenia alpina R.S.Rogers, Trans. Roy. Soc. South Australia 51: 12 (1927)	4a:111
e	Caladenia angustata Lindl., Gen. Sp. Orchid. Pl. 420 (1840)	4a:108
e	Caladenia anthracina D.L.Jones, Austral. Orchid Res. 3: 21 (1998)	
	Caladenia atkinsonii Rodway = Caladenia carnea	4a:107
e	Caladenia atrata D.L.Jones, Muelleria 8: 178 (1994)	4a:111
e	Caladenia atrochila D.L.Jones, Austral. Orchid Res. 3: 23 (1998)	
	Caladenia aurantiaca (R.S.Rogers) Rupp, Proc. Linn. Soc. New South Wales 71: 280 (1947)	
	Caladenia australis G.W.Carr, Indigenous Flora and Fauna Association Miscellaneous Paper 1: 2 (1991)	
	Caladenia barbata Lindl. sensu Hooker (1860) = Pheladenia deformis	
	Caladenia brachyscapa G.W.Carr, Muelleria 6: 439 (1988)	
	Caladenia caerulea R.Br. sensu Bentham (1873) = <i>Cyanicula caerulea</i>	
e	Caladenia campbellii D.L.Jones, Austral. Orchid Res. 3: 25 (1998)	
x	Caladenia cardiochila Tate, Trans. Roy. Soc. South Australia 9: 60, t.2 (1887)	
	Caladenia carnea R.Br., Prodr. Fl. Nov. Holland. 324 (1810)	4a:106
	Caladenia carnea R.Br. var. pygmaea R.S.Rogers sensu Curtis (1953) = Caladenia pusilla	
	Caladenia carnea R.Br. var. quadriseriata Benth. = Caladenia gracilis	
	Caladenia catenata (Sm.) Druce var. catenata sensu Curtis (1979) = Caladenia carnea & C. sylvicola	4a:106
	Caladenia catenata (Sm.) Druce var. exigua sensu Curtis (1979) = Caladenia alata	4a:107
	Caladenia catenata (Sm.) Druce var. gigantea sensu Curtis (1979) = Caladenia carnea	4a:106
	Caladenia catenata (Sm.) Druce var. minor sensu Curtis (1979) = Caladenia mentiens	4a:106
e	Caladenia caudata Nicholls, Vict. Naturalist 64: 231 (1948)	4a:101
	Caladenia clavigera A.Cunn. ex Lindl., Gen. Sp. Orchid. Pl. 422 (1840)	4a:105
	Caladenia congesta R.Br., Prodr. Fl. Nov. Holland. 324 (1810)	4a:112

	Caladenia cordiformis R.S.Rogers sensu Nicholls & Olsen 1941 = Caladenia clavigera	
	Caladenia corynepetala D.L.Jones = Caladenia dilatata	4a:100
e	Caladenia cracens D.L.Jones, Muelleria 9: 46 (1996)	4a:111
	Caladenia cucullata Fitzg. sensu Curtis (1979) = Caladenia atrata & C. gracilis	4a:111
	Caladenia deformis R.Br. = Pheladenia deformis	4a:113
e	Caladenia dienema D.L.Jones, Austral. Orchid Res. 3: 28 (1998)	
	Caladenia dilatata R.Br., Prodr. Fl. Nov. Holland. 325 (1810)	4a:100
	Caladenia dimorpha Fitzg. sensu Curtis (1979) = Caladenia gracilis (?)	4a:109
e	Caladenia echidnachila Nicholls, Pap. & Proc. Roy. Soc. Tasmania 1932: 13, t.6 (1933)	4a:101
	Caladenia filamentosa R.Br., Prodr. Fl. Nov. Holland. 324 (1810)	4a:99
	Caladenia fuscata (Rchb.f.) M.A.Clem. & D.L.Jones, Austral. Orchid Res. 1: 25 (1989)	
	Caladenia gracilis R.Br., Prodr. Fl. Nov. Holland. 324 (1810)	4a:110
e	Caladenia helvina D.L.Jones, Austral. Orchid Res. 2: 26, f.30 (1991)	
	Caladenia iridescens R.S.Rogers sensu Curtis (1979) = Caladenia transitoria	4a:112
	Caladenia latifolia R.Br., Prodr. Fl. Nov. Holland. 324 (1810)	4a:105
e	Caladenia lindleyana (Rchb.f.) M.A.Clem. & D.L.Jones, Austral. Orchid Res. 1: 27 (1989)	
	Caladenia longii R.S.Rogers = Caladenia angustata	4a:108
	Caladenia lyallii Hook.f. sensu Curtis (1979) = Caladenia cracens & C. alpina	4a:111
	Caladenia mentiens D.L.Jones, Austral. Orchid Res. 3: 35 (1998)	4a:106
	Caladenia menziesii R.Br. = Leptoceras menziesii	4a:99
e	Caladenia pallida Lindl., Gen. Sp. Orchid. Pl. 421 (1840)	4a:104
	Caladenia patersonii R.Br., Prodr. Fl. Nov. Holland. 324 (1810)	4a:100
	Caladenia patersonii R.Br. var. dilatata (R.Br.) Benth. = Caladenia dilatata	
	Caladenia praecox Nicholls sensu Curtis (1979) = Caladenia angustata (?)	4a:109
	Caladenia prolata D.L.Jones, Austral. Orchid Res. 2: 30 (1991)	
	Caladenia pusilla W.M.Curtis, The Student's Flora of Tasmania 4a: 133 (1980)	4a:107
	Caladenia reticulata Fitzg. sensu Curtis (1979) = Caladenia lindleyana	
e	Caladenia saggicola D.L.Jones, Austral. Orchid Res. 3: 39 (1998)	
	Caladenia simulans G.W.Carr = Caladenia dilatata	
	Caladenia suaveolens (R.Br.) Rchb.f. = Lyperanthus suaveolens	4a:94
e	Caladenia sylvicola D.L.Jones, Austral. Orchid Res. 3: 40 (1998)	
	Caladenia testacea R.Br. sensu Rodway (1903) = Caladenia atrata	
e	Caladenia tonellii D.L.Jones, Austral. Orchid Res. 3: 41 (1998)	
	Caladenia transitoria D.L.Jones, Austral. Orchid Res. 3: 42 (1998)	4a:112
	Caladenia tutelata R.S.Rogers = ×Calassodia tutelata	4a:113
	Caladenia venusta G.W.Carr sensu Buchanan (1995) = Caladenia saggicola	
	Caladenia vulgaris D.L.Jones, Austral. Orchid Res. 2: 34 (1991)	
	×Calassodia tutelata (R.S.Rogers) M.A.Clem., Austral. Orchid Res. 1: 33 (1989)	4a:113
	Caleana major R.Br., Prodr. Fl. Nov. Holland. 329 (1810)	4a:87
	Caleana minor R.Br. = Paracaleana minor	4a:88
	Calochilus campestris R.Br., Prodr. Fl. Nov. Holland. 320 (1810)	4a:53
e	Calochilus herbaceus Lindl., Gen. Sp. Orchid. Pl. 459 (1840)	4a:55
	Calochilus imberbis R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 51: 4 (1927)	4a:53
	Calochilus paludosus R.Br., Prodr. Fl. Nov. Holland. 320 (1810)	4a:56
	Calochilus platytilus D.L.Jones, Orchadian 15: 547 (2008)	4a:55

	Calochilus robertsonii Benth. sensu Curtis (1979) = Calochilus platychilus	4a:55
	Calochilus saprophyticus R.S.Rogers sensu Curtis (1953) = Calochilus campestris	
	Calonema filamentosum (R.Br.) D.L.Jones & M.A.Clem. = Caladenia filamentosa	4a:99
	Calonemorchie filamentosa (R.Br.) Szlach. = Caladenia filamentosa	4a:99
	Chiloglottis cornuta Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 69 (1844)	4a:85
	Chiloglottis diphylla R.Br. sensu Rodway (1903) = Chiloglottis reflexa	4a:86
e	Chiloglottis grammata G.W.Carr, Indigenous Flora and Fauna Association Miscellaneous Paper 1: 20 (1991)	4a:86
e	Chiloglottis gunnii Lindl., Gen. Sp. Orchid. Pl. 387 (1840)	4a:84
	Chiloglottis × pescottiana R.S.Rogers sensu Curtis (1953, 1979) = Chiloglottis grammata	4a:86
	Chiloglottis platychila G.W.Carr = Chiloglottis gunnii	
	Chiloglottis reflexa (Labill.) Druce, Rep. Bot. Soc. Exch. Club Brit. Isles 1916, Suppl. 2: 614 (1917)	4a:86
	Chiloglottis trapeziformis Fitzg., Austral. Orch. 1(3): t.9 (1877)	4a:86
e	Chiloglottis triceratops D.L.Jones, Austral. Orchid Res. 3: 66 (1998)	
	Chiloglottis trilabra Fitzg. = Chiloglottis reflexa (Tasmanian plants)	
	Chiloglottis valida D.L.Jones, Austral. Orchid Res. 2: 43 (1991)	
n e	Chiloglottis sp. Wielangta (M.Wapstra 934) Tas Herbarium	
	Corunastylis archeri (Hook.f.) D.L.Jones & M.A.Clem., Orchadian 13: 460 (2002)	4a:82
e	Corunastylis brachystachya (Lindl.) D.L.Jones & M.A.Clem., Orchadian 13: 460 (2002)	4a:79
	Corunastylis despectans (Hook.f.) D.L.Jones & M.A.Clem., Orchadian 13: 460 (2002)	4a:76
e	Corunastylis firthii (Cady) D.L.Jones & M.A.Clem., Orchadian 13: 461 (2002)	4a:80
	Corunastylis morrisii (Nicholls) D.L.Jones & M.A.Clem., Orchadian 13: 461 (2002)	4a:83
	Corunastylis nuda (Hook.f.) D.L.Jones & M.A.Clem., Orchadian 13: 461 (2002)	4a:82
e	Corunastylis nudiscapa (Hook.f.) D.L.Jones & M.A.Clem., Orchadian 13: 461 (2002)	4a:79
	Corunastylis pumila (Hook.f.) D.L.Jones & M.A.Clem., Orchadian 13: 461 (2002)	4a:80
e	Corunastylis tasmanica (D.L.Jones) D.L.Jones & M.A.Clem., Orchadian 13: 462 (2002)	4a:77
	Corybas aconitiflorus Salisb., Parad. Lond. 1(2): t.83 (1806)	4a:123
	Corybas diemenicus (Lindl.) Rchb.f., Beitr. Syst. Pflanzenk. 42 (1871)	4a:121
	Corybas diemenicus (Lindl.) Rupp sensu Curtis (1979) = Corybas incurvus	4a:121
	Corybas dilatatus (Rupp & Nicholls) Rupp & Nicholls ex Rupp = Corybas diemenicus	4a:121
	Corybas fimbriatus (R.Br.) Rchb.f., Beitr. Syst. Pflanzenk. 42 (1871)	4a:121
	Corybas fordhamii (Rupp) Rupp, Vict. Naturalist 59: 61 (1942)	4a:124
	Corybas incurvus D.L.Jones & M.A.Clem., Kew Bull. 43: 135 (1988)	4a:121
	Corybas unguiculatus (R.Br.) Rchb.f., Beitr. Syst. Pflanzenk. 43 (1871)	4a:124
	Corysanthes bicalcarata R.Br. = Corybas aconitiflorus	4a:123
	Corysanthes diemenica Lindl. = Corybas diemenicus	4a:121
	Corysanthes dilatata Rupp & Nicholls sensu Nicholls & Olsen 1941 = Corybas diemenicus	
	Corysanthes fimbriata R.Br. = Corybas fimbriatus	4a:121
	Corysanthes incurva (D.L.Jones & M.A.Clem.) D.L.Jones & M.A.Clem. = Corybas incurvus	4a:121
	Corysanthes pruinosa R.Cunn. sensu Rodway (1903) = Corybas incurvus	4a:121
	Corysanthes unguiculata R.Br. = Corybas unguiculatus	
	Crangonorchis pedoglossa (Fitzg.) D.L.Jones & M.A.Clem. = Pterostylis pedoglossa	4a:13
	Cryptostylis leptochila F.Muell. ex Benth., Fl. Austral. 6: 334 (1873)	4a:126
	Cryptostylis longifolia R.Br. = Cryptostylis subulata	4a:125

	Cryptostylis subulata (Labill.) Rchb.f., Beitr. Syst. Pflanzenk. 15 (1871)	4a:125
	Cyanicula caerulea (R.Br.) Hopper & A.P.Br. recorded in error	
	Cyrtostylis reniformis R.Br., Prodr. Fl. Nov. Holland. 322 (1810)	4a:119
	Cyrtostylis robusta D.L.Jones & M.A.Clem., Lindleyana 2: 157 (1987)	
	Dendrobium striolatum Rchb.f. = Dockrillia striolata	4a:129
	Diplodium alatum (Labill.) D.L.Jones & M.A.Clem. = Pterostylis alata	4a:20
	Diplodium atrans (D.L.Jones) D.L.Jones & M.A.Clem. = Pterostylis atrans	4a:22
	Diplodium decurvum (R.S.Rogers) D.L.Jones & M.A.Clem. = Pterostylis decurva	4a:22
	Diplodium grandiflorum (R.Br.) D.L.Jones & M.A.Clem. = Pterostylis grandiflora	4a:20
	Dipodium punctatum (Sm.) R.Br. sensu Curtis (1979) = Dipodium roseum	4a:131
	Dipodium roseum D.L.Jones & M.A.Clem., Austral. Orchid Res. 2: 51 (1991)	4a:131
i	Disa bracteata Sw., Kongl. Vetensk. Acad. Nya Handl. 21: 211 (1800)	
	Disperis alata Labill. = Pterostylis alata	
	Diuris chryseopsis D.L.Jones, Austral. Orchid Res. 3: 74 (1998)	4a:34
	Diuris corymbosa Lindl. sensu Curtis (1979) = Diuris orientis	4a:36
	Diuris flavopurpurea Messmer sensu Curtis (1979) = Diuris pardina	4a:35
e	Diuris lanceolata Lindl., Gen. Sp. Orchid. Pl. 508 (1840)	4a:34
	Diuris longifolia R.Br. sensu Curtis (1979) = Diuris orientis	4a:36
	Diuris maculata Sm. sensu Curtis (1979) = Diuris pardina	4a:34
	Diuris monticola D.L.Jones, Austral. Orchid Res. 3: 76 (1998)	
	Diuris orientis D.L.Jones, Austral. Orchid Res. 3: 77 (1998)	4a:36
	Diuris palachila R.S.Rogers sensu Curtis (1979) = Diuris chryseopsis × D. pardina	4a:35
	Diuris palustris Lindl., Gen. Sp. Orchid. Pl. 507 (1840)	4a:32
	Diuris pardina Lindl., Gen. Sp. Orchid. Pl. 507 (1840)	4a:34
	Diuris pedunculata R.Br. sensu Curtis (1979) = Diuris chryseopsis p.p.maj.	4a:34
	Diuris sulphurea R.Br., Prodr. Fl. Nov. Holland. 316 (1810)	4a:36
e	Dockrillia striolata (Rchb.f.) Rauschert subsp. chrysantha D.L.Jones, Austral. Orchid Res. 3: 9 (1998)	
	Dockrillia striolata (Rchb.f.) Rauschert subsp. striolata , Feddes Repert. 94(7-8): 447 (1983)	
	Epipactis cucullata Labill. = Eriochilus cucullatus	
	Epipactis reflexa Labill. = Chiloglottis reflexa	
	Eriochilus autumnalis R.Br. sensu Rodway (1903) = Eriochilus cucullatus	4a:91
	Eriochilus cucullatus (Labill.) Rchb.f., Beitr. Syst. Pflanzenk. 27 (1871)	4a:91
	Eriochilus magenteus D.L.Jones sensu Baker & Duretto (2011) = Eriochilus cucullatus possibly reported in error	
	Gastrodia procera G.W.Carr, Indigenous Flora and Fauna Association Miscellaneous Paper 1: 22 (1991)	
	Gastrodia sesamoides R.Br., Prodr. Fl. Nov. Holland. 330 (1810)	4a:127
	Gastrodia surcula D.L.Jones, Orchadian 15: 554 (2008)	
	Genoplesium archeri (Hook.f.) D.L.Jones & M.A.Clem. = Corunastylis archeri	4a:82
	Genoplesium brachystachyum (Lindl.) D.L.Jones & M.A.Clem. = Corunastylis brachystachya	4a:79
	Genoplesium despectans (Hook.f.) D.L.Jones & M.A.Clem. = Corunastylis despectans	4a:76
	Genoplesium firthii (Cady) D.L.Jones = Corunastylis firthii	4a:80
	Genoplesium morrisii (Nicholls) D.L.Jones & M.A.Clem. = Corunastylis morrisii	4a:83
	Genoplesium nudiscapum (Hook.f.) D.L.Jones & M.A.Clem. = Corunastylis nudiscapa	4a:79

Genoplesium nudum (Hook.f.) D.L.Jones & M.A.Clem. = Corunastylis nuda	4a:82
Genoplesium pumilum (Hook.f.) D.L.Jones & M.A.Clem. = Corunastylis pumila	4a:80
Genoplesium tasmanicum D.L.Jones = Corunastylis tasmanica	4a:77
×Glossadenia tutelata (R.S.Rogers) Kavulak nom. illeg. = × Calassodia tutelata	
Glossodia major R.Br., Prodr. Fl. Nov. Holland. 326 (1810)	4a:90
Gunnia australis Lindl. sensu Hooker (1860) = Sarcochilus australis	
Hydrorchis orbicularis (R.S.Rogers) D.L.Jones & M.A.Clem., Orchadian 13: 462 (2002)	4a:60
Hymenochilus cycnocephalus (Fitzg.) D.L.Jones & M.A.Clem. sensu Buchanan (2005) = Pterostylis ziegeleri	4a:26
Hymenochilus muticus (R.Br.) D.L.Jones & M.A.Clem. = Pterostylis mutica	4a:25
Hymenochilus pratensis (D.L.Jones) D.L.Jones & M.A.Clem. = Pterostylis pratensis	
Hymenochilus rubenachii (D.L.Jones) D.L.Jones & M.A.Clem. = Pterostylis rubenachii	
Hymenochilus wapstrarum (D.L.Jones) D.L.Jones & M.A.Clem. = Pterostylis wapstrarum	
Hymenochilus ziegeleri (D.L.Jones) D.L.Jones & M.A.Clem. = Pterostylis ziegeleri	
Jonesiopsis filamentosa (R.Br.) D.L.Jones & M.A.Clem. = Caladenia filamentosa	4a:99
Leptoceras menziesii (R.Br.) Lindl., Gen. Sp. Orchid. Pl. 416 (1840)	4a:99
Linguella nana (R.Br.) D.L.Jones & M.A.Clem. = Pterostylis nana	4a:14
Lyperanthus nigricans R.Br. = Pyrorchis nigricans	4a:93
Lyperanthus suaveolens R.Br., Prodr. Fl. Nov. Holland. 325 (1810)	4a:94
Malaxis subulata Labill. = Cryptostylis subulata	
Microtidium atratum (Lindl.) D.L.Jones & M.A.Clem., Orchadian 13: 463 (2002)	4a:60
Microtis arenaria Lindl., Gen. Sp. Orchid. Pl. 396 (1840)	4a:58
Microtis atrata Lindl. = Microtidium atratum	4a:60
Microtis biloba Nicholls = Microtis arenaria	4a:58
Microtis oblonga R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 47: 339 (1923)	4a:59
Microtis orbicularis R.S.Rogers = Hydrorchis orbicularis	4a:60
Microtis parviflora R.Br., Prodr. Fl. Nov. Holland. 321 (1810)	4a:59
Microtis porrifolia (Sw.) R.Br. ex Spreng. var. parviflora (R.Br.) Rodway nom. illeg., sensu Rodway (1903) = Microtis parviflora	
Microtis pulchella R.Br. sensu Hooker (1860), misapplied to Microtis unifolia and M. arenaria	
Microtis rara R.Br. sensu Curtis (1979) = Microtis oblonga	4a:59
Microtis unifolia (G.Forst.) Rchb.f., Beitr. Syst. Pflanzenk. 62 (1871)	4a:58
Nemacianthus caudatus (R.Br.) D.L.Jones & M.A.Clem. = Acianthus caudatus	4a:117
Oligochaetochilus commutatus (D.L.Jones) Szlach. = Pterostylis commutata	
Oligochaetochilus pratensis (D.L.Jones) Szlach. = Pterostylis pratensis	
Oligochaetochilus rubenachii (D.L.Jones) Szlach. = Pterostylis rubenachii	
Oligochaetochilus squamatus (R.Br.) Szlach. = Pterostylis squamata	4a:27
Oligochaetochilus stenochilus (D.L.Jones) Szlach. = Pterostylis stenochila	
Oligochaetochilus wapstrarum (D.L.Jones) Szlach. = Pterostylis wapstrarum	
Oligochaetochilus williamsonii (D.L.Jones) Szlach. = Pterostylis williamsonii	
Oligochaetochilus ziegeleri (D.L.Jones) Szlach. = Pterostylis ziegeleri	
Orthoceras strictum R.Br., Prodr. Fl. Nov. Holland. 317 (1810)	4a:30
Paracaleana minor (R.Br.) Blaxell, Contr. New South Wales Natl. Herb. 4: 281 (1972)	4a:88
Petalochilus alatus (R.Br.) D.L.Jones & M.A.Clem. = Caladenia alata	
Petalochilus atrochilus (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia atrochila	

	Petalochilus aurantiacus (R.S.Rogers) D.L.Jones & M.A.Clem. = Caladenia aurantiaca	
	Petalochilus campbellii (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia campbellii	
	Petalochilus carneus (R.Br.) D.L.Jones & M.A.Clem. = Caladenia carnea	4a:106
	Petalochilus fuscatus (Rchb.f.) D.L.Jones & M.A.Clem. = Caladenia fuscata	
	Petalochilus mentiensi (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia mentiensi	
	Petalochilus prolatus (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia prolata	
	Petalochilus pusillus (W.M.Curtis) D.L.Jones & M.A.Clem. = Caladenia pusilla	4a:107
	Petalochilus sylvicola (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia sylvicola	
	Petalochilus tonellii (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia tonellii	
	Petalochilus vulgaris (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia vulgaris	
	Pheladenia deformis (R.Br.) D.L.Jones & M.A.Clem., Orchadian 13: 411 (2001)	4a:113
	Plumatichilos plumosum (Cady) Szlach. = Pterostylis plumosa	4a:24
	Plumatichilos tasmanicum (D.L.Jones) Szlach. = Pterostylis tasmanica	
	Prasophyllum album R.S.Rogers sensu Curtis (1979) identity unresolved	4a:69
	Prasophyllum alpestre D.L.Jones = Prasophyllum mimulum (misapplied in Tasmania)	
e	Prasophyllum alpinum R.Br., Prodr. Fl. Nov. Holland. 318 (1810)	4a:75
e	Prasophyllum amoenum D.L.Jones, Austral. Orchid Res. 3: 99 (1998)	
e	Prasophyllum apoxychilum D.L.Jones, Austral. Orchid Res. 3: 100 (1998)	
	Prasophyllum archeri Hook.f. = Corunastylis archeri	4a:82
e	Prasophyllum sp. Arthurs Lake (R.Smith DLJ11363) Tas Herbarium	
e	Prasophyllum atratum D.L.Jones, Austral. Orchid Res. 5: 144 (2006)	
	Prasophyllum australe R.Br., Prodr. Fl. Nov. Holland. 318 (1810)	4a:66
	Prasophyllum beaugleholei Nicholls = Corunastylis nuda	4a:82
	Prasophyllum brachystachyum Lindl. = Corunastylis brachystachya	4a:79
	Prasophyllum brainei R.S.Rogers = Prasophyllum lindleyanum	4a:74
	Prasophyllum brevilabre (Lindl.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 11, t. 110A (1858)	4a:68
	Prasophyllum buftonianum J.H.Willis = Corunastylis pumila	4a:80
e	Prasophyllum castaneum D.L.Jones, Austral. Orchid Res. 3: 102 (1998)	
e	Prasophyllum concinnum Nicholls, Vict. Naturalist 64: 232 (1948)	4a:73
	Prasophyllum correctum D.L.Jones = Prasophyllum incorrectum (misapplied in Tasmania)	
e	Prasophyllum crebriflorum D.L.Jones, Muelleria 18: 103 (2003)	
	Prasophyllum despectans Hook.f. = Corunastylis despectans	4a:76
	Prasophyllum elatum R.Br., Prodr. Fl. Nov. Holland. 318 (1810)	4a:67
e	Prasophyllum favonium D.L.Jones, Austral. Orchid Res. 3: 104 (1998)	
	Prasophyllum firthii Cady = Corunastylis firthii	4a:80
	Prasophyllum fitzgeraldii R.S.Rogers & Maiden recorded in error	
	Prasophyllum flavum R.Br., Prodr. Fl. Nov. Holland. 318 (1810)	4a:66
	Prasophyllum frenchii F.Muell. sensu Curtis (1979) identity unresolved	4a:73
	Prasophyllum fuscum R.Br. sensu Curtis (1979) identity unresolved	4a:75
	Prasophyllum gracile Lindl. sensu Curtis (1979) identity unresolved	4a:72
e	Prasophyllum incorrectum D.L.Jones, Muelleria 18: 107 (2003)	
e	Prasophyllum incurvum D.L.Jones, Austral. Orchid Res. 3: 106 (1998)	
	Prasophyllum intricatum C.Stuart ex Benth. = Corunastylis archeri	4a:82
e	Prasophyllum limnetes D.L.Jones, Austral. Orchid Res. 5: 151 (2006)	

	Prasophyllum lindleyanum Rchb.f., Beitr. Syst. Pflanzenk. 3: 58 (1871)	4a:74
	Prasophyllum lutescens Lindl. sensu Hooker (1860) = Prasophyllum australe	
	Prasophyllum lutescens Lindl. var. brevilabre Lindl. = Prasophyllum brevilabre	
e	Prasophyllum milfordense D.L.Jones, Austral. Orchid Res. 3: 107 (1998)	
e	Prasophyllum mimulum D.L.Jones, Orchadian 14: 372 (2004)	4a:69
	Prasophyllum aff. montanum R.J.Bates & D.L.Jones sensu Buchanan (2009) = Prasophyllum sp.	
	Arthurs Lake (R.Smith DLJI 1363) Tas Herbarium	
	Prasophyllum morrisii Nicholls = Corunastylis morrisii	4a:83
	Prasophyllum nigricans R.Br. sensu Curtis (1979) = Corunastylis tasmanica	4a:77
	Prasophyllum nudiscapum Hook.f. = Corunastylis nudiscapa	4a:79
	Prasophyllum nudum Hook.f. = Corunastylis nuda	
	Prasophyllum odoratum R.S.Rogers sensu Curtis (1979) identity unresolved	4a:68
e	Prasophyllum olidum D.L.Jones, Austral. Orchid Res. 3: 108 (1998)	
	Prasophyllum parviflorum (R.S.Rogers) Nicholls sensu Curtis (1979) identity unresolved	4a:74
	Prasophyllum patens R.Br. sensu Rodway (1903) = Prasophyllum truncatum	4a:71
	Prasophyllum patens R.Br. var. robustum Nicholls sensu Curtis (1953) = Prasophyllum robustum	
e	Prasophyllum perangustum D.L.Jones, Austral. Orchid Res. 3: 109 (1998)	4a:72
e	Prasophyllum pulchellum D.L.Jones, Austral. Orchid Res. 3: 110 (1998)	
	Prasophyllum pyriforme E.Coleman sensu Buchanan (2005) = Prasophyllum rostratum	
e	Prasophyllum robustum (Nicholls) M.A.Clem. & D.L.Jones, Austral. Orchid Res. 1: 117 (1989)	
	Prasophyllum rogersii Rupp sensu Curtis (1979) = Prasophyllum perangustum	4a:72
e	Prasophyllum rostratum Lindl., Gen. Sp. Orchid. Pl. 516 (1840)	
	Prasophyllum rufum R.Br. sensu Curtis (1979) = Corunastylis tasmanica	4a:79
e	Prasophyllum secutum D.L.Jones, Austral. Orchid Res. 3: 113 (1998)	
	Prasophyllum sphacelatum D.L.Jones, Muellera 9: 59 (1996)	
e	Prasophyllum stellatum D.L.Jones, Austral. Orchid Res. 3: 115 (1998)	
	Prasophyllum suttonii R.S.Rogers & B.Rees sensu Curtis (1979) = Prasophyllum mimulum	4a:69
	Prasophyllum tadgellianum (R.S.Rogers) R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 47: 338 (1923)	
e	Prasophyllum taphanyx D.L.Jones, Orchadian 14: 373 (2004)	
e	Prasophyllum truncatum Lindl., Gen. Sp. Orchid. Pl. 513 (1840)	4a:71
e	Prasophyllum tunbridgense D.L.Jones, Austral. Orchid Res. 3: 117 (1998)	
	Prasophyllum uroglossum Rupp sensu Curtis (1979) identity unresolved	4a:76
	Pterostylis acuminata R.Br. sensu Curtis (1953) = Pterostylis ingens	
e	Pterostylis alata (Labill.) Rchb.f., Beitr. Syst. Pflanzenk. 70 (1871)	4a:20
	Pterostylis alpina R.S.Rogers sensu Curtis (1979) = Pterostylis scabrida	4a:19
e	Pterostylis aphylla Lindl., Gen. Sp. Orchid. Pl. 392 (1840)	4a:24
	Pterostylis atrans D.L.Jones, Muellera 8: 185 (1994)	4a:22
e	Pterostylis atriola D.L.Jones, Austral. Orchid Res. 3: 140 (1998)	
	Pterostylis barbata Lindl. sensu Rodway (1903) = Pterostylis plumosa	4a:24
e	Pterostylis commutata D.L.Jones, Muellera 8: 186 (1994)	
	Pterostylis concinna R.Br., Prodr. Fl. Nov. Holland. 326 (1810)	4a:11
	Pterostylis cucullata R.Br. subsp. cucullata , Prodr. Fl. Nov. Holland. 327 (1810)	
	Pterostylis curta R.Br., Prodr. Fl. Nov. Holland. 326 (1810)	4a:12

	<i>Pterostylis cycnocephala</i> Fitzg. sensu Curtis (1979) = Pterostylis ziegeleri	4a:26
	Pterostylis decurva R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 47: 339, t.27 (1923)	4a:22
e	Pterostylis dubia R.Br., Prodr. Fl. Nov. Holland. 328 (1810)	4a:16
	Pterostylis falcata R.S.Rogers, Proc. Roy. Soc. Victoria 28: 106, t.9 (1915)	4a:17
	Pterostylis foliata Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 249 (1853)	4a:19
e	Pterostylis furcata Lindl., Gen. Sp. Orchid. Pl. 390 (1840)	4a:17
	Pterostylis grandiflora R.Br., Prodr. Fl. Nov. Holland. 327 (1810)	4a:20
	Pterostylis × ingens (Rupp) D.L.Jones, Orchadian 5: 54 (1976)	4a:12
	<i>Pterostylis longifolia</i> R.Br. sensu Curtis (1979) = Pterostylis melagramma & P. williamsonii	4a:27
	Pterostylis lustra D.L.Jones, Austral. Orchid Res. 5: 87 (2006)	
	Pterostylis melagramma D.L.Jones, Austral. Orchid Res. 3: 145 (1998)	4a:27
	Pterostylis mutica R.Br., Prodr. Fl. Nov. Holland. 328 (1810)	4a:25
	Pterostylis nana R.Br., Prodr. Fl. Nov. Holland. 327 (1810)	4a:14
	Pterostylis nutans R.Br., Prodr. Fl. Nov. Holland. 327 (1810)	4a:13
	<i>Pterostylis obtusa</i> R.Br. sensu Curtis (1979) = Pterostylis atrans	4a:22
	Pterostylis parviflora R.Br., Prodr. Fl. Nov. Holland. 327 (1810)	4a:23
	Pterostylis pedoglossa Fitzg., Austral. Orchids 1(3): 5th plate (1877)	4a:13
	Pterostylis pedunculata R.Br., Prodr. Fl. Nov. Holland. 327 (1810)	4a:14
	Pterostylis plumosa Cady, Austral. Pl. 5: 138 (1969)	4a:24
	<i>Pterostylis praecox</i> Lindl. sensu Rodway (1903) = Pterostylis alata	4a:20
e	Pterostylis pratensis D.L.Jones, Austral. Orchid Res. 3: 149 (1998)	
	<i>Pterostylis pusilla</i> R.S.Rogers sensu Curtis (1953) = Pterostylis squamata	
e	Pterostylis rubenachii D.L.Jones, Austral. Orchid Res. 3: 150 (1998)	
	<i>Pterostylis rufa</i> R.Br. sensu Curtis (1979) = Pterostylis squamata	4a:27
	Pterostylis sanguinea D.L.Jones & M.A.Clem., Austral. Orchid Res. 1: 126 (1989)	4a:28
e	Pterostylis scabrida Lindl., Gen. Sp. Orchid. Pl. 389 (1840)	4a:19
	Pterostylis squamata R.Br., Prodr. Fl. Nov. Holland. 327 (1810)	4a:27
e	Pterostylis stenochila D.L.Jones, Austral. Orchid Res. 3: 153 (1998)	
	Pterostylis tasmanica D.L.Jones, Muelleria 8: 190 (1994)	
	Pterostylis × toveyana Ewart & Sharman, Proc. Roy. Soc. Victoria 28: 235 (1916)	4a:21
	Pterostylis tunstallii D.L.Jones & M.A.Clem., Austral. Orchid Res. 1: 128 (1989)	
	Pterostylis uliginosa D.L.Jones, Austral. Orchid Res. 3: 155 (1998)	
	<i>Pterostylis vereenae</i> R.S.Rogers sensu Curtis (1953) = Pterostylis foliata	
	<i>Pterostylis vittata</i> Lindl. sensu Curtis (1979) = Pterostylis sanguinea	4a:28
e	Pterostylis wapstrarum D.L.Jones, Austral. Orchid Res. 3: 156 (1998)	
e	Pterostylis williamsonii D.L.Jones, Austral. Orchid Res. 3: 157 (1998)	4a:27
e	Pterostylis ziegeleri D.L.Jones, Austral. Orchid Res. 3: 158 (1998)	4a:26
	Pyrorchis nigricans (R.Br.) D.L.Jones & M.A.Clem., Phytologia 77: 449 (1994)	4a:93
	Sarcochilus australis (Lindl.) Rchb.f., Ann. Bot. Syst. (Walpers) 6: 501 (1863)	4a:131
	<i>Sarcochilus parviflorus</i> Lindl. sensu Rodway (1903) = Sarcochilus australis	4a:131
	<i>Simpliglottis cornuta</i> (Hook.f.) Szlach. = Chiloglottis cornuta	4a:85
	<i>Simpliglottis grammata</i> (G.W.Carr) Jeanes = Chiloglottis grammata	
	<i>Simpliglottis gunnii</i> (Lindl.) Szlach. = Chiloglottis gunnii	4a:84
	<i>Simpliglottis triceratops</i> (D.L.Jones) Jeanes = Chiloglottis triceratops	
	<i>Simpliglottis valida</i> (D.L.Jones) Szlach. = Chiloglottis valida	

	<i>Specularantha aphylla</i> (Lindl.) D.L.Jones & M.A.Clem. = Pterostylis aphylla	4a:24
	<i>Specularantha atriola</i> (D.L.Jones) D.L.Jones & M.A.Clem. = Pterostylis atriola	
	<i>Specularantha parviflora</i> (R.Br.) D.L.Jones & M.A.Clem. = Pterostylis parviflora	4a:23
	<i>Specularantha uliginosa</i> (D.L.Jones) D.L.Jones & M.A.Clem. = Pterostylis uliginosa	
	<i>Spiculaea huntiana</i> (F.Muell.) Schltr. = Thynninorchis huntiana	4a:89
	Spiranthes alticola D.L.Jones, <i>Orchadian</i> 15: 555 (2008)	
	Spiranthes australis (R.Br.) Lindl., <i>Bot. Reg.</i> 10: subt.823 (1824)	4a:128
	<i>Spiranthes sinensis</i> (Pers.) Ames subsp. <i>australis</i> (R.Br.) Kitam. = Spiranthes australis	4a:128
	<i>Stegostyla alpina</i> (R.S.Rogers) D.L.Jones & M.A.Clem. = Caladenia alpina	4a:111
	<i>Stegostyla angustata</i> (Lindl.) D.L.Jones & M.A.Clem. = Caladenia angustata	4a:108
	<i>Stegostyla atrata</i> (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia atrata	
	<i>Stegostyla congesta</i> (R.Br.) D.L.Jones & M.A.Clem. = Caladenia congesta	4a:112
	<i>Stegostyla cracens</i> (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia cracens	
	<i>Stegostyla gracilis</i> (R.Br.) D.L.Jones & M.A.Clem. = Caladenia gracilis	4a:110
	<i>Stegostyla transitoria</i> (D.L.Jones) D.L.Jones & M.A.Clem. = Caladenia transitoria	
	<i>Sullivania minor</i> (R.Br.) D.L.Jones & M.A.Clem. = Paracaleana minor	4a:88
	<i>Taurantha concinna</i> (R.Br.) D.L.Jones & M.A.Clem. = Pterostylis concinna	4a:11
	× <i>Taurodium toveyanum</i> (Ewart & Sharman) D.L.Jones & M.A.Clem. sensu Buchanan (2005) = Pterostylis toveyana	
e	Thelymitra aggericola D.L.Jones, <i>The Orchadian</i> 12: 517 (1999)	
	<i>Thelymitra angustifolia</i> R.Br. sensu Hooker (1860) – a name of uncertain application	
	Thelymitra antennifera (Lindl.) Hook.f., <i>Bot. Antarct. Voy. III. (Fl. Tasman.)</i> 2: 4, t.101A (1858)	4a:51
	Thelymitra arenaria Lindl., <i>Gen. Sp. Orchid. Pl.</i> 519 (1840)	
	Thelymitra aristata Lindl., <i>Gen. Sp. Orchid. Pl.</i> 521 (1840)	4a:42
	Thelymitra atronitida Jeanes, <i>Muelleria</i> 14: 91 (2000)	
	<i>Thelymitra azurea</i> R.S.Rogers sensu Buchanan (1995) = Thelymitra jonesii	
	Thelymitra benthamiana Rchb.f., <i>Beitr. Syst. Pflanzenk.</i> 55 (1871)	
	Thelymitra bracteata J.Z.Weber ex Jeanes, <i>Muelleria</i> 19: 43 (2004)	
	Thelymitra brevifolia Jeanes, <i>Muelleria</i> 19: 30 (2004)	
	<i>Thelymitra canaliculata</i> R.Br. sensu Curtis (1979) = Thelymitra jonesii	4a:46
	Thelymitra carnea R.Br., <i>Prodr. Fl. Nov. Holland.</i> 314 (1810)	4a:50
	<i>Thelymitra chasmogama</i> R.S.Rogers sensu Curtis (1979) a plant of uncertain hybrid origin	4a:47
	Thelymitra circumsepta Fitzg., <i>Austral. Orchids</i> 1: t.1 (1878)	4a:48
	Thelymitra cyanea (Lindl.) Benth., <i>Fl. Austral.</i> 6: 323 (1873)	4a:49
	<i>Thelymitra decora</i> Cheeseman sensu Buchanan (1995) = Thelymitra simulata	
	Thelymitra erosa D.L.Jones & M.A.Clem., <i>Austral. Orchid Res.</i> 3: 184 (1998)	
	Thelymitra exigua Jeanes, <i>Muelleria</i> 19: 28 (2004)	
	Thelymitra flexuosa Endl., <i>Nov. Stirp. Dec.</i> 3: 23 (1839)	4a:51
	<i>Thelymitra grandiflora</i> Fitzg. sensu Curtis (1953) = Thelymitra aristata	
	Thelymitra holmesii Nicholls, <i>Vict. Naturalist</i> 49: 263 (1933)	4a:43
e	Thelymitra imbricata D.L.Jones & M.A.Clem., <i>Austral. Orchid Res.</i> 3: 186 (1998)	4a:43
	Thelymitra improcera D.L.Jones & M.A.Clem., <i>Austral. Orchid Res.</i> 3: 187 (1998)	4a:46
	Thelymitra inflata Jeanes, <i>Muelleria</i> 19: 71 (2004)	
	Thelymitra × irregularis Nicholls, <i>Vict. Naturalist</i> 63: 126 (1946)	4a:48
	Thelymitra ixiooides Sw., <i>Ksvenska Vet. Akad. Handl.</i> 21: 253 (1800)	4a:44

- e **Thelymitra jonesii** Jeanes, Muellera 15: 81 (2001) 4a:46
Thelymitra juncifolia Lindl., Gen. Sp. Orchid. Pl. 522 (1840)
Thelymitra longifolia J.R.Forst. & G.Forst. sensu Bentham (1873) = **Thelymitra nuda**
Thelymitra longiloba D.L.Jones & M.A.Clem., Austral. Orchid Res. 3: 191 (1998) 4a:46
Thelymitra lucida Jeanes, Muellera 19: 70 (2004)
Thelymitra luteocilium Fitzg. sensu Curtis (1979) = **Thelymitra rubra** 4a:47
Thelymitra × *macmillanii* F.Muell. sensu Curtis (1979) = a hybrid involving **Thelymitra nuda** 4a:49
Thelymitra malvina M.A.Clem., D.L.Jones & Molloy, Austral. Orchid Res. 1: 141 (1989)
Thelymitra media R.Br. sensu Curtis (1979) = **Thelymitra improcera** & **T. longiloba** 4a:46
Thelymitra megalyptra Fitzg. sensu Curtis (1979) = **Thelymitra imbricata** 4a:43
Thelymitra × **merraniae** Nicholls, Vict. Naturalist 46: 139 (1929)
Thelymitra mucida Fitzg., Gard. Chron. 17: 495 (1882) 4a:46
Thelymitra nuda R.Br., Prodr. Fl. Nov. Holland. 314 (1810) 4a:44
Thelymitra nuda R.Br. var. *grandiflora* Lindl. = **Thelymitra imbricata**
Thelymitra pauciflora R.Br., Prodr. Fl. Nov. Holland. 314 (1810) 4a:42
Thelymitra pauciflora R.Br. var. *holmesii* (Nicholls) Nicholls = **Thelymitra holmesii** 4a:43
Thelymitra peniculata Jeanes, Muellera 19: 50 (2004)
e **Thelymitra polychroma** D.L.Jones & M.A.Clem., Austral. Orchid Res. 3: 193 (1998)
Thelymitra pulchella Hook.f. recorded in error
Thelymitra resecta Rupp = **Thelymitra circumsepta** 4a:48
Thelymitra rubra Fitzg., Gard. Chron. 17: 495 (1882) 4a:50
e **Thelymitra silena** D.L.Jones, The Orchadian 12: 518 (1999)
Thelymitra simulata D.L.Jones & M.A.Clem., Austral. Orchid Res. 3: 195 (1998)
Thelymitra smithiana (Gunn ex Lindl.) Hook.f. = **Thelymitra flexuosa**
e **Thelymitra spadicea** D.L.Jones & M.A.Clem., Austral. Orchid Res. 3: 196 (1998)
e **Thelymitra sparsa** D.L.Jones & M.A.Clem., Austral. Orchid Res. 3: 197 (1998)
Thelymitra × **truncata** R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 41: 343, t.17 (1917) 4a:45
Thelymitra venosa R.Br. sensu Curtis (1979) = **Thelymitra cyanea** 4a:48
Thelymitra versicolor Lindl. = **Thelymitra nuda**
e **Thelymitra viridis** Jeanes, Muellera 19: 36 (2004)
X **Thynninorchis huntiana** (F.Muell.) D.L.Jones & M.A.Clem., Orchadian 13: 457 (2002) 4a:89
e **Thynninorchis nothofagicola** (D.L.Jones) D.L.Jones & M.A.Clem., Orchadian 13: 457 (2002)
t **Townsonia viridis** (Hook.f.) Schltr., Repert. Spec. Nov. Regni Veg. 9: 250 (1911) 4a:118
Urochilus sanguineus (D.L.Jones & M.A.Clem.) D.L.Jones & M.A.Clem. = **Pterostylis sanguinea** 4a:28

POACEAE (GRAMINEAE)

- Achnatherum caudatum* (Trin.) S.W.L.Jacobs & J.Everett = **Amelichloa caudata** 4b:192
Agropyron elongatum (Host) P.Beauv. = **Thinopyrum elongatum** 4b:295
Agropyron junceiforme (Á.Löve & D.Löve) Á.Löve & D.Löve = **Thinopyrum junceiforme** 4b:293
Agropyron junceum (L.) P.Beauv. = **Thinopyrum junceiforme** 4b:293
Agropyron pectinatum (Labill.) P.Beauv. = **Australopyrum pectinatum** 4b:301
Agropyron repens (L.) P.Beauv. = **Elytrigia repens** 4b:295
Agropyron scabrum (R.Br.) P.Beauv. = **Anthosachne scabra** 4b:296
Agropyron velutinum Nees = **Australopyrum velutinum** 4b:301
Agrostis aemula R.Br. = **Lachnagrostis aemula**

	<i>Agrostis aemula</i> R.Br. var. <i>aemula</i> = Lachnagrostis aemula	4b:258
	<i>Agrostis aemula</i> R.Br. var. <i>setifolia</i> (Hook.f.) Vickery = Lachnagrostis punicea subsp. punicea	4b:259
	<i>Agrostis aequata</i> Nees = Lachnagrostis rudis	4b:262
	Agrostis australiensis Mez, Feddes Repert. Spec. Nov. Regni Veg. 17: 302 (1921)	4b:257
	<i>Agrostis australiensis</i> Mez sensu Curtis & Morris (1994) = Lachnagrostis rudis	4b:257
	<i>Agrostis</i> sp. aff. <i>australiensis</i> Mez sensu Curtis & Morris (1994) = Agrostis diemenica	4b:257
	<i>Agrostis avenacea</i> J.F.Gmel. = Lachnagrostis filiformis	4b:259
	Agrostis bettyae S.W.L.Jacobs, Telopea 9: 679 (2001)	
	<i>Agrostis billardierei</i> R.Br. var. <i>billardierei</i> = Lachnagrostis billardierei subsp. billardierei	4b:260
	<i>Agrostis billardierei</i> R.Br. var. <i>collicola</i> D.I.Morris = Lachnagrostis collicola	4b:261
	<i>Agrostis billardierei</i> R.Br. var. <i>filifolia</i> Vickery = Lachnagrostis punicea subsp. filifolia	4b:261
	<i>Agrostis billardierei</i> R.Br. var. <i>robusta</i> Vickery = Lachnagrostis robusta	4b:261
	<i>Agrostis billardierei</i> R.Br. var. <i>tenuiseta</i> D.I.Morris = Lachnagrostis billardierei subsp. tenuiseta	4b:261
i	Agrostis capillaris L. var. <i>aristata</i> (Parn.) Druce, Fl. Oxfordshire, ed. 2: 474 (1927)	4b:264
i	Agrostis capillaris L. var. <i>capillaris</i> , Sp. Pl. 1: 62 (1753)	4b:264
	<i>Agrostis contracta</i> F.Muell. ex Hook.f. = Deyeuxia contracta	
	<i>Agrostis crinita</i> (L.f.) R.Br. = Dichelachne crinita	
e	Agrostis diemenica D.I.Morris, Telopea 10: 765 (2004)	4b:257
i	Agrostis gigantea Roth, Tent. Fl. Germ. 1: 31 (1788)	4b:264
	<i>Agrostis</i> sp. aff. <i>hiemalis</i> (Walter) Britton, Sterns & Poggenb. sensu Curtis & Morris (1994) = Agrostis propinqua	4b:258
	Agrostis joyceae S.W.L.Jacobs, Telopea 9: 680 (2001)	
	<i>Agrostis lacunarum</i> D.I.Morris = Lachnagrostis lacunarum	4b:260
	<i>Agrostis lobata</i> R.Br. = Deyeuxia quadriseta	
	<i>Agrostis montana</i> R.Br. = Deyeuxia monticola	
	Agrostis muelleriana Vickery, Contr. New South Wales Natl. Herb. 1: 103 (1941)	4b:256
	<i>Agrostis ovata</i> G.Forst. sensu Labillardiere (1805) = Echinopogon ovatus	
	Agrostis parviflora R.Br., Prodr. Fl. Nov. Holland. 170 (1810)	4b:256
	<i>Agrostis</i> sp. aff. <i>parviflora</i> R.Br. sensu Curtis & Morris (1994) = Agrostis thompsoniae	4b:257
	Agrostis propinqua S.W.L.Jacobs, Telopea 9: 681 (2001)	4b:258
	<i>Agrostis quadrifida</i> Labill. = Pentapogon quadrifidus	
	<i>Agrostis quadriseta</i> (Labill.) R.Br. = Deyeuxia quadriseta	
	<i>Agrostis rudis</i> Roem. & Schult. sensu Curtis & Morris (1994) = Lachnagrostis morrisii	4b:261
	<i>Agrostis scabra</i> R.Br. sensu Rodway (1903) = Agrostis parviflora & A. propinqua	
	<i>Agrostis</i> sp. aff. <i>scabra</i> R.Br. sensu Curtis & Morris (1994) = Agrostis propinqua	4b:258
	<i>Agrostis sciurea</i> R.Br. = Dichelachne micrantha	
	<i>Agrostis semiverticillata</i> (Forssk.) C.Chr. = Agrostis viridis	4b:283
i	Agrostis stolonifera L., Sp. Pl. 1: 62 (1753)	4b:262
	<i>Agrostis tenuis</i> Sibth. = Agrostis capillaris	4b:264
	Agrostis thompsoniae S.W.L.Jacobs, Telopea 9: 682 (2001)	4b:257
	Agrostis venusta Trin., Mém. Acad. Imp. Sci. St.-Petersbourg, Ser. 6 Sci. Math., Seconde Pt. Sci. Nat. 4: 340 (1841)	4b:256
	<i>Agrostis virginica</i> L. sensu Labillardiere (1805) = Sporobolus virginicus	
i	Agrostis viridis Gouan, Hortus Monsp. 546 (1762)	4b:283

	Agrostis vulgaris With. sensu Spicer (1878) = Agrostis capillaris	4b:264
i	Aira caryophyllea L. subsp. caryophyllea , Sp. Pl. 1: 66 (1753)	4b:246
n i *	Aira cupaniana Guss., Fl. Sicul. Syn. 1: 148 (1843)	
	Aira elegans Willd. ex Gaudin = Aira elegantissima	4b:247
i	Aira elegantissima Schur, Verh. Mitth. Siebenbürg. Vereins Naturwiss. Hermannstadt 4: 85 (1853)	4b:247
i	Aira praecox L., Sp. Pl. 1: 65 (1753)	4b:246
	Alopecurus agrestis L. = Alopecurus myosuroides	
i	Alopecurus geniculatus L., Sp. Pl. 1: 60 (1753)	4b:284
i	Alopecurus myosuroides Huds., Fl. Angl. (Hudson): 23 (1762)	4b:285
i	Alopecurus pratensis L. subsp. pratensis , Sp. Pl. 1: 60 (1753)	4b:284
i	Amelichloa caudata (Trin.) Arriaga & Barkworth, Sida 22: 148 (2006)	4b:192
i	Ammophila arenaria (L.) Link subsp. arenaria , Hort. Berol. [Link] 1: 105 (1827)	4b:274
	Amphibromus archeri (Hook.f.) P.Morris, Vict. Naturalist 51: 146 (1934)	4b:232
?i #	Amphibromus fluitans Kirk, Trans. & Proc. New Zealand Inst. 16: 374 (1884)	
	Amphibromus macrorhinus S.W.L.Jacobs & Lapinpuro, Telopea 2: 723 (1986)	4b:233
	Amphibromus neesii Steud., Syn. Pl. Glumac. 1: 328 (1854)	4b:234
	Amphibromus nervosus (Hook.f.) Baill., Hist. Pl. 12: 203 (1894)	
	Amphibromus recurvatus Swallen, Amer. J. Bot. 18: 415 (1931)	4b:232
	Amphibromus sinuatus S.W.L.Jacobs & Lapinpuro, Telopea 2: 727 (1986)	4b:233
	Anthistiria australis R.Br. = Themeda triandra	
	Anthistiria ciliata L.f. sensu Rodway (1903) = Themeda triandra	4b:358
i	Anthosachne kingiana (Endl.) Govaerts subsp. multiflora (Banks & Sol. ex Hook.f.) Govaerts, J. Adelaide Bot. Gard. 27: 24 (2014)	
	Anthosachne scabra (R.Br.) Nevski, Trudy Sredne-Aziatsk. Gosud. Univ., Ser. 8b, Bot. 17: 65 (1934)	4b:296
	Anthoxanthum crinitum L.f. sensu Brown (1810) = Dichelachne crinita	
i	Anthoxanthum odoratum L., Sp. Pl. 1: 28 (1753)	4b:250
i	Aristida benthamii Henrard var. benthamii , Meded. Rijks-Herb. 58A: 246, t.117 (1932)	4b:323
	Aristida jerichoensis (Domin) Henrard sensu Buchanan et al. (1989) = Aristida benthamii var. benthamii	4b:323
	Arrhenatherum avenaceum (Scop.) P.Beauv. sensu Rodway (1903) = Arrhenatherum elatius	4b:234
i	Arrhenatherum elatius (L.) P.Beauv. ex J.Presl & C.Presl var. bulbosum (Willd.) Spenn., Fl. Friburg. 1: 113 (1825)	4b:234
	Arundo penicillatum Labill. = Rytidosperma penicillatum	
	Arundo phragmites L. sensu Brown (1810) = Phragmites australis	
	Arundo poiformis Labill. sensu Labillardiere (1805) = Poa poiformis	
	Arundo semiannularis Labill. = Rytidosperma semiannulare	
	Australopyrum pectinatum (Labill.) Á.Löve, Feddes Repert. 95: 443 (1984)	4b:301
	Australopyrum velutinum (Nees) B.K.Simon, Austrobaileya 2: 241 (1986)	4b:301
	Austrodanthonia alpicola (Vickery) H.P.Linder sensu Fl. Australia 44B: 51 = Rytidosperma oreophilum (Tasmanian plants)	
	Austrodanthonia caespitosa (Gaudich.) H.P.Linder = Rytidosperma caespitosum	4b:312
	Austrodanthonia carphoides (F.Muell. ex Benth.) H.P.Linder = Rytidosperma carphoides	4b:306
	Austrodanthonia diemenica (D.I.Morris) H.P.Linder = Rytidosperma diemenicum	4b:311

	Austrodanthonia geniculata (J.M.Black) H.P.Linder = Rytidosperma geniculatum	4b:308
	Austrodanthonia induta (Vickery) H.P.Linder = Rytidosperma indutum	4b:312
	Austrodanthonia laevis (Vickery) H.P.Linder = Rytidosperma laeve	4b:312
	Austrodanthonia penicillata (Labill.) H.P.Linder = Rytidosperma penicillatum	4b:313
	Austrodanthonia pilosa (R.Br.) H.P.Linder = Rytidosperma pilosum	4b:313
	Austrodanthonia popinensis (D.I.Morris) H.P.Linder = Rytidosperma fulvum	4b:316
	Austrodanthonia procera (Vickery) S.W.L.Jacobs = Rytidosperma indutum	4b:312
	Austrodanthonia racemosa (R.Br.) H.P.Linder = Rytidosperma racemosum	4b:314
	Austrodanthonia racemosa (R.Br.) H.P.Linder var. racemosa = Rytidosperma racemosum var. racemosum	4b:314
	Austrodanthonia remota (D.I.Morris) H.P.Linder = Rytidosperma remotum	4b:316
	Austrodanthonia setacea (R.Br.) H.P.Linder = Rytidosperma setaceum	4b:311
	Austrodanthonia tenuior (Steud.) H.P.Linder = Rytidosperma tenuius	4b:310
i t	Austroderia richardii (Endl.) N.P.Barker & H.P.Linder, Ann. Missouri Bot. Gard. 97: 344 (2010)	4b:319
	Austrofestuca hookeriana (F.Muell. ex Hook.f.) S.W.L.Jacobs = Hookerchloa hookeriana	4b:223
	Austrofestuca littoralis (Labill.) E.B.Alexeev, Byull. Moskovsk. Obshch. Isp. Prir., Otd. Biol. 81(5): 55 (1976)	4b:223
e	Austrostipa aphylla (Rodway) S.W.L.Jacobs & J.Everett, Telopea 6: 584 (1996)	4b:192
	Austrostipa bigeniculata (Hughes) S.W.L.Jacobs & J.Everett, Telopea 6: 584 (1996)	4b:190
	Austrostipa blackii (C.E.Hubb.) S.W.L.Jacobs & J.Everett, Telopea 6: 584 (1996)	4b:191
	Austrostipa flavescens (Labill.) S.W.L.Jacobs & J.Everett, Telopea 6: 585 (1996)	4b:190
	Austrostipa mollis (R.Br.) S.W.L.Jacobs & J.Everett, Telopea 6: 587 (1996)	4b:189
	Austrostipa nodosa (S.T.Blake) S.W.L.Jacobs & J.Everett, Telopea 6: 587 (1996)	4b:188
	Austrostipa pubinodis (Trin. & Rupr.) S.W.L.Jacobs & J.Everett, Telopea 6: 588 (1996)	4b:187
	Austrostipa rudis (Spreng.) S.W.L.Jacobs & J.Everett subsp. australis (J.Everett & S.W.L.Jacobs) S.W.L.Jacobs & J.Everett, Telopea 6: 588 (1996)	4b:186
	Austrostipa scabra (Lindl.) S.W.L.Jacobs & J.Everett subsp. falcata (Hughes) S.W.L.Jacobs & J.Everett, Telopea 6: 588 (1996)	4b:188
	Austrostipa scabra (Lindl.) S.W.L.Jacobs & J.Everett subsp. scabra , Telopea 6: 588 (1996)	4b:188
	Austrostipa semibarbata (R.Br.) S.W.L.Jacobs & J.Everett, Telopea 6: 588 (1996)	4b:189
	Austrostipa stipoides (Hook.f.) S.W.L.Jacobs & J.Everett, Telopea 6: 589 (1996)	4b:186
	Austrostipa stuposa (Hughes) S.W.L.Jacobs & J.Everett, Telopea 6: 589 (1996)	4b:191
n i *	Avellinia michelii (Savi) Parl., Pl. Nov. 61 (1842)	
	Avena alba Vahl sensu Townrow (1969) = Avena barbata	4b:236
i	Avena barbata Pott ex Link, J. Bot. (Shrader) 2: 314,315 (1799)	4b:236
i	Avena fatua L., Sp. Pl. 1: 80 (1753)	4b:237
	Avena filiformis G.Forst. sensu Labillardiere (1805) = Lachnagrostis filiformis	
i	Avena ludoviciana Durieu, Actes Soc. Linn. Bordeaux 20: 41 (1855)	4b:238
	Avena quadriseta Labill. = Deyeuxia quadriseta	
i	Avena sativa L., Sp. Pl. 1: 79 (1753)	4b:237
	Avena sterilis L. subsp. ludoviciana (Durieu) Gillet & Magne = Avena ludoviciana	4b:238
i	Avena strigosa Schreb., Spic. Fl. Lips. 52 (1771)	4b:237
i	Bothriochloa macra (Steud.) S.T.Blake, Proc. Roy. Soc. Queensland 80: 64 (1969)	4b:355
i	Brachypodium distachyon (L.) P.Beauv., Ess. Agrostogr. 101, 155, 156 (1812)	4b:292

i	Briza maxima L., Sp. Pl. 1: 70 (1753)	4b:208
i	Briza minor L., Sp. Pl. 1: 70 (1753)	4b:208
i	Bromus alopecuroides Poir., Voy. Barbarie 2: 100 (1789)	4b:288
	Bromus arenarius Labill., Nov. Holl. Pl. 1: 23, t.28 (1805)	4b:288
i	Bromus brevis Nees ex Steud., Syn. Pl. Glumac. 1: 326 (1854)	4b:290
i	Bromus catharticus Vahl, Symb. Bot. (Vahl) 2: 22 (1791)	4b:290
i	Bromus cecadilla Steud., Syn. Pl. Glumac. 1: 321 (1854)	4b:290
i	Bromus diandrus Roth, Bot. Abh. Beobacht. 44 (1787)	4b:288
	<i>Bromus fonkii</i> Phil. = Bromus lithobius	4b:290
i	Bromus hordeaceus L., Sp. Pl. 1: 77 (1753)	4b:287
	<i>Bromus japonicus</i> Murray var. <i>vestitus</i> sensu Buchanan (2005) = Bromus arenarius	4b:288
i	Bromus lithobius Trin., Linnaea 10: 303 (1836)	4b:290
	<i>Bromus macrostachys</i> Desf. sensu Townrow (1969) = Bromus alopecuroides	4b:288
i	Bromus madritensis L. var. ciliatus Guss., Fl. Sicul. Syn. 1: 78 (1843)	4b:289
	<i>Bromus mollis</i> L. = Bromus hordeaceus	4b:287
i	Bromus sterilis L., Sp. Pl. 1: 77 (1753)	4b:289
	<i>Bromus thominii</i> Hardouin sensu Townrow (1969) = Bromus hordeaceus	4b:287
	<i>Bromus unioloides</i> Kunth = Bromus catharticus	4b:290
	<i>Bromus willdenowii</i> Kunth = Bromus catharticus	4b:290
i # t x	Calamagrostis epigejos (L.) Roth, Tent. Fl. Germ. 1: 34 (1788)	4b:273
i	Catapodium marinum (L.) C.E.Hubb., Kew Bull. 9: 375 (1954)	4b:225
i	Catapodium rigidum (L.) C.E.Hubb., Fl. Bedfordshire: 437 (1953)	4b:224
i	Cenchrus clandestinus (Hochst. ex Chiov.) Morrone, Ann. Bot. (Oxford) 106(1): 127 (2010)	4b:348
i	Cenchrus longisetus M.C.Johnst., Sida 1(3): 182 (1963)	4b:349
i	Cenchrus macrourus (Trin.) Morrone, Ann. Bot. (Oxford) 106(1): 128 (2010)	4b:351
	<i>Cenchrus purpurascens</i> Thunb. recorded in error	4b:351
	<i>Ceratochloa unioloides</i> DC. = Bromus catharticus	4b:290
i	Cortaderia jubata (Lemoine) Stapf, Bot. Mag. 124, t.7607 (1898)	4b:320
	<i>Cortaderia richardii</i> (Endl.) Zotov = Austroderia richardii	4b:319
i	Cortaderia selloana (Schult. & Schult.f.) Asch. & Graebn., Syn. Mitteleur. Fl. [Ascherson & Graebner] 2: 325 (1900)	4b:320
	<i>Critesion marinum</i> (Huds.) Á.Löve = Hordeum marinum	4b:300
	<i>Critesion murinum</i> (L.) Á.Löve = Hordeum murinum	4b:298
i	Cynodon dactylon (L.) Pers. var. dactylon , Syn. Pl. (Persoon) 1: 85 (1805)	4b:330
i	Cynosurus cristatus L., Sp. Pl. 1: 72 (1753)	4b:207
i	Cynosurus echinatus L., Sp. Pl. 1: 72 (1753)	4b:207
i	Dactylis glomerata L., Sp. Pl. 1: 71 (1753)	4b:221
	<i>Danthonia archeri</i> Hook.f. = Amphibromus archeri	
	<i>Danthonia caespitosa</i> Gaudich. = Rytidosperma caespitosum	4b:312
	<i>Danthonia carphoides</i> F.Muell. ex Benth. var. <i>angustior</i> Vickery = Rytidosperma carphoides	4b:306
i	Danthonia decumbens (L.) DC., Lam., Fl. Franc. (DC. & Lamarck), ed. 3. 3: 33 (1805)	4b:317
	<i>Danthonia diemenica</i> D.I.Morris = Rytidosperma diemenicum	4b:311
	<i>Danthonia dimidiata</i> Vickery = Rytidosperma dimidiatum	4b:317
	<i>Danthonia eriantha</i> Lindl. sensu Townrow (1969) identity uncertain	
	<i>Danthonia fortunae-hibernae</i> Renvoize = Rytidosperma fortunae-hibernae	4b:310

	Danthonia geniculata J.M.Black = Rytidosperma geniculatum	4b:308
	Danthonia gracilis Hook.f. = Rytidosperma gracile	4b:309
	Danthonia laevis Vickery = Rytidosperma laeve	4b:312
	Danthonia longifolia R.Br. sensu Townrow (1969) = Rytidosperma tenuius	4b:310
	Danthonia nervosa Hook.f. = Amphibromus nervosus	
	Danthonia nitens D.I.Morris = Rytidosperma nitens	4b:315
	Danthonia nivicola Vickery = Rytidosperma nivicola	4b:315
	Danthonia nudiflora P.Morris = Rytidosperma nudiflorum	4b:314
	Danthonia pallida R.Br. sensu Bentham (1878) = Rytidosperma pallidum	
	Danthonia pauciflora R.Br. = Rytidosperma pauciflorum	4b:309
	Danthonia penicillata (Labill.) R.Br. ex P.Beauv. = Rytidosperma penicillatum	4b:313
	Danthonia penicillata (Labill.) R.Br. ex P.Beauv. var. pallida (R.Br.) Rodway sensu Rodway (1903) = Rytidosperma pallidum	
	Danthonia penicillata (Labill.) R.Br. ex P.Beauv. var. pilosa (R.Br.) Rodway = Rytidosperma pilosum	
	Danthonia penicillata (Labill.) R.Br. ex P.Beauv. var. racemosa (R.Br.) Rodway = Rytidosperma racemosum	
	Danthonia penicillata (Labill.) R.Br. ex P.Beauv. var. semiannularis (Labill.) Rodway = Rytidosperma semiannulare	
	Danthonia penicillata (Labill.) R.Br. ex P.Beauv. var. setacea (R.Br.) Rodway = Rytidosperma setaceum	
	Danthonia pilosa R.Br. = Rytidosperma pilosum	4b:313
	Danthonia popinensis D.I.Morris = Rytidosperma fulvum	4b:316
	Danthonia procera Vickery = Rytidosperma indutum	4b:312
	Danthonia pulvinorum D.I.Morris = Rytidosperma nivicola	4b:315
	Danthonia purpurascens Vickery sensu Townrow (1969) = Rytidosperma tenuius	4b:310
	Danthonia racemosa R.Br. = Rytidosperma racemosum	4b:314
	Danthonia racemosa R.Br. var. penicillata (Labill.) Benth. nom. illeg. = Rytidosperma penicillatum	
	Danthonia remota D.I.Morris = Rytidosperma remotum	4b:316
	Danthonia semiannularis (Labill.) R.Br. var. gracilis (Hook.f.) Hook.f. = Rytidosperma gracile	4b:308
	Danthonia semiannularis (Labill.) R.Br. var. semiannularis = Rytidosperma semiannulare	4b:309
	Danthonia setacea R.Br. = Rytidosperma setaceum	4b:311
	Danthonia subulata Hook.f. = Rytidosperma setaceum	
	Danthonia tenuior (Steud.) Conert = Rytidosperma tenuius	4b:310
	Deschampsia cespitosa (L.) P.Beauv., Ess. Agrostogr. 91: 160, t.18, fig.3 (1812)	4b:242
t	Deschampsia gracillima Kirk, J. Bot. 29: 237 (1891)	4b:243
	Deyeuxia accedens Vickery = Deyeuxia frigida	4b:271
	Deyeuxia aequata (Nees) Benth. = Lachnagrostis rudis	4b:261
e	Deyeuxia apseyensis D.I.Morris, Muelleria 7: 160 (1990)	4b:273
	Deyeuxia benthamiana Vickery = Deyeuxia scaberula	4b:270
	Deyeuxia billardiarei (R.Br.) Kunth = Lachnagrostis billardiarei	4b:260
	Deyeuxia brachyathera (Stapf) Vickery, Contr. New South Wales Natl. Herb. 1: 68 (1940)	4b:272
	Deyeuxia carinata Vickery, Contr. New South Wales Natl. Herb. 1: 58 (1940)	4b:272

	Deyeuxia contracta (F.Muell. ex Hook.f.) Vickery, Contr. New South Wales Natl. Herb. 1: 65 (1940)	4b:269
	Deyeuxia decipiens (R.Br.) Vickery, Contr. New South Wales Natl. Herb. 1: 70 (1940)	4b:269
	Deyeuxia densa Benth., Fl. Austral. 7: 582 (1878)	4b:270
	<i>Deyeuxia forsteri</i> Kunth = Lachnagrostis filiformis	4b:259
	Deyeuxia frigida F.Muell. ex Benth., Fl. Austral. 7: 583 (1878)	4b:271
	Deyeuxia gunniana (Nees) Benth., Fl. Austral. 7: 584 (1878)	4b:267
	Deyeuxia innominata D.I.Morris, Muelleria 7: 164 (1990)	4b:268
e x	Deyeuxia lawrencei Vickery, Contr. New South Wales Natl. Herb. 1: 48 (1940)	4b:266
	Deyeuxia minor F.Muell. ex Benth., Fl. Austral. 7: 582 (1878)	4b:270
	<i>Deyeuxia montana</i> (R.Br.) Benth. = Deyeuxia monticola	4b:268
	Deyeuxia monticola (Roem. & Schult.) Vickery, Contr. New South Wales Natl. Herb. 1: 56 (1940)	4b:268
	<i>Deyeuxia parviseta</i> Vickery sensu Townrow (1969) = Deyeuxia innominata	4b:268
	Deyeuxia quadriseta (Labill.) Benth., Fl. Austral. 7: 581 (1878)	4b:267
	Deyeuxia rodwayi Vickery, Contr. New South Wales Natl. Herb. 1: 60 (1940)	4b:271
	Deyeuxia scaberula Vickery, Contr. New South Wales Natl. Herb. 1: 64 (1940)	4b:270
	<i>Deyeuxia scabra</i> Kunth sensu Rodway (1903) = Deyeuxia contracta & D. scaberula	
n	<i>Dichanthium sericeum</i> (R.Br.) A.Camus subsp. <i>sericeum</i> – previously listed as naturalised but insufficient evidence exists to support this	4b:355
	Dichelachne crinita (L.f.) Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 293 (1853)	4b:277
	Dichelachne inaequiglumis (Hack. ex Cheeseman) Edgar & Connor, New Zealand J. Bot. 20: 307 (1982)	4b:278
	Dichelachne micrantha (Cav.) Domin, Biblioth. Bot. 20(85): 353 (1915)	4b:278
	Dichelachne montana Endl., Prodr. Fl. Norfolk. 20 (1833)	
	Dichelachne parva B.K.Simon, Austrobaileya 1: 462 (1982)	
	Dichelachne rara (R.Br.) Vickery, Contr. New South Wales Natl. Herb. 1: 337 (1951)	4b:279
	<i>Dichelachne sciurea</i> (R.Br.) Hook.f. sensu Rodway (1903) = Dichelachne spp. excluding Dichelachne crinita	
	Dichelachne sieberiana Trin. & Rupr., Sp. Gram. Stipac. 2–3 (1842)	
	<i>Dichelachne stipoides</i> Hook.f. = Austrostipa stipoides	
n	<i>Digitaria ciliaris</i> (Retz.) Koeler – previously listed as naturalised but insufficient evidence exists to support this	4b:347
i	Digitaria sanguinalis (L.) Scop., Fl. Carniol., ed. 2. 2: 52 (1772)	4b:346
n	<i>Digitaria ternata</i> (Hochst. ex A.Rich.) Stapf – previously listed as naturalised but insufficient evidence exists to support this	4b:346
	<i>Diplax tasmanica</i> Hook.f. = Microlaena tasmanica	
	<i>Disarrenum antarcticum</i> Labill. = Hierochloe redolens	
	Distichlis distichophylla (Labill.) Fassett, Rhodora 27: 71 (1925)	4b:324
	<i>Distichlis maritima</i> Raf. sensu Rodway (1903) = Distichlis distichophylla	4b:324
	Dryopoa dives (F.Muell.) Vickery, Contr. New South Wales Natl. Herb. 3: 196 (1963)	4b:199
i	Echinochloa crus-galli (L.) P.Beauv., Ess. Agrostogr. 53 (1812)	4b:336
	<i>Echinochloa crus-galli</i> (L.) P.Beauv. var. <i>frumentacea</i> W.Wright = Echinochloa frumentacea	4b:338
i	Echinochloa esculenta (A.Braun) H.Scholz, Taxon 41: 523 (1992)	4b:336
i	Echinochloa frumentacea Link, Hort. Berol. [Link] 1: 204 (1827)	4b:338

n	Echinochloa oryzoides (Ard.) Fritsch – previously listed as naturalised but insufficient evidence exists to support this	
	Echinochloa utilis Ohwi & Yabuno = Echinochloa esculenta	4b:336
	Echinopogon ovatus (G.Forst.) P.Beauv., Ess. Agrostogr. 42, 161, t.9 fig.5 (1812)	4b:275
	Ehrharta acuminata (R.Br.) Spreng. = Tetrarrhena acuminata	4b:182
i	Ehrharta calycina Sm., Pl. Icon. Ined. 2: t.33 (1790)	4b:178
	Ehrharta distichophylla Labill. = Tetrarrhena distichophylla	4b:183
i	Ehrharta erecta Lam. var. erecta , Encycl. (Lamarck) 2: 347 (1786)	4b:179
	Ehrharta juncea (R.Br.) Spreng. = Tetrarrhena juncea	4b:183
i	Ehrharta longiflora Sm., Pl. Icon. Ined. 2: t.32 (1790)	4b:179
	Ehrharta oreophila (D.I.Morris) L.P.M.Willemse var. minor (D.I.Morris) L.P.M.Willemse = Tetrarrhena oreophila var. minor	4b:182
	Ehrharta oreophila (D.I.Morris) L.P.M.Willemse var. oreophila = Tetrarrhena oreophila var. oreophila	4b:182
	Ehrharta stipoides Labill. = Microlaena stipoides	4b:181
	Ehrharta tasmanica (Hook.f.) L.P.M.Willemse var. subalpina (F.Muell. ex Benth.) L.P.M.Willemse = Microlaena tasmanica var. subalpina	4b:182
	Ehrharta tasmanica (Hook.f.) L.P.M.Willemse var. tasmanica = Microlaena tasmanica var. tasmanica	4b:181
i	Ehrharta villosa Schult.f., Syst. Veg., ed. 15 bis [Roemer & Schultes] 7: 1374 (1830)	4b:184
i #	Eleusine indica (L.) Gaertn., Fruct. Sem. Pl. 1: 8 (1788)	
n i	Eleusine tristachya (Lam.) Lam., Tabl. Encycl. 1: 57 (1791)	
	Elymus elongatus (Host) Runemark = Thinopyrum elongatum	4b:295
	Elymus farctus (Viv.) Runemark ex Melderis subsp. boreali-atlanticus (Simonet & Guin.) Melderis = Thinopyrum junceiforme	
	Elymus multiflorus (Banks & Sol. ex Hook.f.) Á.Löve & Connor = Anthosachne kingiana subsp. multiflora	
	Elymus repens (L.) Gould = Elytrigia repens	4b:295
	Elymus scaber (R.Br.) Á.Löve = Anthosachne scabra	4b:296
i	Elytrigia repens (L.) Desv. ex Nevski, Trudy Bot. Inst. Akad. Nauk S.S.S.R., Ser. 1, Fl. Sist. Vyssh. Rast. . 1: 14 (1933)	4b:295
i	Enneapogon nigricans (R.Br.) P.Beauv., Ess. Agrostogr. 82, 161, 171 (1812)	
?i	Eragrostis brownii (Kunth) Nees, Cat. Ind. Pl. 2: 105 (1834)	4b:326
i	Eragrostis cilianensis (All.) Vignolo ex Janch., Mitt. Naturwiss. Vereins Univ. Wien 5(9): 110 (1907)	4b:326
n i	Eragrostis curvula (Schrad.) Nees, Fl. Afr. Austral. Ill. 397 (1841)	4b:327
i	Eragrostis minor Host, Icon. Descr. Gram. Austriac. 4: 15 (1809)	
	Eragrostis molybdea Vickery = Eragrostis brownii	4b:326
i	Eragrostis parviflora (R.Br.) Trin., Mém. Acad. Imp. Sci. St.Pétersbourg Hist. Acad. 11: 411 (1830)	
i	Eragrostis pilosa (L.) P.Beauv., Ess. Agrostogr. 71, 162, 175 (1812)	
n i *	Eragrostis tenuifolia (A.Rich.) Hochst. ex Steud., Syn. Pl. Glumac. 1: 268 (1854)	4b:327
	Erythranthera australis (Petrie) Zotov = Rytidosperma australe	4b:318
	Festuca archeri E.B.Alexeev = Festuca arundinacea	4b:428
i	Festuca arundinacea Schreb., Spic. Fl. Lips. 57 (1771)	4b:197
	Festuca asperula Vickery sensu Townrow (1969) = Festuca plebeia	4b:196

	<i>Festuca bromoides</i> L. = Vulpia bromoides	4b:203
	<i>Festuca distichophylla</i> (Labill.) Hook.f. nom. illeg. = Distichlis distichophylla	
	<i>Festuca dives</i> F.Muell. = Dryopoa dives	4b:199
	<i>Festuca duriuscula</i> L. sensu Benth. (1878) = Festuca plebeia (misapplied in Tasmania)	
	<i>Festuca elatior</i> L. subsp. <i>arundinacea</i> (Schreb.) Hack. = Festuca arundinacea	4b:197
	<i>Festuca hookeriana</i> F.Muell. ex Hook.f. = Hookerchloa hookeriana	4b:223
	<i>Festuca littoralis</i> Labill. = Austrofestuca littoralis	4b:223
i	Festuca nigrescens Lam., Encycl. (Lamarck) 2: 460 (1788)	4b:197
	<i>Festuca ovina</i> L. sensu Rodway (1903) = Festuca plebeia	4b:196
	<i>Festuca pectinata</i> Labill. = Australopyrum pectinatum	
e	Festuca plebeia R.Br., Prodr. Fl. Nov. Holland. 178 (1810)	4b:196
i	Festuca rubra L., Sp. Pl. 1: 74 (1753)	4b:197
	<i>Festuca scabra</i> Labill. nom. illeg., non Vahl = Anthosachne scabra	
	<i>Gastridium lendigerum</i> (L.) Gaudin sensu Rodway (1903) = Gastridium ventricosum	4b:280
i t	Gastridium ventricosum (Gouan) Schinz & Thell., Vierteljahrsschr. Naturf. Ges. Zürich 58: 39 (1913)	4b:280
i	Gaudinia fragilis (L.) P.Beauv., Ess. Agrostogr. 95 (1812)	4b:238
	Glyceria australis C.E.Hubb., Bull. Misc. Inform. Kew. 1934: 450 (1934)	4b:228
i	Glyceria declinata Bréb., Fl. Normandie, ed. 3: 354 (1859)	4b:229
i t	Glyceria fluitans (L.) R.Br., Prodr. Fl. Nov. Holland. 179 (1810)	4b:229
	<i>Glyceria fluitans</i> (L.) R.Br. sensu Rodway (1903) = Glyceria australis	4b:228
i	Glyceria maxima (Hartm.) Holmb., Bot. Not. 72: 97 (1919)	4b:229
	<i>Glyceria notata</i> Chevall. sensu Buchanan (2005) = Glyceria plicata	
n i *	<i>Glyceria plicata</i> (Fr.) Fr., Novitiae Florae Suecicae Mantissa 3: 176 (1845)	4b:229
	<i>Glyceria stricta</i> Hook.f. = Puccinellia stricta	4b:205
i	Hainardia cylindrica (Willd.) Greuter, Boissiera 13: 177 (1967)	4b:227
	<i>Hemarthria compressa</i> (L.f.) R.Br. sensu Benth. (1878) = Hemarthria uncinata (misapplied in Tasmania)	
	Hemarthria uncinata R.Br. var. <i>uncinata</i> , Prodr. Fl. Nov. Holland. 207 (1810)	4b:359
	<i>Hierochloe antarctica</i> (Labill.) R.Br. = Hierochloe redolens	
	<i>Hierochloe borealis</i> Roem. & Schult. sensu Hooker (1860) = Hierochloe fraseri (misapplied in Tasmania)	
e	Hierochloe fraseri Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 93 (1845)	4b:248
	Hierochloe rariflora Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 93 (1845)	4b:249
	Hierochloe redolens (Vahl) R.Br. ex Roem. & Schult., Syst. Veg., ed. 15 bis [Roemer & Schultes] 2: 514 (1817)	4b:247
	<i>Hierochloe redolens</i> (Vahl) R.Br. ex Roem. & Schult. var. <i>fraseri</i> (Hook.f.) Benth. = Hierochloe fraseri	
i	Holcus lanatus L., Sp. Pl. 2: 1048 (1753)	4b:245
n i *	<i>Holcus mollis</i> L., Syst. Nat., ed. 10, 2: 1305 (1759)	4b:245
	Hookerchloa hookeriana (F.Muell. ex Hook.f.) E.B.Alexeev, Byull. Moskovsk. Obshch. Isp. Prir., Otd. Biol. 90: 106 (1985)	4b:223
i	Hordeum distichon L., Sp. Pl. 1: 85 (1753)	4b:297
i	Hordeum glaucum Steud., Syn. Pl. Glumac. 1: 352 (1854)	4b:298
n i	Hordeum hystrix Roth, Catal. Bot. 1: 23 (1797)	4b:300

i	Hordeum leporinum Link, Linnaea 9: 133 (1834)	4b:298
i	Hordeum marinum Huds., Fl. Angl. (Hudson) (ed. 2) 1: 57 (1778)	4b:300
	Hordeum marinum Huds. subsp. gussoneanum (Parl.) Thell. = Hordeum hystrix	4b:300
i	Hordeum murinum L., Sp. Pl. 1: 85 (1753)	4b:298
	Hordeum murinum L. subsp. glaucum (Steud.) Tzvelev = Hordeum glaucum	4b:298
	Hordeum murinum L. subsp. leporinum (Link) Arcang. = Hordeum leporinum	4b:298
	Hordeum nodosum L. sensu Bentham (1878) – a name of uncertain application	
i	Hordeum vulgare L., Sp. Pl. 1: 84 (1753)	4b:297
	Imperata arundinacea Cirillo sensu Rodway (1903) = Imperata cylindrica var. major	4b:353
	Imperata cylindrica (L.) P.Beauv. var. major (Nees) C.E.Hubb., Grasses of Mauritius & Rodriguez: 96 (1940)	4b:353
	Isachne globosa (Thunb. ex Murray) Kuntze, Revis. Gen. Pl. 2: 778 (1891)	
	Koeleria cristata Pers. = Rostraria cristata	4b:241
	Koeleria cristata (L.) Bertol. sensu Rodway (1903) = Koeleria macrantha	4b:240
i x	Koeleria macrantha (Ledeb.) Schult., Mant. 2 (Schultes): 345 (1824)	4b:240
	Koeleria phleoides (Vill.) Pers. sensu Rodway (1903) = Rostraria cristata	4b:241
	Lachnagrostis aemula (R.Br.) Trin., Fund. Agrost. (Trinius): 128 (1820)	4b:258
	Lachnagrostis aequata (Nees) S.W.L.Jacobs = Lachnagrostis rudis	4b:261
	Lachnagrostis billardierei (R.Br.) Trin. subsp. billardierei , Fund. Agrost. (Trinius): 128 (1820)	4b:260
e	Lachnagrostis billardierei (R.Br.) Trin. subsp. tenuiseta (D.I.Morris) S.W.L.Jacobs, Telopea 9: 445 (2001)	4b:261
e	Lachnagrostis collicola (D.I.Morris) S.W.L.Jacobs, Telopea 9: 445 (2001)	4b:261
	Lachnagrostis filiformis (G.Forst.) Trin., Fund. Agrost. (Trinius): 128 (1820)	4b:259
e	Lachnagrostis lacunarum (D.I.Morris) S.W.L.Jacobs, Telopea 9: 446 (2001)	4b:260
e	Lachnagrostis morrisii A.J.Br., Muelleria 24: 127 (2006)	4b:261
	Lachnagrostis punicea (A.J.Br. & N.G.Walsh) S.W.L.Jacobs subsp. filifolia (Vickery) S.W.L.Jacobs, Telopea 10: 840 (2004)	4b:261
	Lachnagrostis punicea (A.J.Br. & N.G.Walsh) S.W.L.Jacobs subsp. punicea , Telopea 9: 837 (2002)	4b:259
	Lachnagrostis robusta (Vickery) S.W.L.Jacobs, Telopea 9: 447 (2001)	4b:261
	Lachnagrostis rudis (Roem. & Schult.) Trin. subsp. nana A.J.Br., Muelleria 33: 93 (2015)	
	Lachnagrostis rudis (Roem. & Schult.) Trin. subsp. rudis , Fund. Agrost. 128 (1820)	
	Lachnagrostis scabra (P.Beauv.) Nees ex Steud. sensu de Salas & Baker 2014 = Lachnagrostis rudis	4b:261
i	Lagurus ovatus L., Sp. Pl. 1: 81 (1753)	4b:281
	Lepturus cylindricus (Willd.) Trin. = Hainardia cylindrica	4b:227
	Lepturus incurvatus Trin. = Parapholis incurva	4b:226
i t	Leymus arenarius (L.) Hochst., Flora 31: 118 (1848)	
i	Lolium loliaceum (Bory & Chaub. ex Fauché) Hand.-Mazz., Ann. K. K. Naturhist. Hofmus. 28: 32 (1914)	4b:202
i	Lolium multiflorum Lam., Fl. Franç. (Lamarck) 3: 621 (1779)	4b:201
i	Lolium perenne L., Sp. Pl. 1: 83 (1753)	4b:201
	Lolium perenne L. var. italicum (A.Braun) Rodway = Lolium multiflorum	
i	Lolium rigidum Gaudin, Agrost. Helv. 1: 334 (1811)	4b:201

i	Lolium temulentum L. f. arvense (With.) Junge, Jahrb. Hamburg. Wiss. Anst. Beih. 30: 314 (1913)	4b:200
	Lophochloa cristata (L.) Hyl. = Rostraria cristata	4b:241
	Lophopyrum elongatum (Host) Á.Löve = Thinopyrum elongatum	4b:295
	Lophopyrum ponticum (Podp.) Á.Löve sensu Buchanan (2005) = Thinopyrum elongatum	4b:295
	Microlaena gunnii Hook.f. = Microlaena stipoides	
	Microlaena stipoides (Labill.) R.Br. var. stipoides , Prodr. Fl. Nov. Holland. 210 (1810)	4b:181
e	Microlaena tasmanica (Hook.f.) Benth. var. subalpina F.Muell. ex Benth., Fl. Austral. 7: 553 (1878)	4b:182
e	Microlaena tasmanica (Hook.f.) Benth. var. tasmanica , Fl. Austral. 7: 552 (1878)	4b:181
n i *	Molineriella minuta (L.) Rouy, Fl. France [Rouy & Foucaud] 14: 102 (1913)	
	Monerma cylindrica (Willd.) Coss. & Durieu = Hainardia cylindrica	4b:227
i t	Nardus stricta L., Sp. Pl. 1: 53 (1753)	4b:184
i	Nassella leucotricha (Trin. & Rupr.) R.W.Pohl, Taxon 39: 610 (1990)	
i	Nassella neesiana (Trin. & Rupr.) Barkworth, Taxon 39: 611 (1990)	
i	Nassella trichotoma (Nees) Hack. ex Arechav., Anales Mus. Nac. Montevideo 1: 366 (1896)	4b:193
	Notodanthonia caespitosa (Gaudich.) Zotov = Rytidosperma caespitosum	4b:312
	Notodanthonia carphoides (F.Muell. ex Benth.) Zotov = Rytidosperma carphoides	4b:306
	Notodanthonia diemenica (D.I.Morris) H.P.Linder = Rytidosperma diemenicum	4b:311
	Notodanthonia geniculata (J.M.Black) Zotov = Rytidosperma geniculatum	4b:308
	Notodanthonia gracilis (Hook.f.) Zotov = Rytidosperma gracile	4b:309
	Notodanthonia laevis (Vickery) Zotov = Rytidosperma laeve	4b:312
	Notodanthonia penicillata (Labill.) Zotov = Rytidosperma penicillatum	4b:313
	Notodanthonia pilosa (R.Br.) Zotov = Rytidosperma pilosum	4b:313
	Notodanthonia popinensis (D.I.Morris) H.P.Linder = Rytidosperma fulvum	4b:316
	Notodanthonia racemosa (R.Br.) Zotov = Rytidosperma racemosum	4b:314
	Notodanthonia remota (D.I.Morris) H.P.Linder = Rytidosperma remotum	4b:316
	Notodanthonia semiannularis (Labill.) Zotov = Rytidosperma semiannulare	4b:308
	Notodanthonia setacea (R.Br.) Veldkamp = Rytidosperma setaceum	4b:311
	Notodanthonia tenuior (Steud.) Conert = Rytidosperma tenuius	4b:310
	Oryzopsis miliacea (L.) Benth. & Hook.f. ex Asch. & Schweinf. = Piptatherum miliaceum	4b:194
n	Panicum capillare L. – previously listed as naturalised but insufficient evidence exists to support this	4b:335
n	Panicum capillare L. var. occidentale Rydb. = Panicum capillare	4b:335
n i *	Panicum gilvum Launert, Mit. Bot. Staatssamml. München 8: 153 (1970)	4b:335
	Panicum gracile R.Br. sensu Rodway (1903) = Paspalidium gracile	
i	Panicum hillmanii Chase, J. Wash. Acad. Sci. 14: 345 (1934)	4b:334
i	Panicum miliaceum L., Sp. Pl. 1: 58 (1753)	4b:333
	Panicum sanguinale L. = Digitaria sanguinalis	4b:346
	Panicum schinzii Hack. sensu Curtis & Morris (1994) = Panicum gilvum	4b:335
i	Parapholis incurva (L.) C.E.Hubb., Blumea Suppl. 3: 14 (1946)	4b:226
i	Parapholis strigosa (Dumort.) C.E.Hubb., Blumea suppl. 3: 14 (1946)	4b:226
	Paspalidium gracile (R.Br.) Hughes sensu Townrow (1969) identity uncertain	
i	Paspalum dilatatum Poir., Encycl. (Lamarck) 5: 35 (1804)	4b:340
i	Paspalum distichum L., Syst. Nat., ed. 10. 2: 855 (1759)	4b:340
i	Paspalum urvillei Steud., Syn. Pl. Glumac. 1: 24 (1853)	4b:340

	Pennisetum alopecuroides (L.) Spreng. = <i>Cenchrus purpurascens</i>	
	Pennisetum clandestinum Hochst. ex Chiov. = Cenchrus clandestinus	4b:348
	Pennisetum macrourum Trin. = Cenchrus macrourus	4b:351
	Pennisetum villosum R.Br. ex Fresen. = Cenchrus longisetus	4b:349
	Pentapogon billardierei R.Br. sensu Rodway (1903) = Pentapogon quadrifidus	4b:275
	Pentapogon billardierei R.Br. var. parviflorus Benth. = Pentapogon quadrifidus var. parviflorus	
e	Pentapogon quadrifidus (Labill.) Baill. var. parviflorus (Benth.) D.I.Morris, Muellera 7: 167 (1990)	4b:276
	Pentapogon quadrifidus (Labill.) Baill. var. quadrifidus , Hist. Pl. (Baillon) 12: 280 (1893)	4b:275
i	Phalaris aquatica L., Cent. Pl. 1. 4 (1755)	4b:252
i	Phalaris arundinacea L. var. arundinacea , Sp. Pl. 1: 55 (1753)	4b:251
i	Phalaris canariensis L., Sp. Pl. 1: 54 (1753)	4b:251
i	Phalaris minor Retz., Observ. Bot. (Retzius) 3: 8 (1783)	4b:252
i	Phalaris paradoxa L., Sp. Pl., ed. 2. 2: 1665 (1763)	4b:251
	<i>Phalaris tuberosa</i> L. = Phalaris aquatica	4b:252
i	Phleum pratense L. subsp. pratense , Sp. Pl. 1: 59 (1753)	4b:286
	Phragmites australis (Cav.) Trin. ex Steud., Nomencl. Bot. [Steudel], ed. 2. 2: 324 (1841)	4b:322
	<i>Phragmites communis</i> Trin. sensu Rodway (1903) = Phragmites australis	4b:322
i	Piptatherum miliaceum (L.) Coss., Notes sur quelques Plantes Critiques, Rares ou Nouvelles: 129 (1851)	4b:194
	<i>Poa affinis</i> R.Br. sensu Hooker (1860) – a name of uncertain application	
i	Poa annua L., Sp. Pl. 1: 68 (1753)	4b:211
	<i>Poa australis</i> R.Br. = Poa poiformis	
	<i>Poa billardierei</i> (Spreng.) St.-Yves sensu Rodway (1903) = Poa poiformis var. poiformis	4b:220
i	Poa bulbosa L., Sp. Pl. 1: 70 (1753)	4b:213
	<i>Poa caespitosa</i> G.Forst. ex Spreng. var. <i>alpina</i> F.Muell. ex Benth. sensu Rodway (1903) = Poa gunnii	4b:218
	<i>Poa caespitosa</i> G.Forst. ex Spreng. var. <i>australis</i> (R.Br.) Benth. sensu Rodway (1903) = Poa rodwayi	4b:215
	<i>Poa caespitosa</i> G.Forst. ex Spreng. var. <i>laevis</i> (R.Br.) Benth. = Poa poiformis	
	<i>Poa caespitosa</i> G.Forst. ex Spreng. var. <i>tenera</i> (F.Muell.) Benth. sensu Rodway (1903) = Poa tenera	4b:217
	Poa clelandii Vickery, Contr. New South Wales Natl. Herb. 4: 193 (1970)	4b:221
	Poa clivicola Vickery, Contr. New South Wales Natl. Herb. 4: 213 (1970)	
i	Poa compressa L., Sp. Pl. 1: 69 (1753)	4b:214
	Poa costiniana Vickery, Contr. New South Wales Natl. Herb. 4: 214 (1970)	4b:218
	<i>Poa distichophylla</i> (Labill.) R.Br. = Distichlis distichophylla	
	Poa fawcettiae Vickery, Contr. New South Wales Natl. Herb. 4: 232 (1970)	4b:217
	Poa gunnii Vickery, Contr. New South Wales Natl. Herb. 4: 217 (1970)	4b:218
	Poa halmaturina J.M.Black, Trans. Roy. Soc. South Australia 66: 248 (1943)	4b:220
	Poa hiemata Vickery, Contr. New South Wales Natl. Herb. 4: 230 (1970)	4b:217
	Poa hookeri Vickery, Contr. New South Wales Natl. Herb. 4: 222 (1970)	4b:216
i	Poa infirma Kunth, Bonpl. & Kunth, Nov. Gen. Sp. [H.B.K.] 1: 158 (1816)	4b:213
e	Poa jugicola D.I.Morris, Muellera 7: 167 (1990)	4b:219

	Poa labillardierei Steud. var. acris Vickery, Contr. New South Wales Natl. Herb. 4: 205 (1970)	4b:220
	Poa labillardierei Steud. var. labillardierei , Syn. Pl. Glumac. 1: 262 (1854)	4b:219
	<i>Poa laevis</i> R.Br. = Poa poiformis	
e	Poa mollis Vickery, Contr. New South Wales Natl. Herb. 4: 241 (1970)	4b:215
	Poa poiformis (Labill.) Druce var. poiformis , Rep. Bot. Soc. Exch. Club Brit. Isles 1916, Suppl. 2: 640 (1917)	4b:220
	Poa poiformis (Labill.) Druce var. ramifer D.I.Morris, Muellera 7: 169 (1990)	4b:220
i	Poa pratensis L., Sp. Pl. 1: 67 (1753)	4b:214
	<i>Poa pubinervis</i> (Vickery) S.W.L.Jacobs sensu Baker & Duretto (2011) = Austrofestuca littoralis	
	<i>Poa rigida</i> L. = Catapodium rigidum	4b:224
	Poa rodwayi Vickery, Contr. New South Wales Natl. Herb. 4: 235 (1970)	4b:215
	<i>Poa saxicola</i> R.Br. = Saxipoa saxicola	4b:214
	Poa sieberiana Spreng. var. hirtella Vickery, Contr. New South Wales Natl. Herb. 4: 228 (1970)	
	Poa sieberiana Spreng. var. sieberiana , Syst. Veg. (ed. 16) [Sprengel] 4(2, Cur. Post.): 35 (1827)	4b:216
	Poa tenera F.Muell. ex Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 2: 124, t.164a (1858)	4b:217
i	Poa trivialis L., Sp. Pl. 1: 67 (1753)	4b:213
	<i>Polypogon littoralis</i> Sm. = Polypogon lutosus	4b:283
i	Polypogon lutosus (Poir.) Hitchc., U.S.D.A. Bull. (1915–23) 772: 138 (1920)	4b:283
i	Polypogon maritimus Willd. var. subspatheaceus (Req.) Parl., Fl. Ital. (Parlatore) 1: 200 (1850)	4b:282
i	Polypogon monspeliensis (L.) Desf., Fl. Atlant. 1: 67 (1798)	4b:282
	<i>Polypogon viridis</i> (Gouan) Breistr. = Agrostis viridis	4b:283
	<i>Psamma arenaria</i> (L.) P.Beauv. = Ammophila arenaria	4b:274
i	Puccinellia distans (Jacq.) Parl., Fl. Ital. (Parlatore) 1: 366 (1850)	4b:205
e	Puccinellia harcusiana A.R.Williams, Fl. Australia 44A: 386 (2009)	
	Puccinellia perlaxa (Stapf ex N.G.Walsh) N.G.Walsh & A.R.Williams, Nuytsia 16: 464 (2007)	4b:205
	Puccinellia stricta (Hook.f.) C.H.Blom, Acta Horti Gothob. 5: 89 (1930)	4b:205
	<i>Puccinellia stricta</i> (Hook.f.) C.H.Blom var. <i>perlaxa</i> Stapf ex N.G.Walsh = Puccinellia perlaxa	4b:205
i	Rostraria cristata (L.) Tzvelev, Novosti Sist. Vyssh. Rast. 7: 47 (1971)	4b:241
	Rytidosperma australe (Petrie) Clayton & Renvoize ex Connor & Edgar, New Zealand J. Bot. 25: 166 (1987)	4b:318
	Rytidosperma caespitosum (Gaudich.) Connor & Edgar, New Zealand J. Bot. 17: 325 (1979)	4b:312
	Rytidosperma carphoides (F.Muell. ex Benth.) Connor & Edgar, New Zealand J. Bot. 17: 331 (1979)	4b:306
e	Rytidosperma diemenicum (D.I.Morris) A.M.Humphreys & H.P.Linder, Ann. Missouri Bot. Gard. 97: 358 (2010)	4b:311
	Rytidosperma dimidiatum (Vickery) Connor & Edgar, New Zealand J. Bot. 17: 332 (1979)	4b:317
e	Rytidosperma fortuneae-hibernae (Renvoize) Connor & Edgar, New Zealand J. Bot. 17: 332 (1979)	4b:310
?i	Rytidosperma fulvum (Vickery) A.M.Humphreys & H.P.Linder, Ann. Missouri Bot. Gard. 97: 358 (2010)	
	Rytidosperma geniculatum (J.M.Black) Connor & Edgar, New Zealand J. Bot. 17: 323 (1979)	4b:308

t	Rytidosperma gracile (Hook.f.) Connor & Edgar, New Zealand J. Bot. 17: 330 (1979)	4b:309
	Rytidosperma indutum (Vickery) Connor & Edgar, New Zealand J. Bot. 17: 332 (1979)	4b:312
	Rytidosperma laeve (Vickery) Connor & Edgar, New Zealand J. Bot. 17: 325 (1979)	4b:312
e	Rytidosperma nitens (D.I.Morris) H.P.Linder, Telopea 6: 614 (1996)	4b:315
	Rytidosperma nivicola (Vickery) Connor & Edgar, New Zealand J. Bot. 17: 332 (1979)	4b:315
	Rytidosperma nudiflorum (P.Morris) Connor & Edgar, New Zealand J. Bot. 17: 332 (1979)	4b:314
	Rytidosperma oreophilum H.P.Linder & N.G.Walsh, Muelleria 8: 283 (1995)	
	<i>Rytidosperma pallidum</i> (R.Br.) A.M.Humphreys & H.P.Linder recorded in error	
e	Rytidosperma pauciflorum (R.Br.) Connor & Edgar, New Zealand J. Bot. 17: 332 (1979)	4b:309
	Rytidosperma penicillatum (Labill.) Connor & Edgar, New Zealand J. Bot. 17: 327 (1979)	4b:313
	Rytidosperma pilosum (R.Br.) Connor & Edgar, New Zealand J. Bot. 17: 326 (1979)	4b:313
	<i>Rytidosperma popinensis</i> (D.I.Morris) A.M.Humphreys & H.P.Linder = Rytidosperma fulvum	4b:316
	<i>Rytidosperma procerum</i> (Vickery) Connor & Edgar = Rytidosperma indutum	4b:312
	Rytidosperma racemosum (R.Br.) Connor & Edgar var. racemosum , New Zealand J. Bot. 17: 327 (1979)	4b:314
e	Rytidosperma remotum (D.I.Morris) A.M.Humphreys & H.P.Linder, Ann. Missouri Bot. Gard. 97: 359 (2010)	4b:316
	Rytidosperma semiannulare (Labill.) Connor & Edgar, New Zealand J. Bot. 17: 332 (1979)	4b:308
	Rytidosperma setaceum (R.Br.) Connor & Edgar, New Zealand J. Bot. 17: 332 (1979)	4b:311
	Rytidosperma tenuius (Steud.) A.Hansen & Sunding, Fl. Macaronesia, ed. 2, 1: 93 (1979)	4b:310
	Saxipoa saxicola (R.Br.) Soreng, L.J.Gillespie & S.W.L.Jacobs, Austral. Syst. Bot. 22: 407 (2010)	4b:214
	<i>Schedonorus hookerianus</i> (F.Muell. ex Hook.f.) P.Beauv. = Hookerochloa hookeriana	4b:223
	<i>Schedonorus littoralis</i> (Labill.) P.Beauv. = Austrofestuca littoralis	4b:223
	<i>Schedonorus phoenix</i> (Scop.) Holub = Festuca arundinacea	4b:197
i	Sclerochloa dura (L.) P.Beauv., Ess. Agrostogr. 98, 177, t.19 fig.4 (1812)	4b:225
i	Secale cereale L., Sp. Pl. 1: 84 (1753)	4b:302
	<i>Setaria geniculata</i> P.Beauv. var. <i>pauciseta</i> Desv. = Setaria parviflora	4b:344
	<i>Setaria gracilis</i> Kunth var. <i>pauciseta</i> (Desv.) B.K.Simon = Setaria parviflora	4b:344
i	Setaria italica (L.) P.Beauv., Ess. Agrostogr. 51, 170, 178 (1812)	4b:343
i	Setaria parviflora (Poir.) Kerguélen, Lejeunia 120: 161 (1987)	4b:344
n	<i>Setaria pumila</i> (Poir.) Roem. & Schult. subsp. <i>pumila</i> – previously listed as naturalised but insufficient evidence exists to support this	
i	Setaria verticillata (L.) P.Beauv., Ess. Agrostogr. 51, 171, 178 (1812)	4b:342
i	Setaria viridis (L.) P.Beauv., Ess. Agrostogr. 51, 171, 178 (1812)	4b:343
	<i>Sieglingia decumbens</i> (L.) Bernh. = Danthonia decumbens	4b:317
n	<i>Sorghum bicolor</i> (L.) Moench – previously listed as naturalised but insufficient evidence exists to support this	
n i *	<i>Sorghum halepense</i> (L.) Pers., Syn. Pl. (Persoon) 1: 101 (1805)	
i	Spartina anglica C.E.Hubb., Bot. J. Linn. Soc. 76: 364 (1978)	4b:330
	<i>Spartina townsendii</i> H.Groves & J.Groves sensu Townrow (1969) = Spartina anglica	4b:330
	<i>Spinifex hirsutus</i> Labill. sensu Rodway (1903) = Spinifex sericeus	4b:351
	Spinifex sericeus R.Br., Prodr. Fl. Nov. Holland. 198 (1810)	4b:351
i	Sporobolus africanus (Poir.) Robyns & Tournay, Bull. Jard. Bot. État Bruxelles 25: 242 (1955)	4b:328
	<i>Sporobolus capensis</i> Kunth = Sporobolus africanus	4b:328
	<i>Sporobolus indicus</i> (L.) R.Br. = Sporobolus africanus	4b:328

	Sporobolus virginicus (L.) Kunth, Révis. Gramin. 1: 67 (1829)	4b:328
	Stenotaphrum americanum Schrank = Stenotaphrum secundatum	4b:344
i	Stenotaphrum secundatum (Walter) Kuntze, Revis. Gen. Pl. 2: 794 (1891)	4b:344
	Stipa aphanoneura Hughes = Austrostipa flavescens	4b:190
	Stipa aphylla (Rodway) J.Townrow = Austrostipa aphylla	4b:192
	Stipa bigeniculata Hughes = Austrostipa bigeniculata	4b:190
	Stipa blackii C.E.Hubb. = Austrostipa blackii	4b:191
	Stipa caudata Trin. = Amelichloa caudata	4b:192
	Stipa compacta Hughes = Austrostipa flavescens	4b:190
	Stipa elatior (Benth.) Hughes = Austrostipa flavescens	4b:190
	Stipa elegantissima Labill. sensu Labillardiere (1805) and Bentham (1878) recorded in error	
	Stipa eremophila Reader sensu Townrow (1969) identity uncertain	
	Stipa falcata Hughes sensu Townrow (1978) = Austrostipa scabra p.p.maj.	4b:188
	Stipa flavescens Labill. = Austrostipa flavescens	4b:190
	Stipa mollis R.Br. = Austrostipa mollis	4b:189
	Stipa neesiana Trin. & Rupr. = Nassella neesiana	
	Stipa nervosa Vickery var. <i>neutralis</i> sensu Townrow (1978) = Austrostipa rudis subsp.	
	australis	4b:186
	Stipa nodosa S.T.Blake = Austrostipa nodosa	4b:188
	Stipa pubescens R.Br. sensu Rodway (1903) = Austrostipa pubinodis	4b:192
	Stipa pubescens R.Br. var. <i>aphylla</i> Rodway = Austrostipa aphylla	4b:187
	Stipa pubinodis Trin. & Rupr. = Austrostipa pubinodis	4b:187
	Stipa rudis Spreng. = Austrostipa rudis	4b:186
	Stipa scabra Lindl. = Austrostipa scabra	4b:188
	Stipa semibarbata R.Br. = Austrostipa semibarbata	4b:189
	Stipa setacea R.Br. sensu Rodway (1903) = Austrostipa stuposa	4b:191
	Stipa stipoides (Hook.f.) Veldkamp = Austrostipa stipoides	4b:186
	Stipa stuposa Hughes = Austrostipa stuposa	4b:191
	Stipa teretifolia Steud. = Austrostipa stipoides	4b:186
	Stipa variabilis Hughes sensu Townrow (1969) = Austrostipa nodosa	4b:188
	Tetrarrhena acuminata R.Br., Prodr. Fl. Nov. Holland. 210 (1810)	4b:182
	Tetrarrhena distichophylla (Labill.) R.Br., Prodr. Fl. Nov. Holland. 210 (1810)	4b:183
	Tetrarrhena juncea R.Br., Prodr. Fl. Nov. Holland. 210 (1810)	4b:183
e	Tetrarrhena oreophila D.I.Morris var. <i>minor</i> D.I.Morris, Records of the Queen Victoria Museum, n.ser., 55: 4 (1977)	4b:182
e	Tetrarrhena oreophila D.I.Morris var. <i>oreophila</i> , Records of the Queen Victoria Museum, n.ser., 55: 4 (1977)	4b:182
	Tetrarrhena tenacissima Nees sensu Hooker (1860) = Tetrarrhena juncea	
	Themeda australis (R.Br.) Stapf = Themeda triandra	4b:358
	Themeda triandra Forssk., Fl. Aegypt.-Arab. 178 (1775)	4b:358
i	Thinopyrum elongatum (Host) D.R.Dewey, Gene Manipulation Pl. Improv. 274 (1984)	4b:295
i	Thinopyrum junceiforme (Á.Löve & D.Löve) Á.Löve, Taxon 29: 351 (1980)	4b:293
	Thonandia gracilis (Hook.f.) H.P.Linder = Rytidosperma gracile	4b:309
	Thonandia semiannularis (Labill.) H.P.Linder = Rytidosperma semiannulare	4b:308

	Trisetum spicatum (L.) K.Richt. subsp. australiense Hultén ex Veldkamp, Gard. Bull. Singapore 36: 135 (1983)	4b:239
	Trisetum subspicatum (L.) P.Beauv. sensu Rodway (1903) = Trisetum spicatum subsp. australiense	4b:239
i	Triticum aestivum L., Sp. Pl. 1: 85 (1753)	4b:303
	Triticum pectinatum (Labill.) R.Br. = Australopyrum pectinatum	
	Triticum scabrum R.Br. = Anthosachne scabra	
	Triticum velutinum (Nees) Hook.f. nom. illeg., nom. superfl. = Australopyrum velutinum	
	Uniola distichophylla Labill. = Distichlis distichophylla	
i	Vulpia bromoides (L.) Gray, Nat. Arr. Brit. Pl. 2: 124 (1821)	4b:203
i	Vulpia fasciculata (Forssk.) Fritsch, Exkursionsfl. Oesterreich (Ed. 2): 74 (1909)	4b:204
	Vulpia megalura (Nutt.) Rydb. = Vulpia myuros f. megalura	4b:204
i	Vulpia muralis (Kunth) Nees, Linnaea 19: 694 (1847)	
i	Vulpia myuros (L.) C.C.Gmel. f. megalura (Nutt.) Stace & R.Cotton, Watsonia 11: 72 (1976)	4b:204
i	Vulpia myuros (L.) C.C.Gmel. f. myuros , Fl. Bad. 1: 8 (1805)	
	Zoysia macrantha Desv. subsp. walshii Night., Fl. Australia 43: 376 (2002)	4b:332
	Zoysia pungens Willd. sensu Rodway (1903) = Zoysia macrantha subsp. walshii	4b:332
	×Agropogon littoralis (Sm.) C.E.Hubb. = Polypogon lutosus	4b:283

POSIDONIACEAE

	Caulinia antarctica R.Br. = Amphibolis antarctica (Cymodoceaceae)	
	Caulinia oceanica R.Br. = Potamogeton australiensis (Potamogetonaceae)	
	Posidonia australis Hook.f., Bot. Antarct. Voy. Ill. (Fl. Tasman.) 2: 43 (1858)	4b:25

POTAMOGETONACEAE

	Potamogeton australiensis A.Benn., J. Bot. 48: 149 (1910)	4b:19
	Potamogeton cheesemanii A.Benn., J. Bot. 66: 66 (1883)	4b:19
	Potamogeton crispus L., Sp. Pl. 1: 126 (1753)	4b:18
	Potamogeton drummondii Benth., Fl. Austral. 7: 171 (1878)	
	Potamogeton gramineus L. sensu Hooker (1860) = Potamogeton ochreatus identity somewhat uncertain	
	Potamogeton heterophyllus Schreb. sensu Hooker (1860) = Potamogeton perfoliatus identity somewhat uncertain	
	Potamogeton natans L. sensu Rodway (1903) misapplied to P. cheesemanii , P. australiensis and P. drummondii 4b:19	
	Potamogeton obtusifolius Mert. & W.D.J.Koch sensu Rodway (1903) = Potamogeton crispus	4b:18
	Potamogeton ochreatus Raoul, Ann. Sci. Nat., Bot., sér. 3, 2: 117 (1844)	4b:18
	Potamogeton pectinatus L. = Stuckenia pectinata	4b:18
	Potamogeton perfoliatus L., Sp. Pl. 1: 126 (1753)	4b:18
	Potamogeton praelongus Wulfen sensu Rodway (1903) = Potamogeton ochreatus	4b:18
	Potamogeton tricarinatus F.Muell. & A.Benn. ex A.Benn. sensu Baker & de Salas (2013) misapplied to P. australiensis , P. cheesemanii and P. drummondii	4b:19
	Stuckenia pectinata (L.) Börner, Fl. Deut. Volk. 713 (1912)	4b:18

RESTIONACEAE

	Acion hookeri (D.I.Morris) B.G.Briggs & L.A.S.Johnson = Chordifex hookeri	4b:46
	Acion monocephalum (R.Br.) B.G.Briggs & L.A.S.Johnson = Chordifex monocephalus	4b:47

	Apodasmia brownii (Hook.f.) B.G.Briggs & L.A.S.Johnson, <i>Telopea</i> 7: 371 (1998)	4b:39
	Baloskion australe (R.Br.) B.G.Briggs & L.A.S.Johnson, <i>Telopea</i> 8: 23 (1998)	4b:46
	Baloskion tetraphyllum (Labill.) B.G.Briggs & L.A.S.Johnson subsp. tetraphyllum , <i>Telopea</i> 8: 23 (1998)	4b:45
	<i>Calorophus ater</i> L.A.S.Johnson & B.G.Briggs = Calorophus erostris	4b:42
	Calorophus elongatus Labill., <i>Nov. Holl. Pl.</i> 2: 78, t.228 (1806)	4b:41
e	Calorophus erostris (C.B.Clarke) L.A.S.Johnson & B.G.Briggs, <i>The Student's Flora of Tasmania</i> 4b: 425 (1994)	4b:42
	<i>Calorophus lateriflorus</i> (R.Br.) F.Muell. = Empodisma minus	4b:43
e	Chordifex hookeri (D.I.Morris) B.G.Briggs, <i>Telopea</i> 10: 685 (2004)	4b:46
e	Chordifex monocephalus (R.Br.) B.G.Briggs, <i>Telopea</i> 10: 685 (2004)	4b:47
	Empodisma minus (Hook.f.) L.A.S.Johnson & D.F.Cutler, <i>Kew Bull.</i> 28: 383 (1974)	4b:43
	Eurychorda complanata (R.Br.) B.G.Briggs & L.A.S.Johnson, <i>Telopea</i> 7: 359 (1998)	4b:46
	<i>Hypolaena exsulca</i> R.Br. recorded in error	
	Hypolaena fastigiata R.Br., <i>Prodr. Fl. Nov. Holland.</i> 251 (1810)	4b:40
	<i>Hypolaena lateriflora</i> (R.Br.) Benth. = Empodisma minus	4b:43
	<i>Hypolaena longissima</i> Benth. sensu Rodway (1903) = Calorophus elongatus	4b:41
	<i>Leptocarpus brownii</i> Hook.f. = Apodasmia brownii	4b:39
	Leptocarpus tenax (Labill.) R.Br., <i>Prodr. Fl. Nov. Holland.</i> 250 (1810)	4b:39
	Lepyrodia muelleri Benth., <i>Fl. Austral.</i> 7: 215 (1878)	4b:43
	<i>Lepyrodia tasmanica</i> Hook.f. = Sporadanthus tasmanicus	4b:44
	<i>Restio australis</i> R.Br. = Baloskion australe	4b:46
	<i>Restio complanatus</i> R.Br. = Eurychorda complanata	4b:46
	<i>Restio glaber</i> (Rodway) L.A.S.Johnson & B.G.Briggs = Chordifex monocephalus	4b:47
	<i>Restio gracilis</i> R.Br. sensu Rodway (1903) = Baloskion australe	4b:46
	<i>Restio hookeri</i> D.I.Morris = Chordifex hookeri	4b:46
	<i>Restio lateriflorus</i> R.Br. nom. illeg. = Calorophus elongatus	
	<i>Restio monocephalus</i> R.Br. = Chordifex monocephalus	4b:47
	<i>Restio oligocephalus</i> F.Muell. = Chordifex monocephalus	4b:46
	<i>Restio oligocephalus</i> F.Muell. var. <i>glabrum</i> Rodway = Chordifex monocephalus	
	<i>Restio oligocephalus</i> F.Muell. var. <i>intermedius</i> Rodway = Chordifex hookeri	
	<i>Restio tetraphyllum</i> Labill. = Baloskion tetraphyllum	4b:45
	<i>Schoenodum tenax</i> Labill. = Leptocarpus tenax	
	Sporadanthus tasmanicus (Hook.f.) B.G.Briggs & L.A.S.Johnson, <i>Telopea</i> 8: 31 (1998)	4b:44
e	Winifredia sola L.A.S.Johnson & B.G.Briggs, <i>Telopea</i> 2: 738 (1986)	4b:47
RUPPIACEAE		
	<i>Ruppia maritima</i> L. sensu Rodway (1903) = Ruppia polycarpa (misapplied in Tasmania)	4b:21
	Ruppia megacarpa R.Mason, <i>New Zealand J. Bot.</i> 5: 525 (1967)	4b:21
	Ruppia polycarpa R.Mason, <i>New Zealand J. Bot.</i> 5: 524 (1967)	4b:21
	Ruppia tuberosa J.S.Davis & Toml., <i>J. Arnold Arbor.</i> 55: 60 (1974)	4b:21
TYPHACEAE		
	<i>Typha angustifolia</i> L. sensu Rodway (1903) = Typha domingensis & T. orientalis	
	Typha domingensis Pers., <i>Syn. Pl. (Persoon)</i> 2: 532 (1807)	4b:364
i	Typha latifolia L., <i>Sp. Pl.</i> 2: 971 (1753)	4b:363
	Typha orientalis C.Presl, <i>Epimel. Bot.</i> 239 (1851)	4b:363

XANTHORRHOACEAE

- Lomandra glauca (R.Br.) Ewart sensu Willis (1973) = **Lomandra nana** 4b:422
Lomandra longifolia Labill., Nov. Holl. Pl. 1: 92, t.119 (1805) 4b:422
Lomandra nana (A.T.Lee) A.T.Lee, Fl. Australia 46: 223 (1986) 4b:422
e **Xanthorrhoea arenaria** D.J.Bedford, Fl. Australia 46: 225 (1986) 4b:421
Xanthorrhoea australis R.Br., Prodr. Fl. Nov. Holland. 288 (1810) 4b:419
e **Xanthorrhoea bracteata** R.Br., Prodr. Fl. Nov. Holland. 288 (1810) 4b:421
Xanthorrhoea hastilis R.Br. sensu Hooker (1860) = **Xanthorrhoea australis** (misapplied in Tasmania)
Xanthorrhoea minor R.Br. sensu Rodway (1903) = **Xanthorrhoea arenaria** & **X. bracteata** 4b:421
Xerotes glauca R.Br. sensu Rodway (1903) = **Lomandra nana** 4b:422
Xerotes longifolia (Labill.) R.Br. = **Lomandra longifolia** 4b:422

XYRIDACEAE

- Xyris gracilis R.Br. sensu Bentham (1878), misapplied to **X. marginata**, **X. muelleri**, and **X. tasmanica**
Xyris gracilis R.Br. subsp. tasmanica D.I.Morris = **Xyris tasmanica** 4b:35
Xyris gracilis R.Br. var. bracteata Benth. = **Xyris muelleri**
e **Xyris marginata** Rendle, J. Bot. 37: 503 (1899) 4b:35
e **Xyris muelleri** Malme, Svensk. Bot. Tidskr. 21: 381 (1928) 4b:35
Xyris operculata Labill., Nov. Holl. Pl. 1: 14, t.10 (1805) 4b:34
e **Xyris tasmanica** (D.I.Morris) Doust & B.J.Conn, Austral. Syst. Bot. 10(2): 212 (1997) 4b:35

ZANNICHELLIACEAE

- x **Lepilaena australis** J.Drumm. ex Harv., Hooker's J. Bot. Kew Gard. Misc. 7: 58 (1855) 4b:22
Lepilaena bilocularis Kirk, Trans. & Proc. New Zealand Inst. 28: 500 (1896) 4b:24
Lepilaena cylindrocarpa (Körn. ex Müll.Stuttg) Benth., Fl. Austral. 7: 180 (1878) 4b:22
Lepilaena marina E.L.Robertson, Marine Benthic Fl. South. Australia 1: 80 (1984) 4b:23
Lepilaena patentifolia E.L.Robertson, Fl. S. Australia 4: 1736 (1986) 4b:23
Lepilaena preissii (Lehm.) F.Muell., Fragm. (Mueller) 8: 217 (1874) 4b:24
Zannichellia palustris L. sensu Hooker (1860) probably misapplied to **Lepilaena** spp.

ZOSTERACEAE

- Heterozostera nigricaulis** J.Kuo, Aquatic Bot. 81(2): 110 (2005)
Heterozostera tasmanica (G.Martens ex Asch.) Hartog, Verh. Kon. Ned. Akad. Wetensch., Afd. Natuurk., Sect. 2. 59: 116 (1970) 4b:28
Nanozostera muelleri (Irmisch ex Asch.) Toml. & Posl. = **Zostera muelleri** subsp. **muelleri** 4b:29
Zostera marina R.Br. = **Heterozostera nigricaulis**
Zostera muelleri Irmisch ex Asch. subsp. **muelleri**, Linnaea 35: 168 (1868) 4b:29
Zostera nana Mert. ex Roth sensu Rodway (1903) = **Zostera muelleri** subsp. **muelleri** 4b:29
Zostera tasmanica G.Martens ex Asch. = **Heterozostera tasmanica** 4b:28

GYMNOSPERMAE

CUPRESSACEAE

- e **Athrotaxis cupressoides** D.Don, Ann. Nat. Hist. 1: 234 (1838) 1:6

- e **Athrotaxis × laxifolia** Hook., Icon. Pl. 6: t.573 (1843) = **A. cupressoides** × **A. selaginoides** 1:6
- e **Athrotaxis selaginoides** D.Don, Ann. Nat. Hist. 1: 234 (1838) 1:7
- Athrotaxis tetragona Hook. = **Microcachrys tetragona** (Podocarpaceae)
- Callitris cupressiformis F.Muell. var. tasmanica (Benth.) Maiden = **Callitris rhomboidea**
- e **Callitris oblonga** Rich. & A.Rich. subsp. **oblonga**, Comm. Bot. Conif. Cycad. 49, t.18 fig.2 (1826) 1:5
- Callitris rhomboidea** R.Br. ex Rich. & A.Rich., Comm. Bot. Conif. Cycad. 47, t.18 fig.1 (1826) 1:5
- Callitris rhomboidea R.Br. ex Rich. & A.Rich. var. tasmanica (Benth.) Ewart, B.Rees & B.Wood = **Callitris rhomboidea**
- Callitris tasmanica (Benth.) R.T.Baker & H.G.Sm. = **Callitris rhomboidea**
- e **Diselma archeri** Hook.f., Bot. Antarct. Voy. Ill. (Fl. Tasman.) 1: 353 t.98 (1857) 1:5
- Fitzroya archeri (Hook.f.) Benth. & Hook.f. = **Diselma archeri** 1:5
- Frenela australis R.Br. ex Benth. nom. illeg., sensu Bentham (1878) = **Callitris oblonga**
- Frenela rhomboidea (R.Br. ex Rich. & A.Rich.) Endl. var. tasmanica Benth. = **Callitris rhomboidea**
- i **Hesperocyparis macrocarpa** (Hartw. ex Gordon) Bartel, Phytologia 91: 182 (2009)

PINACEAE

- i **Pinus pinaster** Aiton, Hortus Kew. (W. Aiton) 3: 367 (1789)
- i **Pinus radiata** D.Don, Trans. Linn. Soc. London 17: 442 (1837) 1:8
- i # **Pinus wallichiana** A.B.Jacks., Bull. Misc. Inform. Kew 1938(2): 85 (1938)

PODOCARPACEAE

- Dacrydium franklinii Hook.f. = **Lagarostrobos franklinii** 1:3
- e **Lagarostrobos franklinii** (Hook.f.) Quinn, Austral. J. Bot. 30: 316 (1982) 1:3
- e **Microcachrys tetragona** (Hook.) Hook.f., London J. Bot. 4: 150 (1845) 1:3
- Microstrobos niphophilus J.Garden & L.A.S.Johnson = **Pherosphaera hookeriana** 1:2
- e **Pherosphaera hookeriana** W.Archer bis, Hooker's J. Bot. Kew Gard. Misc. 2: 52 (1850) 1:2
- e **Phyllocladus aspleniifolius** (Labill.) A.Rich. ex Hook.f., London J. Bot. 4: 151 (1845) 1:2
- Phyllocladus rhomboidalis A.Rich. = **Phyllocladus aspleniifolius** 1:2
- Podocarpus alpinus Hook.f. = **Podocarpus lawrencei** 1:4
- Podocarpus aspleniifolia Labill. = **Phyllocladus aspleniifolius**
- Podocarpus lawrencei** Hook.f., London J. Bot. 4: 151 (1845) 1:4

PTERIDOPHYTA

ADIANTACEAE

- Adiantum aethiopicum** L., Syst. Nat., ed. 10, 2: 1329 (1759)
- Adiantum assimile Sw. sensu Brown (1810) = **Adiantum aethiopicum**
- Adiantum trigonum Labill. = **Adiantum aethiopicum**
- Anogramma leptophylla** (L.) Link, Fil. Spec. 137 (1841)
- Cheilanthes austrotenuifolia** H.M.Quirk & T.C.Chambers, Austral. J. Bot. 31: 510 (1983)
- Cheilanthes distans** (R.Br.) Mett., Abh. Senckenberg. Naturf. Ges. 3: 69 (1859)
- Cheilanthes sieberi** Kunze subsp. **sieberi**, Pl. Preiss. [J.G.C.Lehman] 2: 112 (1846)
- Cheilanthes tenuifolia (Burm.f.) Sw. sensu Rodway (1903) = **Cheilanthes austrotenuifolia**

Pellaea calidirupium Brownsey & Lovis, New Zealand J. Bot. 28: 197 (1990)

Pellaea falcata (R.Br.) Fée, Mem. Foug., 5. Gen. Filic. 129 (1850)

Platylooma falcata (R.Br.) J.Sm. = **Pellaea falcata**

ASPLENIACEAE

Asplenium appendiculatum (Labill.) C.Presl subsp. **appendiculatum**, Tent. Pterid. 106 (1836)

Asplenium brownii J.Sm. sensu Hooker (1860) = **Diplazium australe**

Asplenium bulbiferum G.Forst. subsp. **gracillimum** (Colenso) Brownsey, New Zealand J. Bot. 15: 60 (1977)

Asplenium bulbiferum G.Forst. var. *hookeriana* (Colenso) Rodway = **Asplenium hookerianum**

Asplenium flabellifolium Cav., Descr. Pl. (Cavanilles): 257 (1801)

Asplenium flaccidum G.Forst. subsp. **flaccidum**, Fl. Ins. Austr. 80 (1786)

Asplenium hookerianum Colenso, Tasmanian J. Nat. Sci. 2: 169 (1844)

Asplenium laxum R.Br. nom. illeg. = **A. appendiculatum** × **A. bulbiferum** subsp. **gracillimum**

Asplenium lucidum G.Forst. sensu Hooker (1860) = **Asplenium obtusatum**

Asplenium obliquum G.Forst. sensu Labillardiere (1805) = **Asplenium obtusatum** subsp.

northlandicum (misapplied in Tasmania)

Asplenium obtusatum G.Forst. subsp. **northlandicum** Brownsey, New Zealand J. Bot. 15: 49, t.6 (1977)

Asplenium terrestre Brownsey = **Asplenium appendiculatum**

Asplenium trichomanes L. subsp. **quadrivalens** D.E.Mey., Ber. Deutsch. Bot. Ges. 74: 456 (1961)

Asplenium trichomanes L. subsp. **trichomanes**, Sp. Pl. 2: 1080 (1753)

Asplenium umbrosum J.Sm. sensu Bentham (1878) = **Diplazium australe** (Athyriaceae) misapplied in Tasmania

Caenopteris appendiculata Labill. = **Asplenium appendiculatum**

Pleurosorus rutifolius (R.Br.) Fée, Mem. Foug., 5. Gen. Filic. 179, t.16c (1852)

ATHYRIACEAE

Allantodia australis R.Br. = **Diplazium australe**

Athyrium australe (R.Br.) C.Presl = **Diplazium australe**

Cystopteris fragilis (L.) Bernh. var. *tasmanica* (Hook.) Hook.f. = **Cystopteris tasmanica**

Cystopteris tasmanica Hook., Sp. Fil. 1: 199 (1846)

Diplazium australe (R.Br.) N.A.Wakef., Vict. Naturalist 58: 142 t.3 (1942)

AZOLLACEAE

Azolla filiculoides Lam. = **Azolla rubra**

Azolla rubra R.Br., Prodr. Fl. Nov. Holland. 167 (1810)

BLECHNACEAE

Blechnum aggregatum (Colenso) Tindale sensu Willis (1973) = **Blechnum chambersii**

Blechnum cartilagineum Sw., Syn. Fil. (Swartz): 114 (1806)

Blechnum chambersii Tindale, Flora of the Sydney Region, ed. 2: 86 (1972)

Blechnum fluviatile (R.Br.) E.J.Lowe ex Salomon, Nomencl. Gefässkrypt. 115 (1883)

Blechnum minus (R.Br.) Ettingsh., Denkschr. Kaiserl. Akad. Wiss. Math.-Naturwiss. Kl. 23: 63, t.8 (1864)

Blechnum neohollandicum Christenh., Phytotaxa 19: 20 (2011)

Blechnum nudum (Labill.) Mett. ex Luerss., lora oder Allgemeinen Botanischer Zeitung 59: 292 (1876)

Blechnum parrissiae Christenh., Phytotaxa 19: 20 (2011)

Blechnum patersonii (R.Br.) Mett. subsp. **patersonii**, Fil. Hort. Bot. Lips. 64, t.4 figs. 4-10 (1856)

Blechnum pennamarina (Poir.) Kuhn subsp. **alpina** (R.Br.) T.C.Chambers & P.A.Farrant, Fern Gaz. 15: 96 (1996)

Blechnum procerum (G.Forst.) Sw. sensu Labillardiere (1805) = **Blechnum wattsii**

Blechnum rupestre (Kaulf. ex Link) Christenh. (cited in error) = **Blechnum spinulosum**

Blechnum spinulosum Poir., Encycl. (Lamarck) Suppl. 1: 644 (1810)

Blechnum vulcanicum (Blume) Kuhn, Ann. Mus. Bot. Lugduno-Batavi4: 284 (1869)

Blechnum wattsii Tindale, Contr. New South Wales Natl. Herb. 3: 247 (1963)

Doodia aspera R.Br. = **Blechnum neohollandicum**

Doodia australis (Parris) Parris = **Blechnum parrissiae**

Doodia caudata (Cav.) R.Br. = **Blechnum spinulosum**

Doodia media R.Br. = **Blechnum parrissiae** (Tasmanian plants)

Lomaria alpina Spreng. = **Blechnum pennamarina** subsp. **alpina**

Lomaria capensis (L.) Willd. sensu Bentham (1878) = **Blechnum wattsii** (misapplied in Tasmania)

Lomaria discolor (G.Forst.) Willd. sensu Rodway (1903) = **Blechnum nudum**

Lomaria fluviatilis Spreng. = **Blechnum fluviatile**

Lomaria lanceolata Spreng. = **Blechnum chambersii**

Lomaria patersonii Spreng. = **Blechnum patersonii**

Lomaria procera Spreng. sensu Rodway (1903) = **Blechnum wattsii**

Lomaria procera Spreng. var. *paludosa* Rodway = **Blechnum minus**

Lomaria vulcanica Blume = **Blechnum vulcanicum**

Onoclea nuda Labill. = **Blechnum nudum**

Stegania alpina R.Br. = **Blechnum pennamarina** subsp. **alpina**

Stegania falcata R.Br. = **Blechnum nudum**

Stegania fluviatilis R.Br. = **Blechnum fluviatile**

Stegania lanceolata R.Br. = **Blechnum chambersii**

Stegania minor R.Br. = **Blechnum minus**

Stegania nuda R.Br. = **Blechnum nudum**

Stegania patersonii R.Br. = **Blechnum patersonii**

Stegania procera R.Br. = **Blechnum wattsii**

CULCITACEAE

Calochlaena dubia (R.Br.) M.D.Turner & R.A.White, Amer. Fern J. 78: 92 (1988)

Culcita dubia (R.Br.) Maxon = **Calochlaena dubia**

Davallia dubia R.Br. = **Calochlaena dubia**

CYATHEACEAE

Alsophila australis R.Br. = **Cyathea australis**

Cyathea australis (R.Br.) Domin subsp. **australis**, Pteridophyta: 262 (1929)

Cyathea cunninghamii Hook.f., Icon. Pl. 10: t.985 (1854)

Cyathea × marcescens N.A.Wakef., Vict. Naturalist 59: 33, figs.1-5 (1942)

Cyathea medullaris (G.Forst.) Sw. sensu Bentham (1878) = **Cyathea cunninghamii** (misapplied in Tasmania)

DENNSTAEDTIACEAE

Histiopteris incisa (Thunb.) J.Sm., Hist. Fil. 295 (1875)

Hypolepis amaurochis (Kunze) Hook., Sp. Fil. 2: 62 (1852)

Hypolepis australis N.A.Wakef. = **Hypolepis amaurochis**

- t **Hypolepis distans** Hook., Sp. Fil. 2: 70, t.95c (1852)
Hypolepis glandulifera Brownsey & Chinnock, J. Adelaide Bot. Gard. 10: 16, fig.8 (1987)
Hypolepis muelleri N.A.Wakef., Vict. Naturalist 60: 42 (1943)
Hypolepis punctata (Thunb.) Mett. ex Kuhn sensu Willis (1973) = **Hypolepis glandulifera**
Hypolepis rugosula (Labill.) J.Sm., Bot. Mag., 72 (Companion): 8 (1846)
Hypolepis tenuifolia (G.Forst.) Bernh. ex C.Presl sensu Rodway (1903) = **Hypolepis amaurorachis & H. rugosula**
Pteridium esculentum (G.Forst.) Cockayne = **Pteridium esculentum** subsp. **esculentum**
Pteridium esculentum (G.Forst.) Cockayne subsp. **esculentum**, Report of the Botanical Survey of Tongariro National Park: 34 (1908)

DICKSONIACEAE

- Dicksonia antarctica** Labill., Nov. Holl. Pl. 2: 100, t.249 (1807)
Dicksonia dubia (R.Br.) Gaudich. sensu Hooker (1860) = **Calochlaena dubia**

DRYOPTERIDACEAE

- Aspidium aculeatum (L.) Sw. sensu Bentham (1878) = **Polystichum proliferum** (misapplied in Tasmania)
Aspidium capense Willd. nom. illeg. = **Rumohra adiantiformis**
Aspidium coriaceum (Sw.) Sw. sensu Brown (1810) = **Rumohra adiantiformis**
Aspidium decompositum (R.Br.) Spreng. sensu Bentham (1878) = **Lastreopsis acuminata** (misapplied in Tasmania)
Aspidium proliferum R.Br. = **Polystichum proliferum**
Lastreopsis acuminata (Houlston) C.V.Morton, Contr. U.S. Natl. Herb. 30: 245 (1973)
Lastreopsis hispida (Sw.) Tindale, Vict. Naturalist 73: 183 (1957)
Lastreopsis shepherdii (Kuntze ex Mett.) Tindale = **Lastreopsis acuminata**
Nephrodium decompositum R.Br. sensu Rodway (1903) = **Lastreopsis acuminata**
Nephrodium hispidum (Sw.) Hook. = **Lastreopsis hispida**
Polystichum coriaceum Schott = **Rumohra adiantiformis**
Polystichum proliferum (R.Br.) C.Presl, Tent. Pterid. 83 (1836)
Polystichum vestitum (G.Forst.) C.Presl sensu Rodway (1903) = **Polystichum proliferum**
Rumohra adiantiformis (G.Forst.) Ching, Sinensia 5: 70 (1934)

EQUISETACEAE

- i **Equisetum hyemale** L., Sp. Pl. 2: 1062 (1753)

GLEICHENIACEAE

- e **Gleichenia abscida** Rodway, The Tasmanian Flora: 289 (1903)
e **Gleichenia alpina** R.Br., Prodr. Fl. Nov. Holland. 161 (1810)
Gleichenia circinata Sw. sensu Rodway (1903) = **Gleichenia microphylla**
Gleichenia dicarpa R.Br., Prodr. Fl. Nov. Holland. 161 (1810)
Gleichenia flabellata R.Br. sensu Rodway (1903) = **Sticherus tener & S. urceolatus**
Gleichenia microphylla R.Br., Prodr. Fl. Nov. Holland. 161 (1810)
Gleichenia tenera R.Br. = **Sticherus tener**
Sticherus lobatus N.A.Wakef., Vict. Naturalist 60: 110 (1943)
Sticherus tener (R.Br.) Ching, Sunyatsenia 5: 285 (1940)
Sticherus tener form A sensu Garrett (1996) = **Sticherus urceolatus**
Sticherus tener form B sensu Garrett (1996) = **Sticherus tener**
Sticherus urceolatus M.Garrett & Kantvilas, Muelleria 11: 103 (1998)

GRAMMITIDACEAE

- Ctenopteris heterophylla (Labill.) Tindale = **Notogrammitis heterophylla**
Grammitis sp. A sensu Garrett 1996 = **Notogrammitis garrettii**
Grammitis sp. B sensu Garrett 1996 = **Notogrammitis gunnii**
Grammitis armstrongii Tindale = **Notogrammitis crassior**
Grammitis australis R.Br. = **Notogrammitis billardierei**
Grammitis billardierei Willd. = **Notogrammitis billardierei**
Grammitis garrettii Parris = **Notogrammitis garrettii**
Grammitis gunnii Parris = **Notogrammitis gunnii**
Grammitis heterophylla Labill. = **Notogrammitis heterophylla**
Grammitis leptophylla (L.) Sw. sensu Bentham (1878) = **Anogramma leptophylla** (Adiantaceae)
Grammitis magellanica Desv. subsp. nothofageti Parris = **Notogrammitis angustifolia** subsp.
nothofageti
Grammitis meridionalis Parris = **Notogrammitis angustifolia** subsp. **nothofageti** p.p.maj.
Grammitis poeppigiana (Mett.) Pic.Serm. = **Notogrammitis crassior**
Grammitis pseudociliata Parris = **Notogrammitis pseudociliata**
Grammitis rutifolia R.Br. = **Pleurosorus rutifolius** (Aspleniaceae)
Notogrammitis angustifolia (Jacq.) Parris subsp. **nothofageti** (Parris) Parris, New Zealand J. Bot. 50:
466 (2012)
Notogrammitis billardierei (Willd.) Parris, New Zealand J. Bot. 50: 466 (2012)
Notogrammitis crassior (Kirk) Parris, New Zealand J. Bot. 50: 467 (2012)
e **Notogrammitis garrettii** (Parris) Parris, New Zealand J. Bot. 50: 468 (2012)
t **Notogrammitis gunnii** (Parris) Parris, New Zealand J. Bot. 50: 468 (2012)
Notogrammitis heterophylla (Labill.) Parris, New Zealand J. Bot. 50: 469 (2012)
t **Notogrammitis pseudociliata** (Parris) Parris, New Zealand J. Bot. 50: 469 (2012)

HEMIONITIDIACEAE

- Gymnogramma leptophylla (L.) Desv. = **Anogramma leptophylla** (Adiantaceae)
Gymnogramma rutaefolia Hook. = **Pleurosorus rutifolius** (Aspleniaceae)

HYMENOPHYLLACEAE

- Apteropteris applanata A.M.Gray & R.G.Williams = **Hymenophyllum applanatum**
Crepidomanes venosum (R.Br.) Bostock = **Polyphlebium venosum**
e **Hymenophyllum applanatum** (A.M.Gray & R.G.Williams) Ebihara & K.Iwats., Bull. Natl. Mus. Nat. Sci.,
Tokyo, B. 36: 43 (2010)
Hymenophyllum australe Willd., Sp. Pl., ed. 4 [Willdenow], 5: 527 (1810)
Hymenophyllum crispatum Hook. & Grev. sensu Hooker (1860) = **Hymenophyllum australe**
Hymenophyllum cupressiforme Labill., Nov. Holl. Pl. 2: 102, t.250 fig.2 (1807)
Hymenophyllum flabellatum Labill., Nov. Holl. Pl. 2: 101, t.250 fig.1 (1807)
Hymenophyllum javanicum Spreng. sensu Rodway (1903) = **Hymenophyllum australe**
Hymenophyllum malingii (Hook.) Mett. sensu Rodway (1903) = **Hymenophyllum applanatum**
Hymenophyllum marginatum Hook. & Grev., Icon. Filic. 1: t.34 (1827)
Hymenophyllum nitens R.Br. = **Hymenophyllum flabellatum**
Hymenophyllum peltatum (Poir.) Desv., Mém. Soc. Linn. Paris 6: 333 (1827)
Hymenophyllum rarum R.Br., Prodr. Fl. Nov. Holland. 159 (1810)
Hymenophyllum tunbridgense (L.) Sm. sensu Rodway (1903) = **Hymenophyllum cupressiforme**
Hymenophyllum unilaterale Willd. sensu Hooker (1860) = **Hymenophyllum peltatum**

- Hymenophyllum wilsoni Hook. sensu Rodway (1903) = **Hymenophyllum peltatum**
Mecodium australe (Willd.) Copel. = **Hymenophyllum australe**
Mecodium flabellatum (Labill.) Copel. = **Hymenophyllum flabellatum**
Mecodium rarum (R.Br.) Copel. = **Hymenophyllum rarum**
Polyphlebium venosum (R.Br.) Copel., Philipp. J. Sci. 67: 55 (1938)
Sphaerocionium applanatum (A.M.Gray & R.G.Williams) K.Iwats. = **Hymenophyllum applanatum**
Trichomanes venosum R.Br. = **Polyphlebium venosum**

ISOETACEAE

- Isoetes sp. A sensu Garrett 1996 = **Isoetes Maxwell River (S.J.Jarman HO314082) Tas Herbarium**
e **Isoetes sp. Maxwell River (S.J.Jarman HO314082) Tas Herbarium**
Isoetes drummondii A.Braun subsp. **drummondii**, Monatsber. Königl. Preuss. Akad. Wiss. Berlin 1868: 542 (1869)
e **Isoetes elatior** F.Muell. ex A.Braun, Linnaea 25: 722 (1853)
e **Isoetes gunnii** A.Braun, Monatsber. K. Akad. Wiss. Berlin: 535 (1868)
e **Isoetes humilior** F.Muell. ex A.Braun, Linnaea 25: 722 (1853)
Isoetes lacustris L. sensu Rodway (1903) = **Isoetes elatior, I. humilior & I. gunnii**
Isoetes muelleri A.Braun, Monatsber. K. Akad. Wiss. Berlin: 541 (1868)

LINDSAEACEAE

- Lindsaea cuneata (G.Forst.) C.Chr. = **Lindsaea trichomanoides**
Lindsaea linearis Sw., J. Bot. (Schr.) 1800(2): 78 (1801)
Lindsaea trichomanoides Dryand., Trans. Linn. Soc. London 3: 43, t.11 (1797)

LYCOPODIACEAE

- Huperzia australiana** (Herter) Holub, Folia Geobot. Phytotax. 20: 70 (1985)
Huperzia varia (R.Br.) Trevis. = **Phlegmariurus varius**
t **Lycopodiella diffusa** (R.Br.) B.Ollg., Opera Bot. 92: 176 (1987)
Lycopodiella lateralis (R.Br.) B.Ollg., Opera Bot. 92: 176 (1987)
Lycopodiella serpentina (Kunze) B.Ollg., Opera Bot. 92: 176 (1987)
Lycopodium australianum Herter = **Huperzia australiana**
Lycopodium carolinianum L. sensu Bentham (1878) = **Lycopodiella serpentina** (misapplied in Tasmania)
Lycopodium clavatum L. var. fastigiatum (R.Br.) Benth. nom. illeg. = **Lycopodium fastigiatum**
Lycopodium decurrens R.Br. = **Lycopodium scariosum**
Lycopodium densum Labill. = **Lycopodium deuterodensum**
Lycopodium deuterodensum Herter, Estud. Bot. (Montevideo) 20: 15 (1949)
Lycopodium diffusum R.Br. = **Lycopodiella diffusa**
Lycopodium fastigiatum R.Br., Prodr. Fl. Nov. Holland. 165 (1810)
Lycopodium laterale R.Br. = **Lycopodiella lateralis**
Lycopodium myrtifolium G.Forst. nom. illeg., non L. = **Phlegmariurus varius**
Lycopodium scariosum G.Forst., Fl. Ins. Austr. 87 (1786)
Lycopodium selago L. sensu Rodway (1903) = **Huperzia australiana**
Lycopodium serpentinum Kunze = **Lycopodiella serpentina**
Lycopodium uliginosum Labill. = **Selaginella uliginosa**
Lycopodium varium R.Br. = **Phlegmariurus varius**
Phlegmariurus varius (R.Br.) A.R.Field & Bostock, Phytokeys 20: 49 (2013)
Phylloglossum drummondii Kunze, Bot. Zeitung (Berlin) 1: 721 (1843)

MARSILEACEAE

- i **Marsilea mutica** Mett., Ann. Sci. Nat., Bot., sér. 4, 15: 88 (1861)
Pilularia globulifera L. sensu Rodway (1903) = **Pilularia novae-hollandiae**
Pilularia novae-hollandiae A.Braun, Monatsber. Königl. Preuss. Akad. Wiss. Berlin 1863: 435 (1863)

OPHIOGLOSSACEAE

- x **Botrychium australe** R.Br., Prodr. Fl. Nov. Holland. 164 (1810)
Botrychium lunaria (L.) Sw., J. Bot. (Schrader) 1800(2): 110 (1801)
Botrychium ternatum (Thunb.) Sw. sensu Rodway (1903) = **Botrychium australe**
Botrychium virginianum (L.) Sw. sensu Hooker (1860) = **Botrychium australe**
Ophioglossum lusitanicum L. subsp. **coriaceum** (A.Cunn.) R.T.Clausen, Mem. Torrey Bot. Club 19: 161 (1938)
Ophioglossum vulgatum L. sensu Bentham (1878) = **Ophioglossum lusitanicum** (misapplied in Tasmania)

OSMUNDACEAE

- Todea africana Willd. ex Bernh. nom. illeg. = **Todea barbara**
Todea barbara (L.) T.Moore, Index Fil. (T. Moore): 119 (1857)

POLYPODIACEAE

- Microsorium diversifolium (Willd.) Copel. = **Microsorium pustulatum** subsp. **pustulatum**
Microsorium pustulatum (G.Forst.) Copel. subsp. **pustulatum**, Gen. Fil. [Copeland]: 196 (1947)
Phymatodes billardierei (R.Br.) C.Presl = **Microsorium pustulatum** subsp. **pustulatum**
Phymatosorus pustulatus (G.Forst.) Large, Braggins & P.S.Green = **Microsorium pustulatum** subsp. **pustulatum**
Polypodium australe (R.Br.) Mett. = **Notogrammitis billardierei** (Grammitidaceae)
Polypodium billardierei R.Br. = **Microsorium pustulatum**
Polypodium grammitidis R.Br. = **Notogrammitis heterophylla** (Grammitidaceae)
Polypodium punctatum Thunb. sensu Rodway (1903) = **Hypolepis rugosula** & **H. amaurorachis** (Dennstaedtiaceae)
Polypodium pustulatum G.Forst. = **Microsorium pustulatum**
Polypodium rugosulum Labill. = **Hypolepis rugosula** (Dennstaedtiaceae)
Polypodium scandens Labill. nom. illeg. = **Microsorium pustulatum** subsp. **pustulatum**

PSILOTACEAE

- Psilotum truncatum R.Br. = **Tmesipteris obliqua** (misapplied in Tasmania)
Tmesipteris billardierei Endl. = **Tmesipteris obliqua**
Tmesipteris elongata P.A.Dang., Botaniste 2: 213 (1890-91)
Tmesipteris forsteri Endl. nom. illeg. sensu Hooker (1860) = **Tmesipteris obliqua**
Tmesipteris obliqua Chinnock, Muelleria 8: 60 (1993)
Tmesipteris parva N.A.Wakef., Vict. Naturalist 60: 143 (1944)
Tmesipteris tannensis (Spreng.) Bernh. sensu Rodway (1903) = **Tmesipteris obliqua** p.p.maj.
Tmesipteris tugana H.N.Barber = **Tmesipteris elongata**

PTERIDACEAE

- Litobrochia comans (G.Forst.) C.Presl = **Pteris comans**
Litobrochia incisa (Thunb.) C.Presl = **Histiopteris incisa** (Dennstaedtiaceae)
Pteris aquilina L. sensu Rodway (1903) = **Pteridium esculentum** subsp. **esculentum** (Dennstaedtiaceae)
Pteris comans G.Forst., Fl. Ins. Austr. 79 (1786)
Pteris endlicheriana J.Agardh sensu Hooker (1860) = **Pteris comans**

Pteris esculenta G.Forst. sensu Labillardiere (1805) = ***Pteridium esculentum*** subsp. ***esculentum***
(Dennstaedtiaceae)

Pteris falcata R.Br. = ***Pellaea falcata*** (Adiantaceae)

Pteris incisa Thunb. = ***Histiopteris incisa*** (Deddstaedtiaceae)

Pteris tremula R.Br., Prodr. Fl. Nov. Holland. 154 (1810)

Pteris vespertilionis Labill. = ***Histiopteris incisa*** (Deddstaedtiaceae)

SCHIZAEACEAE

Schizaea asperula N.A.Wakef., Vict. Naturalist 59: 89 (1942)

Schizaea bifida Willd., Abh. Kurfurstl.-Mainz. Akad. Nützl. Wiss. Erfurt 5: 30, t.3 fig.3 (1802)

Schizaea fistulosa Labill., Nov. Holl. Pl. 2: 103, t.250 fig.3 (1807)

SELAGINELLACEAE

Selaginella gracillima (Kunze) Spring ex Salomon, Nomencl. Gefässkrypt. 353 (1883)

Selaginella preissiana Spring sensu Rodway (1903) = ***Selaginella gracillima***

Selaginella uliginosa (Labill.) Spring, Mém. Acad. Roy. Sci. Belgique 24: 60 (1849)

THELYPTERIDACEAE

Cyclosorus penniger (G.Forst.) Ching = ***Pneumatopteris pennigera***

Pneumatopteris pennigera (G.Forst.) Holttum, Blumea 21: 305 (1973)

Macquarie Island Vascular Plant Census

DICOTYLEDONEAE

APIACEAE (UMBELLIFERAE)

- e **Azorella macquariensis** Orchard, Muellera 7: 16 (1989)
Azorella selago Hook.f. (in Macquarie Island) = **Azorella macquariensis**
- t **Hydrocotyle novae-zeelandiae** DC., Prodr. [A. P. de Candolle] 4: 67 (1830)
- t **Stilbocarpa polaris** (Hombr. & Jacquinet ex Hook.f.) A.Gray, U.S. Expl. Exped., Phan. 15: 714 (1854)

ASTERACEAE (COMPOSITAE)

- Cotula plumosa (Hook.f.) Hook.f. = **Leptinella plumosa**
- t **Leptinella plumosa** Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 26 (1844)
- t **Pleurophyllum hookeri** Buchanan, Trans. & Proc. New Zealand Inst. 16: 395 (1884)

BRASSICACEAE (CRUCIFERAE)

- Cardamine corymbosa** Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 6 (1844)
- Cardamine depressa Hook.f. var. stellata (Hook.f.) Hook.f. = **Cardamine corymbosa**
- Cardamine glacialis DC. var. subcarnosa (Hook.f.) O.E.Schulz sensu Cheeseman (1919) = **Cardamine corymbosa**

CALLITRICHACEAE

- Callitriche antarctica** Engelm. ex Hegelm., Verh. Bot. Vereins Prov. Brandenburg 9: 20 (1867)

CARYOPHYLLACEAE

- i **Cerastium fontanum** Baumg. subsp. **fontanum**, Enum. Stirp. Transsilv. 1: 425 (1816)
Cerastium triviale Link sensu Cheeseman (1919) = **Cerastium fontanum** subsp. **fontanum**
(misapplied in Tasmania)
- Colobanthus affinis** (Hook.) Hook.f., Bot. Antarct. Voy. III. (Fl. Tasman.) 1: 45 (1855) 1:74
- t **Colobanthus apetalus** (Labill.) Druce var. **alpinus** (Kirk) L.B.Moore, Fl. New Zealand 1: 214 (1961)
Colobanthus billardierei Fenzl sensu Cheeseman (1919) = **Colobanthus apetalus** var. **alpinus**
(misapplied in Tasmania)
- t **Colobanthus muscoides** Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 14 (1844)
Stellaria decipiens Hook.f. sensu Cheeseman (1919) = **Stellaria parviflora** (misapplied in Tasmania)
- i **Stellaria media** (L.) Vill., Hist. Pl. Dauphiné (Villars) 3: 615 (1789) 1:71
- t **Stellaria parviflora** Banks & Sol. ex Hook.f., Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 25 (1852)

CRASSULACEAE

- t **Crassula moschata** G.Forst., Commentat. Soc. Regiae Sci. Gott. 9: 26 (1789)
Tillaea moschata (G.Forst.) DC. = **Crassula moschata**

HALORAGACEAE

- t **Myriophyllum triphyllum** Orchard, Brunonia 2: 259 (1980)

ONAGRACEAE

- t **Epilobium brunnescens** (Cockayne) P.H.Raven & Engelhorn subsp. **brunnescens**, New Zealand J. Bot. 9: 350 (1971)
 Epilobium linnaeoides Hook.f. = **Epilobium pedunculare**
 Epilobium nummulariifolium A.Cunn. var. nerteroides Hook.f. sensu Cheeseman (1919) =
Epilobium brunnescens subsp. **brunnescens**
- t **Epilobium pedunculare** A.Cunn., Ann. Nat. Hist. 3: 31 (1839)

POLYGONACEAE

FTO 95

- i # x **Rumex crispus** L., Sp. Pl. 1: 335 (1753)

PORTULACACEAE

FTO 100

- Montia fontana** L. subsp. **fontana**, Sp. Pl. 1: 87 (1753)

RANUNCULACEAE

FTO 47

- Ranunculus biternatus Sm. sensu Cheeseman (1919) = **Ranunculus crassipes**
Ranunculus crassipes Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 2: 224 (1845)

ROSACEAE

- Acaena adscendens Vahl Sensu Hooker (1844) = **Acaena magellanica**
Acaena magellanica (Lam.) Vahl, Enum. Pl. [Vahl] 1: 297 (1804)
- t **Acaena minor** (Hook.f.) Allan, Fl. New Zealand 1: 363 (1961)
 Acaena sanguisorbae Vahl var. minor Hook.f. = **Acaena minor**

RUBIACEAE

- t **Coprosma perpusilla** Colenso subsp. **subantarctica** Orchard, Brunonia 9: 133 (1987)
 Coprosma repens Hook.f. (nom. illeg.) = **Coprosma perpusilla** subsp. **subantarctica**
- t **Galium antarcticum** Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 303 bis (1846)

MONOCOTYLEDONEAE

CYPERACEAE

- t **Carex trifida** Cav., Icon. [Cavanilles] 5: 41, t.465 (1799)
- Isolepis aucklandica** Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 88 (1844), pl.50 (1845) 4b:102
 Scirpus aucklandicus (Hook.f.) Boeckeler = **Isolepis aucklandica** 4b:102
- t **Uncinia divaricata** Boott, Bot. Antarct. Voy. II. (Fl. Nov.-Zel.) 1: 286 (1853)
- t **Uncinia hookeri** Boott, Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 91 (1844); pl.51 (1845)
 Uncinia riparia R.Br. var. hookeri (Boott) Kük. = **Uncinia hookeri**

JUNCACEAE

- t **Juncus scheuchzerioides** Gaudich., Ann. Sci. Nat. (Paris) 5: 100 (1825)
 Luzula campestris DC. var. crinita (Hook.f.) Buchenau = **Luzula crinita**
- t **Luzula crinita** Hook.f., Bot. Antarct. Voy. I. (Fl. Antarct.) 1: 84, pl.48 (1844)

ORCHIDACEAE

- n e **Corybas dienemus** D.L.Jones, Fl. Australia 50: 572 (1993) 4a:121
 Corybas macranthus (Hook.f.) Rchb.f. = **Corybas dienemus**
- n e **Corybas sulcatus** (M.A.Clem. & D.L.Jones) G.N.Backh., Vict. Naturalist 127: 56 (2010)
- n **Nematoceras dienemum** (D.L.Jones) D.L.Jones, M.A.Clem. & Molloy = **Corybas dienemus**

n *Nematoceras sulcatum* M.A.Clem. & D.L.Jones = **Corybas sulcatus**

POACEAE (GRAMINEAE)

- i # **Agrostis capillaris** L., Sp. Pl. 1: 62 (1753)
- t **Agrostis magellanica** Lam., Tabl. Encycl. 1: 160 (1791)
- i # **Agrostis stolonifera** L., Sp. Pl. 1: 62 (1753)
- i # x **Anthoxanthum odoratum** L., L., Sp. Pl. 1: 28 (1753)
- Deschampsia cespitosa** (L.) P.Beauv., Ess. Agrostogr. 91: 160, t.18, fig.3 (1812) 4b:242
- t **Deschampsia chapmanii** Petrie, Trans. & Proc. New Zealand Inst. 23: 401 (1891)
Deschampsia penicillata Kirk = **Deschampsia cespitosa**
- t **Festuca contracta** Kirk, Trans. & Proc. New Zealand Inst. 27: 353 (1895)
Festuca erecta d'Urv. nom. illeg. = **Festuca contracta**
- i **Poa annua** L., Sp. Pl. 1: 68 (1753) 4b:211
- Poa cookii** (Hook.f.) Hook.f., Philos. Trans. 168: 22 (1879)
- t **Poa foliosa** (Hook.f.) Hook.f., Handb. N. Zeal. Fl. 338 (1864)
Poa hamiltonii Kirk = **Poa cookii**
- t **Poa litorosa** Cheeseman, Man. New Zealand Fl. 1156 (1906)
- e **Puccinellia macquariensis** (Cheeseman) Allan & Jansen, Trans. & Proc. Roy. Soc. New Zealand 69: 268 (1939)
Triodia macquariensis Cheeseman = **Puccinellia macquariensis**

PTERIDOPHYTA

BLECHNACEAE

- Blechnum pennamarina** (Poir.) Kuhn subsp. **alpina** (R.Br.) T.C.Chambers & P.A.Farrant, Fern Gaz. 15: 96 (1996)
Lomaria penna-marina Trevis. = **Blechnum pennamarina** subsp. **alpina**

DRYOPTERIDACEAE

- Aspidium vestitum* (G.Forst.) Sw. = **Polystichum vestitum**
- t **Polystichum vestitum** (G.Forst.) C.Presl, Tent. Pterid. 83 (1836)

GRAMMITIDACEAE

- Grammitis poeppigiana* (Mett.) Pic.Serm. = **Notogrammitis crassior**
- Notogrammitis crassior** (Kirk) Parris, New Zealand J. Bot. 50: 467 (2012)
- Polypodium australe* (R.Br.) Mett. nom. illeg. sensu Cheeseman (1919) = **Notogrammitis crassior**

HYMENOPHYLLACEAE

- t **Hymenophyllum falklandicum** Baker, Syn. Fil. (Hooker & Baker), ed. 2: 68 (1874)

LYCOPODIACEAE

- Huperzia australiana** (Herter) Holub, Folia Geobot. Phytotax. 20: 70 (1985)
Lycopodium varium R.Br. sensu Cheeseman (1919) = **Huperzia australiana**

APPENDIX I: CHANGES IN THE CENSUS BETWEEN THE 2016 AND 2017 EDITIONS

Ia: Taxa new to the Tasmanian Census

DICOTYLEDONEAE

ASTERACEAE

Chrysocephalum semipapposum

subsp. **asperum** (Steetz) Paul
G.Wilson

Chrysocephalum semipapposum

subsp. **lineare** Paul G.Wilson

Microseris walteri Gand.
e **Xerochrysum alpinum** Paul
G.Wilson

EPACRIDACEAE

e **Leptecophylla pogonocalyx** subsp.
decipiens Jarman

APPENDIX I: CHANGES IN THE CENSUS BETWEEN THE 2016 AND 2017 EDITIONS

Ib: Taxa that have changed names between 2016 and 2017

DICOTYLEDONEAE

ASTERACEAE

Helichrysum milliganii = **Xerochrysum milliganii** (*Taxon* 64: 106 [2015])

EPACRIDACEAE

Leptecophylla juniperina subsp. oxycedrus =
Leptecophylla oxycedrus (*Swainsona* 31: 1 [2017])

Leptecophylla juniperina subsp. parvifolia =
Leptecophylla parvifolia (*Swainsona* 31: 7 [2017])

FABACEAE

Medicago falcata = **Medicago sativa**
nothosubsp. × **varia** (previously
misapplied)

MIMOSACEAE

Acacia implexa = **Acacia uncifolia** (previously
misapplied)

THYMELEACEAE

Pimelea sp. Freycinet (A.M.Buchanan 15902) Tas
Herbarium = **Pimelea leiophylla**

MONOCOTYLEDONEAE

ORCHIDACEAE

Nematoceras dienemum = **Corybas dienemus**

Nematoceras sulcatum = **Corybas sulcatus**

APPENDIX I: CHANGES IN THE CENSUS BETWEEN THE 2016 AND 2017 EDITIONS

Ic: Taxa that have changed status between 2016 and 2017

DICOTYLEDONEAE

ASTERACEAE

- ix *Cynara cardunculus* subsp. *flavescens*
- ix *Onopordum acaulon*
- ix *Pilosella officinarum* subsp. *officinarum*
- i *Senecio angulatus*

BORAGINACEAE

- i *Lithospermum officinale*

BRASSICACEAE

Cardamine tryssa is no longer considered extinct in Tasmania (recently collected in the Central Plateau)

- i *Lunaria annua*
- i *Nasturtium microphyllum*

CRASSULACEAE

- i *Crassula natans* var. *minus*

CUSCUTACEAE

- ix *Cuscuta suaveolens*

FABACEAE

- i *Securigera varia*

GERANIACEAE

- i *Geranium yeoi*

MALVACEAE

- i *Malva pseudolavatera*

MIMOSACEAE

- i *Acacia baileyana*

MYRTACEAE

- e *Melaleuca virens* is endemic to Tasmania (previous versions were not listed as endemic in error)

PROTEACEAE

- ix *Hakea laurina*

RANUNCULACEAE

- i *Aquilegia vulgaris*
- i *Ranunculus acris* subsp. *acris*
- i *Ranunculus trilobus*

ROSACEAE

- i *Rubus philadelphicus*
- i *Rubus rubritinctus*

SOLANACEAE

- i *Physalis peruviana*
- i *Solanum triflorum*

MONOCOTYLEDONEAE

ALOACEAE

- i *Kniphofia uvaria*

CYPERACEAE

- i *Isolepis hystrix*

POACEAE

- i *Eleusine tristachya*
- i *Eragrostis curvula*
- i *Hordeum hystrix*

APPENDIX I: CHANGES IN THE CENSUS BETWEEN THE 2016 AND 2017 EDITIONS

Id: Taxa now not considered to be part of the Tasmanian Flora

DICOTYLEDONEAE

AMARANTHACEAE

- Amaranthus graecizans subsp. silvestris †
- Amaranthus spinosus †

APIACEAE

- Aegopodium podagraria †

ASTERACEAE

- i* Centaurea calcitrapa
- i* Centaurea cyanus
- Centaurea solstitialis †
- i* Lactuca serriola f. integrifolia
- i* Matricaria chamomilla
- Taraxacum kok-saghyz †

BASELLACEAE

- i* Anredera cordifolia

BETULACEAE

- Alnus cordata †
- i* Alnus glutinosa

BORAGINACEAE

- i* Symphytum × uplandicum

BRASSICACEAE

- i* Brassica oleracea
- Carrichtera annua †
- Eruca sativa †
- Lepidium heterophyllum †
- i* Raphanus maritimus
- i* Thlaspi arvense

CALLITRICHACEAE

- i* Callitriche brutia

CAMPANULACEAE

- i* Campanula rapunculoides

CAPRIFOLIACEAE

- i* Viburnum tinus

CARYOPHYLLACEAE

- Silene conica †

- i* Stellaria graminea
- Vaccaria hispanica †

CHENOPODIACEAE

- i* Bassia scoparia
- Chenopodium foliosum †

CLUSIACEAE

- Hypericum humifusum †

EPACRIDACEAE

- Leptecophylla juniperina after the revision by Jarman & Kantvilas (2017) *L. juniperina* is no longer found in Tasmania

ERICACEAE

- i* Arbutus unedo

EUPHORBIACEAE

- i* Euphorbia stricta

FABACEAE

- Hedysarum coronarium †
- Onobrychis viciifolia †
- Trifolium uniflorum †

FUMARIACEAE

- i* Fumaria officinalis
- Pseudofumaria alba subsp. alba †

GERANIACEAE

- i* Erodium malacoides

LENTIBULARIACEAE

- i* Utricularia gibba

MALVACEAE

- Hibiscus trionum †

ONAGRACEAE

- i* Epilobium nummulariifolium

POLEMONIACEAE

- Collomia grandiflora †

PORTULACACEAE

Claytonia perfoliata subsp. *perfoliata* †

PRIMULACEAE

i* *Lysimachia minima*

RANUNCULACEAE

i* *Adonis microcarpa*
Ranunculus arvensis †
Ranunculus flammula subsp. *flammula* †
Ranunculus sceleratus subsp. *sceleratus* †

RUBIACEAE

Galium tricornutum †

SALICACEAE

i* *Salix alba*
i* *Salix matsudana*
i* *Salix* × *calodendron*
i* *Salix* × *rubens*
i* *Salix* × *sepulcralis*

SCROPHULARIACEAE

i* *Kickxia spuria*
Veronica peregrina †

SOLANACEAE

Hyoscyamus albus †
Nicotiana sylvestris †
i* *Solanum nodiflorum*

URTICACEAE

i* *Paretaria judaica*

MONOCOTYLEDONEAE

CYPERACEAE

i* *Carex bauxbaumii*
i* *Carex pilulifera*
i* *Carex scoparia*
Carex testacea †

HYDROCHARITACEAE

Lagarosiphon major †

POACEAE

i* *Aira cupaniana*
i* *Avellinia michelii*
Dichanthium sericeum subsp. *sericeum* †
Digitaria ciliaris †
Digitaria ternata †
Echinochloa oryzoides †
i* *Eragrostis tenuifolia*
i* *Glyceria plicata*
i* *Holcus mollis*
i* *Molineriella minuta*
Panicum capillare †
i* *Panicum gilvum*
Setaria pumila subsp. *pumila* †
Sorghum bicolor †
i* *Sorghum halepense*

* Taxa marked as doubtfully naturalised are no longer considered to be part of the Tasmanian flora

† Taxa for which there is insufficient evidence that they have ever naturalised (Baker *et al.* in preparation)

REFERENCES

- ABRS (Australian Biological Resources Study) (Australian Government: Department of the Environment, Water, Heritage and the Arts). <http://www.environment.gov.au/biodiversity/abrs/index.html>
- APG II (2003) An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG II. *Botanical Journal of the Linnean Society* 141: 399–436.
- Baker ML, de Salas MF (2012) *A Census of the Vascular Plants of Tasmania & Index to The Student's Flora of Tasmania & Flora of Tasmania Online* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart) www.tmag.tas.gov.au
- Baker ML, de Salas MF (2013) *A Census of the Vascular Plants of Tasmania & Index to The Student's Flora of Tasmania & Flora of Tasmania Online* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart) www.tmag.tas.gov.au
- Baker ML, Duretto MF (2011) *A Census of the Vascular Plants of Tasmania & Index to The Student's Flora of Tasmania & Flora of Tasmania Online* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart) www.tmag.tas.gov.au
- Bentham G (1863) *Flora Australiensis*, Vol. I. (Lovell Reeve and Co.: London)
- Bentham G (1864) *Flora Australiensis*, Vol. II (Lovell Reeve and Co.: London)
- Bentham G (1867) *Flora Australiensis*, Vol. III (Lovell Reeve and Co.: London)
- Bentham G (1868) *Flora Australiensis*, Vol. IV (Lovell Reeve and Co.: London)
- Bentham G (1870) *Flora Australiensis*, Vol. V (Lovell Reeve and Co.: London)
- Bentham G (1873) *Flora Australiensis*, Vol. VI (Lovell Reeve and Co.: London)
- Bentham G (1878) *Flora Australiensis*, Vol. VII (Lovell Reeve and Co.: London)
- Brown R (1810) *Prodromus Florae Novae Hollandiae et Insulae van-Diemen* (Richard Taylor & Son: London)
- Buchanan AM (1995) *A Census of the Vascular Plants of Tasmania & Index to The Student's Flora of Tasmania*. Tasmanian Herbarium Occasional Publication No. 5 (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart)
- Buchanan AM (1999) *A Census of the Vascular Plants of Tasmania & Index to The Student's Flora of Tasmania*. 3rd edn. Tasmanian Herbarium Occasional Publication No. 6 (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart)
- Buchanan AM (2004) *A Census of the Vascular Plants of Tasmania & Index to The Student's Flora of Tasmania* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart) www.tmag.tas.gov.au
- Buchanan AM (2005) *A Census of the Vascular Plants of Tasmania & Index to The Student's Flora of Tasmania*. 4th edn. Tasmanian Herbarium Occasional Publication No. 7 (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart)
- Buchanan AM (2007) *A Census of the Vascular Plants of Tasmania & Index to The Student's Flora of Tasmania* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart) www.tmag.tas.gov.au
- Buchanan AM (2009) *A Census of the Vascular Plants of Tasmania & Index to The Student's Flora of Tasmania* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart) www.tmag.tas.gov.au
- Buchanan AM, McGeary-Brown A, Orchard AE (1989) *A Census of the Vascular Plants of Tasmania*. Tasmanian Herbarium Occasional Publication No. 2 (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart)

- Cheeseman TF (1919) The vascular flora of Macquarie Island. *Australasian Antarctic Expedition 1911–1914. Scientific Reports. Series C. Zoology and Botany.* Volume VII, Part 3. 63 pp. (Government Printer: Sydney)
- Cronquist AJ (1981) *An Integrated System of Classification of Flowering Plants.* (Columbia University Press: New York)
- Curtis (1956) *The Student's Flora of Tasmania Part I – Gymnospermae; Angiospermae: Ranunculaceae to Myrtaceae.* 1st edn. (Government Printer: Hobart)
- Curtis WM (1963) *The Student's Flora of Tasmania Part 2 – Angiospermae: Lythraceae to Epacridaceae.* (Government Printer: Hobart)
- Curtis WM (1967) *The Student's Flora of Tasmania Part 3 – Angiospermae: Plumbaginaceae to Salicaceae.* (Government Printer: Hobart)
- Curtis WM (1979) *The Student's Flora of Tasmania Part 4A – Angiospermae: Orchidaceae.* (Government Printer: Hobart)
- Curtis WM, Morris DI (1975) *The Student's Flora of Tasmania Part I – Gymnospermae; Angiospermae: Ranunculaceae to Myrtaceae.* 2nd edn. (Government Printer: Hobart)
- Curtis WM, Morris DI (1994) *The Student's Flora of Tasmania Part 4B – Angiospermae: Alismataceae to Burmanniaceae.* (St. Davids Park Publishing: Hobart)
- de Salas MF, Baker ML (2014) *A Census of the Vascular Plants of Tasmania & Index to The Student's Flora of Tasmania & Flora of Tasmania Online* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart) www.tmag.tas.gov.au
- de Salas MF, Baker ML (2015) *A Census of the Vascular Plants of Tasmania including Macquarie Island* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart) www.tmag.tas.gov.au
- de Salas MF, Baker ML (2016) *A Census of the Vascular Plants of Tasmania including Macquarie Island* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart) www.tmag.tas.gov.au
- Duretto MF (2009+) *Flora of Tasmania Online* (Tas. Herbarium, Tas. Museum & Art Gallery: Hobart). www.tmag.tas.gov.au/floratasmania
- Garrett M (1996) *The Ferns of Tasmania; Their Ecology and Distribution* (Tasmanian Forest Research Council: Hobart)
- Harris S, Buchanan A, Connolly A (2001) *One Hundred Islands: The Flora of the Outer Fureaux.* (Tasmanian DPIWE: Hobart). p. 197
- Henderson RJF in George AS (Ed) (1987) *Flora of Australia* 45: 209–214, 477–479 (ABRS: Canberra)
- Hewson HJ in George AS (Ed) (1982) *Flora of Australia* 8: 313, map 366 (ABRS: Canberra)
- Hooker JD (1844) *The Botany of the Antarctic Voyage of H. M. Discovery Ships Erebus and Terror in the Years 1839 – 1843 Under the Command of Captain Sir James Clark Ross. Part I: Flora Antarctica* (Reeve Brothers: London)
- Hooker JD (1847) Contributions towards a Flora of Van Diemen's Land. *London Journal of Botany* 6: 461(bis)–479(bis)
- Hooker JD (1860) *The Botany of the Antarctic Voyage of H. M. Discovery Ships Erebus and Terror in the Years 1839 – 1843 Under the Command of Captain Sir James Clark Ross. Part III: Flora Tasmaniae* (Reeve Brothers: London)
- Jarman SJ and Kantvilas GK (2017) *Leptecophylla* in Tasmania: a reassessment of four species. *Swainsona* 31: 1–16

- Labillardiere JJH de (1804–1807) *Novae Hollandiae Plantarum Specimen* (Typographia Dominae Huzard: Paris)
- Maiden JH, Betche E (1916) *A Census of New South Wales Plants* (W. A. Gullick, Government Printer: Sydney)
- McCarthy PM (1998) Ferns, Gymnosperms and Allied Groups. *Flora of Australia* 48. (ABRS: Canberra)
- Morris DI (1977) Miscellaneous notes on endemic Tasmanian plants in the genera *Olearia*, *Ixodia*, *Danthonia*, *Tetrarrhena*. *Records of the Queen Victoria Museum* 55: 1–5
- Raphael TD (1955) Tasmanian garden escapes. *Papers and Proceedings of the Royal Society of Tasmania* 89: 147–150
- Rodway L (1903) *The Tasmanian Flora*. (Government Printer: Hobart)
- Rye BL (1990) Thymelaeaceae. *Flora of Australia* 18: 181, Map 247 (ABRS: Canberra)
- Smith JJ (1912) Epacridaceae. *Nova Guinea* 8: 797
- Townrow JES (1969) A species list of and keys to the grasses of Tasmania. *Papers and Proceedings of the Royal Society of Tasmania* 103: 69–96
- Townrow J (1978) *Papers and Proceedings of the Royal Society of Tasmania* 112
- Willis JH (1970) *A Handbook to Plants in Victoria*. (Melbourne Uni. Press: Melbourne)
- Willis JH (1973) *A Handbook to Plants of Victoria. Vol. 1 – Ferns, Conifers and Monocotyledons*. Ed. 2 (Melbourne Uni. Press: Melbourne)

APPENDIX 2. FAMILY PLACEMENT OF GENERA IN THIS CENSUS

(see Introduction for details regarding this appendix. Names not in current use in Tasmania are indented and in italics)

Abrotanella	Asteraceae	D	Alopecurus	Poaceae	M
Acacia	Mimosaceae	D	<i>Alsophila</i>	Cyatheaceae	P
Acaena	Rosaceae	D	Alstroemeria	Liliaceae	M
Acanthus	Acanthaceae	D	Alternanthera	Amaranthaceae	D
Acer	Aceraceae	D	<i>Alyssum</i>	Brassicaceae	D
Acetosa	Polygonaceae	D	Alyxia	Apocynaceae	D
Acetosella	Polygonaceae	D	Amaranthus	Amaranthaceae	D
Achillea	Asteraceae	D	Amelichloa	Poaceae	M
<i>Achnatherum</i>	Poaceae	M	Ammi	Apiaceae	D
Acianthus	Orchidaceae	M	Ammobium	Asteraceae	D
<i>Acion</i>	Restionaceae	M	Ammophila	Poaceae	M
<i>Aciphylla</i>	Apiaceae	D	Amperea	Euphorbiaceae	D
Acradenia	Rutaceae	D	Amphibolis	Cymodoceaceae	M
Acrothamnus	Epacridaceae	D	Amphibromus	Poaceae	M
Acrotriche	Epacridaceae	D	Amsinckia	Boraginaceae	D
Actinotus	Apiaceae	D	<i>Anagallis</i>	Primulaceae	D
Actites	Asteraceae	D	Anchusa	Boraginaceae	D
Adiantum	Adiantaceae	P	Androstoma	Epacridaceae	D
Adonis	Ranunculaceae	D	Anemone	Ranunculaceae	D
<i>Adriana</i>	Euphorbiaceae	D	Angianthus	Asteraceae	D
<i>Aegopodium</i>	Apiaceae	D	<i>Anguillaria</i>	Liliaceae	M
Aeonium	Crassulaceae	D	Anigozanthos	Haemodoraceae	M
Agapanthus	Liliaceae	M	Anisodonteia	Malvaceae	D
Agastachys	Proteaceae	D	Anisotome	Apiaceae	D
Agave	Agavaceae	M	Anodopetalum	Cunoniaceae	D
<i>Agropyron</i>	Poaceae	M	Anogramma	Adiantaceae	P
Agrostemma	Caryophyllaceae	D	Anopterus	Escalloniaceae	D
Agrostis	Poaceae	M	Anredera	Basellaceae	D
Aira	Poaceae	M	Anthemis	Asteraceae	D
Ajuga	Lamiaceae	D	<i>Anthericum</i>	Liliaceae	M
<i>Albizia</i>	Mimosaceae	D	<i>Anthistiria</i>	Poaceae	M
<i>Alchemilla</i>	Rosaceae	D	<i>Anthocercis</i>	Solanaceae	D
<i>Alepyrum</i>	Centrolepidaceae	M	Anthosachne	Poaceae	M
<i>Aletris</i>	Liliaceae	M	Anthoxanthum	Poaceae	M
Alisma	Alismataceae	M	Anthriscus	Apiaceae	D
<i>Allantodia</i>	Athyriaceae	P	<i>Anthyllis</i>	Fabaceae	D
Allittia	Asteraceae	D	Antirrhinum	Scrophulariaceae	D
Allium	Liliaceae	M	<i>Anzybas</i>	Orchidaceae	M
Allocasuarina	Casuarinaceae	D	Aotus	Fabaceae	D
Almaleea	Fabaceae	D	Apalochlamys	Asteraceae	D
Alnus	Betulaceae	D	Aphanes	Rosaceae	D
Aloe	Aloeaceae	M	Aphelia	Centrolepidaceae	M

Apium	Apiaceae	D	Austrostipa	Poaceae	M
Apodasmia	Restionaceae	M	Avellinia	Poaceae	M
Aponogeton	Aponogetonaceae	M	Avena	Poaceae	M
<i>Aptenia</i>	Aizoaceae	D	Azolla	Azollaceae	P
<i>Apteropteris</i>	Hymenophyllaceae	P	Azorella	Apiaceae	D
Aquilegia	Ranunculaceae	D	Baeckea	Myrtaceae	D
Arabidopsis	Brassicaceae	D	Ballantinia	Brassicaceae	D
<i>Arachnorchis</i>	Orchidaceae	M	Baloskion	Restionaceae	M
Arbutus	Ericaceae	D	Banksia	Proteaceae	D
Archeria	Epacridaceae	D	Barbarea	Brassicaceae	D
Arctium	Asteraceae	D	Bartsia	Scrophulariaceae	D
Arctotheca	Asteraceae	D	Bassia	Chenopodiaceae	D
Arctotis	Asteraceae	D	<i>Batrachium</i>	Ranunculaceae	D
Arenaria	Caryophyllaceae	D	Bauera	Cunoniaceae	D
Argemone	Papaveraceae	D	Baumea	Cyperaceae	M
Argentina	Rosaceae	D	Bedfordia	Asteraceae	D
Argentipallium	Asteraceae	D	<i>Bellardia</i>	Scrophulariaceae	D
Argyrotegium	Asteraceae	D	Bellenden	Proteaceae	D
Aristida	Poaceae	M	Bellis	Asteraceae	D
Aristotelia	Elaeocarpaceae	D	Berberis	Berberidaceae	D
Arrhenatherum	Poaceae	M	Berkheya	Asteraceae	D
<i>Arthrochilus</i>	Orchidaceae	M	Bertya	Euphorbiaceae	D
<i>Arthrocnemum</i>	Chenopodiaceae	D	Beta	Chenopodiaceae	D
Arthropodium	Liliaceae	M	Betula	Betulaceae	D
<i>Arundo</i>	Poaceae	M	Beyeria	Euphorbiaceae	D
<i>Ascyrum</i>	Clusiaceae	D	Billardiera	Pittosporaceae	D
Asparagus	Liliaceae	M	Blandfordia	Liliaceae	M
Asperula	Rubiaceae	D	Blechnum	Blechnaceae	P
Asphodelus	Liliaceae	M	<i>Boisduvalia</i>	Onagraceae	D
<i>Aspidium</i>	Dryopteridaceae	P	Bolboschoenus	Cyperaceae	M
Asplenium	Aspleniaceae	P	Borago	Boraginaceae	D
Astelia	Liliaceae	M	Boronia	Rutaceae	D
<i>Aster</i>	Asteraceae	D	Bossiaea	Fabaceae	D
Asterotrichion	Malvaceae	D	Bothriochloa	Poaceae	M
Astroloma	Epacridaceae	D	Botrychium	Ophioglossaceae	P
Atherosperma	Monimiaceae	D	<i>Brachyglottis</i>	Asteraceae	D
Athrotaxis	Cupressaceae	G	Brachyloma	Epacridaceae	D
<i>Athyrium</i>	Athyriaceae	P	Brachypodium	Poaceae	M
Atriplex	Chenopodiaceae	D	Brachyscome	Asteraceae	D
Australina	Urticaceae	D	<i>Bracteantha</i>	Asteraceae	D
Australopyrum	Poaceae	M	Brassica	Brassicaceae	D
Austrocynoglossum	Boraginaceae	D	Briza	Poaceae	M
<i>Austrodanthonia</i>	Poaceae	M	Bromus	Poaceae	M
Austroderia	Poaceae	M	<i>Brossaea</i>	Ericaceae	D
Austrofestuca	Poaceae	M	Brunonia	Brunoniaceae	D

Buddleja	Buddlejaceae	D	<i>Carpodontos</i>	Eucryphiaceae	D
Buglossoides	Boraginaceae	D	<i>Carrichtera</i>	Brassicaceae	D
Bulbine	Liliaceae	M	Carthamus	Asteraceae	D
<i>Bunochilus</i>	Orchidaceae	M	Cassinia	Asteraceae	D
Burchardia	Liliaceae	M	Cassytha	Lauraceae	D
Burnettia	Orchidaceae	M	<i>Casuarina</i>	Casuarinaceae	D
Bursaria	Pittosporaceae	D	Catapodium	Poaceae	M
<i>Cacalia</i>	Asteraceae	D	<i>Caucalis</i>	Apiaceae	D
<i>Caenopteris</i>	Aspleniaceae	P	<i>Caulinia</i>	Posidoniaceae	M
Caesia	Liliaceae	M	Caustis	Cyperaceae	M
Cakile	Brassicaceae	D	Cedronella	Lamiaceae	D
Caladenia	Orchidaceae	M	Celmisia	Asteraceae	D
Calamagrostis	Poaceae	M	<i>Celsia</i>	Scrophulariaceae	D
Calandrinia	Portulacaceae	D	Cenarrhenes	Proteaceae	D
<i>Caldasia</i>	Apiaceae	D	Cenchrus	Poaceae	M
<i>Calea</i>	Asteraceae	D	Centaurea	Asteraceae	D
Caleana	Orchidaceae	M	Centaurium	Gentianaceae	D
Calendula	Asteraceae	D	Centella	Apiaceae	D
Callistachys	Fabaceae	D	Centipeda	Asteraceae	D
<i>Callistemon</i>	Myrtaceae	D	Centranthus	Valerianaceae	D
Callitriche	Callitrichaceae	D	Centrolepis	Centrolepidaceae	M
Callitris	Cupressaceae	G	Centropappus	Asteraceae	D
Calluna	Ericaceae	D	Cerastium	Caryophyllaceae	D
Calocephalus	Asteraceae	D	<i>Ceratochloa</i>	Poaceae	M
Calochilus	Orchidaceae	M	<i>Chaetospora</i>	Cyperaceae	M
Calochlaena	Culcitaceae	P	Chamaecytisus	Fabaceae	D
<i>Calonema</i>	Orchidaceae	M	Chamaemelum	Asteraceae	D
<i>Calonemorchis</i>	Orchidaceae	M	Chamaescilla	Liliaceae	M
Calorophus	Restionaceae	M	<i>Chamaesyce</i>	Euphorbiaceae	D
<i>Caltha</i>	Ranunculaceae	D	Chasmanthe	Iridaceae	M
<i>Calycotrix</i>	Myrtaceae	D	<i>Cheesemania</i>	Brassicaceae	D
Calystegia	Convolvulaceae	D	Cheilanthes	Adiantaceae	P
Calytrix	Myrtaceae	D	Chenopodium	Chenopodiaceae	D
Camelina	Brassicaceae	D	Chiloglottis	Orchidaceae	M
Campanula	Campanulaceae	D	Chionogentias	Gentianaceae	D
Campynema	Liliaceae	M	<i>Chionohebe</i>	Scrophulariaceae	D
<i>Candollea</i>	Stylidiaceae	D	<i>Chlorophytum</i>	Liliaceae	M
<i>Canthium</i>	Rubiaceae	D	<i>Chondrilla</i>	Asteraceae	D
Capsella	Brassicaceae	D	Chordifex	Restionaceae	M
Cardamine	Brassicaceae	D	Chorizandra	Cyperaceae	M
<i>Cardaria</i>	Brassicaceae	D	Chrysanthemoides	Asteraceae	D
Carduus	Asteraceae	D	<i>Chrysanthemum</i>	Asteraceae	D
Carex	Cyperaceae	M	Chrysocephalum	Asteraceae	D
Carpha	Cyperaceae	M	<i>Chrysocoma</i>	Asteraceae	D
Carpobrotus	Aizoaceae	D	Cicendia	Gentianaceae	D

Cichorium	Asteraceae	D	Cullen	Fabaceae	D
Cirsium	Asteraceae	D	<i>Cuphonotus</i>	Brassicaceae	D
Cistus	Cistaceae	D	Cuscuta	Cuscutaceae	D
Cladium	Cyperaceae	M	<i>Cyanicula</i>	Orchidaceae	M
<i>Claytonia</i>	Portulacaceae	D	Cyathea	Cyatheaceae	P
Clematis	Ranunculaceae	D	Cyathodes	Epacridaceae	D
<i>Cnicus</i>	Asteraceae	D	<i>Cyclosorus</i>	Thelypteridaceae	P
Coleonema	Rutaceae	D	Cyclosporum	Apiaceae	D
<i>Collomia</i>	Polemoniaceae	D	Cynogeton	Juncaginaceae	M
Colobanthus	Caryophyllaceae	D	Cymbalaria	Scrophulariaceae	D
Comesperma	Polygalaceae	D	Cymbonotus	Asteraceae	D
Conium	Apiaceae	D	<i>Cymodocea</i>	Cymodoceaceae	M
Conospermum	Proteaceae	D	Cynara	Asteraceae	D
Convolvulus	Convolvulaceae	D	Cynodon	Poaceae	M
Conyza	Asteraceae	D	Cynoglossum	Boraginaceae	D
Cooperhooikia	Goodeniaceae	D	Cynosurus	Poaceae	M
Coprosma	Rubiaceae	D	Cyperus	Cyperaceae	M
Cordyline	Agavaceae	M	Cyphanthera	Solanaceae	D
Coronidium	Asteraceae	D	Cyrtostylis	Orchidaceae	M
<i>Coronilla</i>	Fabaceae	D	<i>Cystanthe</i>	Epacridaceae	D
<i>Coronopus</i>	Brassicaceae	D	Cystopteris	Athyriaceae	P
Correa	Rutaceae	D	Cytisus	Fabaceae	D
Cortaderia	Poaceae	M	<i>Dacrydium</i>	Podocarpaceae	G
Corunastylis	Orchidaceae	M	Dactylis	Poaceae	M
Corybas	Orchidaceae	M	Damasonium	Alismataceae	M
<i>Corysanthes</i>	Orchidaceae	M	Dampiera	Goodeniaceae	D
<i>Cota</i>	Asteraceae	D	Danthonia	Poaceae	M
Cotoneaster	Rosaceae	D	Daphne	Thymelaeaceae	D
Cotula	Asteraceae	D	Datura	Solanaceae	D
Cotyledon	Crassulaceae	D	Daucus	Apiaceae	D
<i>Crangonorchis</i>	Orchidaceae	M	<i>Davallia</i>	Culcitaceae	P
<i>Crantzia</i>	Apiaceae	D	Daviesia	Fabaceae	D
Craspedia	Asteraceae	D	<i>Decaspora</i>	Epacridaceae	D
Crassula	Crassulaceae	D	Delairea	Asteraceae	D
Crataegus	Rosaceae	D	<i>Dendrobium</i>	Orchidaceae	M
<i>Crepidomanes</i>	Hymenophyllaceae	P	<i>Derwentia</i>	Scrophulariaceae	D
Crepis	Asteraceae	D	Deschampsia	Poaceae	M
<i>Critesion</i>	Poaceae	M	Desmodium	Fabaceae	D
Crocsmia	Iridaceae	M	<i>Devauxia</i>	Centrolepidaceae	M
Cryptandra	Rhamnaceae	D	Deyeuxia	Poaceae	M
<i>Cryptostemma</i>	Asteraceae	D	Dianella	Liliaceae	M
Cryptostylis	Orchidaceae	M	Dianthus	Caryophyllaceae	D
<i>Ctenopteris</i>	Grammitidaceae	P	<i>Dichanthium</i>	Poaceae	M
Cucumis	Cucurbitaceae	D	Dichelachne	Poaceae	M
<i>Culcita</i>	Culcitaceae	P	Dichondra	Convolvulaceae	D

<i>Dichopogon</i>	Liliaceae	M	Echium	Boraginaceae	D
Dichosciadium	Apiaceae	D	Egeria	Hydrocharitaceae	M
Dicksonia	Dicksoniaceae	P	Ehrharta	Poaceae	M
<i>Didiscus</i>	Apiaceae	D	Einadia	Chenopodiaceae	D
<i>Didymotheca</i>	Gyrostemonaceae	D	Elaeocarpus	Elaeocarpaceae	D
Digitalis	Scrophulariaceae	D	Elatine	Elatinaceae	D
Digitaria	Poaceae	M	Eleocharis	Cyperaceae	M
<i>Dillenia</i>	Dilleniaceae	D	Eleusine	Poaceae	M
Dillwynia	Fabaceae	D	Elodea	Hydrocharitaceae	M
Dimorphotheca	Asteraceae	D	<i>Elymus</i>	Poaceae	M
Diplarrena	Iridaceae	M	<i>Elynanthus</i>	Cyperaceae	M
Diplaspis	Apiaceae	D	Elytrigia	Poaceae	M
<i>Diplax</i>	Poaceae	M	<i>Embothrium</i>	Proteaceae	D
Diplazium	Athyriaceae	P	Emex	Polygonaceae	D
<i>Diplodium</i>	Orchidaceae	M	Empodisma	Restionaceae	M
Diplotaxis	Brassicaceae	D	Enneapogon	Poaceae	M
Dipodium	Orchidaceae	M	Epacris	Epacridaceae	D
Dipogon	Fabaceae	D	Epilobium	Onagraceae	D
Dipsacus	Dipsacaceae	D	<i>Epipactis</i>	Orchidaceae	M
Disa	Orchidaceae	M	Equisetum	Equisetaceae	P
<i>Disarrenum</i>	Poaceae	M	Eragrostis	Poaceae	M
Discaria	Rhamnaceae	D	<i>Erechtites</i>	Asteraceae	D
Diselma	Cupressaceae	G	Erica	Ericaceae	D
<i>Disperis</i>	Orchidaceae	M	Erigeron	Asteraceae	D
Disphyma	Aizoaceae	D	Eriochilus	Orchidaceae	M
Distichlis	Poaceae	M	<i>Eriostemon</i>	Rutaceae	D
Dittrichia	Asteraceae	D	Erodium	Geraniaceae	D
Diuris	Orchidaceae	M	Erophila	Brassicaceae	D
Dockrillia	Orchidaceae	M	<i>Eruca</i>	Brassicaceae	D
Dodonaea	Sapindaceae	D	Eryngium	Apiaceae	D
<i>Dolichos</i>	Fabaceae	D	<i>Erythraea</i>	Gentianaceae	D
Donatia	Donatiaceae	D	Erythranthe	Scrophulariaceae	D
<i>Doodia</i>	Blechnaceae	P	<i>Erythranthera</i>	Poaceae	M
Draba	Brassicaceae	D	Eschscholzia	Papaveraceae	D
Dracophyllum	Epacridaceae	D	Eucalyptus	Myrtaceae	D
<i>Drapetes</i>	Thymelaeaceae	D	Euchiton	Asteraceae	D
<i>Drimys</i>	Winteraceae	D	Eucryphia	Eucryphiaceae	D
Drosanthemum	Aizoaceae	D	Euonymus	Celastraceae	D
Drosera	Droseraceae	D	<i>Eupatorium</i>	Asteraceae	D
Drymophila	Liliaceae	M	Euphorbia	Euphorbiaceae	D
Dryopoa	Poaceae	M	Euphrasia	Scrophulariaceae	D
Dysphania	Chenopodiaceae	D	<i>Eurybia</i>	Asteraceae	D
Eballium	Cucurbitaceae	D	Eurychorda	Restionaceae	M
Echinochloa	Poaceae	M	Euryomyrtus	Myrtaceae	D
Echinopogon	Poaceae	M	Euryops	Asteraceae	D

Eutaxia	Fabaceae	D	Glossodia	Orchidaceae	M
Ewartia	Asteraceae	D	Glossostigma	Scrophulariaceae	D
<i>Exacum</i>	Gentianaceae	D	Glyceria	Poaceae	M
<i>Exarrhena</i>	Boraginaceae	D	Glycine	Fabaceae	D
Exocarpos	Santalaceae	D	Gnaphalium	Asteraceae	D
<i>Fabricia</i>	Myrtaceae	D	Gomphocarpus	Asclepiadaceae	D
<i>Fagus</i>	Fagaceae	D	Gompholobium	Fabaceae	D
Fallopia	Polygonaceae	D	Gonocarpus	Haloragaceae	D
<i>Felicia</i>	Asteraceae	D	Goodenia	Goodeniaceae	D
Festuca	Poaceae	M	Goodia	Fabaceae	D
Ficinia	Cyperaceae	M	<i>Grammitis</i>	Grammitidaceae	P
<i>Filago</i>	Asteraceae	D	Gratiola	Scrophulariaceae	D
<i>Fitzroya</i>	Cupressaceae	G	Grevillea	Proteaceae	D
Foeniculum	Apiaceae	D	Griselinia	Cornaceae	D
Forstera	Stylidiaceae	D	Gunnera	Gunneraceae	D
Frankenia	Frankeniaceae	D	<i>Gunnia</i>	Orchidaceae	M
Fraxinus	Oleaceae	D	<i>Gymnogramma</i>	Hemionitidiaceae	P
Freesia	Iridaceae	M	Gymnoschoenus	Cyperaceae	M
<i>Frenela</i>	Cupressaceae	G	Gynatrix	Malvaceae	D
Fuchsia	Onagraceae	D	Gypsophila	Caryophyllaceae	D
Fumaria	Fumariaceae	D	Gyrostemon	Gyrostemonaceae	D
<i>Fuscospora</i>	Fagaceae	D	Haemodorum	Haemodoraceae	M
Gahnia	Cyperaceae	M	Hainardia	Poaceae	M
Gaimardia	Centrolepidaceae	M	Hakea	Proteaceae	D
Galenia	Aizoaceae	D	Halophila	Hydrocharitaceae	M
Galinsoga	Asteraceae	D	Haloragis	Haloragaceae	D
Galium	Rubiaceae	D	Hardenbergia	Fabaceae	D
Gamochaeta	Asteraceae	D	<i>Hebe</i>	Scrophulariaceae	D
Gastridium	Poaceae	M	Hedera	Araliaceae	D
Gastrodia	Orchidaceae	M	Hedycarya	Monimiaceae	D
Gaudinia	Poaceae	M	<i>Hedypnois</i>	Asteraceae	D
Gaultheria	Ericaceae	D	<i>Hedysarum</i>	Fabaceae	D
Gazania	Asteraceae	D	Helichrysum	Asteraceae	D
Genista	Fabaceae	D	<i>Helipterum</i>	Asteraceae	D
<i>Genoplesium</i>	Orchidaceae	M	<i>Helminthia</i>	Asteraceae	D
<i>Genosiris</i>	Iridaceae	M	Helminthotheca	Asteraceae	D
<i>Gentiana</i>	Gentianaceae	D	<i>Helxine</i>	Urticaceae	D
Gentianella	Gentianaceae	D	Hemarthria	Poaceae	M
Geococcus	Brassicaceae	D	Hemichroa	Amaranthaceae	D
Geranium	Geraniaceae	D	Herpolirion	Liliaceae	M
Geum	Rosaceae	D	Hesperantha	Iridaceae	M
<i>Githago</i>	Caryophyllaceae	D	Hesperocyparis	Cupressaceae	G
Gladiolus	Iridaceae	M	Heterozostera	Zosteraceae	M
Glaucium	Papaveraceae	D	<i>Hewardia</i>	Iridaceae	M
Gleichenia	Gleicheniaceae	P	Hibbertia	Dilleniaceae	D

<i>Hibiscus</i>	Malvaceae	D	<i>Jonesiopsis</i>	Orchidaceae	M
<i>Hieracium</i>	Asteraceae	D	Juncus	Juncaceae	M
Hierochloa	Poaceae	M	Kelleria	Thymelaeaceae	D
Hirschfeldia	Brassicaceae	D	Kennedia	Fabaceae	D
Histiopteris	Dennstaedtiaceae	P	Kickxia	Scrophulariaceae	D
Holcus	Poaceae	M	Kniphofia	Aloeaceae	M
<i>Homeria</i>	Iridaceae	M	Koeleria	Poaceae	M
Hookerochloa	Poaceae	M	<i>Kohlrauschia</i>	Caryophyllaceae	D
Hordeum	Poaceae	M	Kunzea	Myrtaceae	D
Hornungia	Brassicaceae	D	Laburnum	Fabaceae	D
Hovea	Fabaceae	D	Lachnagrostis	Poaceae	M
Humulus	Cannabaceae	D	Lactuca	Asteraceae	D
Huperzia	Lycopodiaceae	P	<i>Lagarosiphon</i>	Hydrocharitaceae	M
<i>Hutchinsia</i>	Brassicaceae	D	Lagarostrobos	Podocarpaceae	G
Hyalosperma	Asteraceae	D	Lagenophora	Asteraceae	D
<i>Hydatella</i>	Hydatellaceae	M	Lagurus	Poaceae	M
Hydrocotyle	Apiaceae	D	Lamium	Lamiaceae	D
Hydrorchis	Orchidaceae	M	<i>Lampocarya</i>	Cyperaceae	M
<i>Hylogyne</i>	Proteaceae	D	Lampranthus	Aizoaceae	D
<i>Hymenanthera</i>	Violaceae	D	Landoltia	Lemnaceae	M
<i>Hymenochilus</i>	Orchidaceae	M	Lapsana	Asteraceae	D
<i>Hymenolobus</i>	Brassicaceae	D	Lasiopetalum	Sterculiaceae	D
Hymenophyllum	Hymenophyllaceae	P	Lasiospermum	Asteraceae	D
<i>Hyoscyamus</i>	Solanaceae	D	Lastreopsis	Dryopteridaceae	P
Hypericum	Clusiaceae	D	Lathyrus	Fabaceae	D
Hypochaeris	Asteraceae	D	Lavandula	Lamiaceae	D
Hypolaena	Restionaceae	M	<i>Lavatera</i>	Malvaceae	D
Hypolepis	Dennstaedtiaceae	P	Lawrencia	Malvaceae	D
Hypoxis	Liliaceae	M	Laxmannia	Liliaceae	M
Ilex	Aquifoliaceae	D	Leiocarpa	Asteraceae	D
Imperata	Poaceae	M	Leionema	Rutaceae	D
Indigofera	Fabaceae	D	Lemna	Lemnaceae	M
<i>Inula</i>	Asteraceae	D	Leonotis	Lamiaceae	D
Ipomoea	Convolvulaceae	D	Leontodon	Asteraceae	D
Iris	Iridaceae	M	Lepidium	Brassicaceae	D
Isachne	Poaceae	M	Lepidosperma	Cyperaceae	M
Isoetes	Isoetaceae	P	Lepilaena	Zannichelliaceae	M
Isoetopsis	Asteraceae	D	Leptecophylla	Epacridaceae	D
Isolepis	Cyperaceae	M	Leptinella	Asteraceae	D
Isophysis	Iridaceae	M	Leptocarpus	Restionaceae	M
Isopogon	Proteaceae	D	Leptoceras	Orchidaceae	M
Isotoma	Campanulaceae	D	<i>Leptocyamus</i>	Fabaceae	D
Ixia	Iridaceae	M	Leptomeria	Santalaceae	D
<i>Ixiolaena</i>	Asteraceae	D	Leptorhynchus	Asteraceae	D
<i>Ixodia</i>	Asteraceae	D	Leptospermum	Myrtaceae	D

<i>Lepturus</i>	Poaceae	M	<i>Lyonsia</i>	Apocynaceae	D
Lepyrodia	Restionaceae	M	Lyperanthus	Orchidaceae	M
Leucanthemum	Asteraceae	D	Lysimachia	Primulaceae	D
Leucochrysum	Asteraceae	D	Lythrum	Lythraceae	D
Leucojum	Liliaceae	M	<i>Malaxis</i>	Orchidaceae	M
Leucophyta	Asteraceae	D	Malus	Rosaceae	D
Leucopogon	Epacridaceae	D	Malva	Malvaceae	D
Levenhookia	Stylidiaceae	D	<i>Marianthus</i>	Pittosporaceae	D
Leycesteria	Caprifoliaceae	D	Marrubium	Lamiaceae	D
Leymus	Poaceae	M	Marsilea	Marsileaceae	P
Libertia	Iridaceae	M	Matricaria	Asteraceae	D
Ligustrum	Oleaceae	D	Matthiola	Brassicaceae	D
Lilaeopsis	Apiaceae	D	Maytenus	Celastraceae	D
<i>Limnanthemum</i>	Menyanthaceae	D	Mazus	Scrophulariaceae	D
Limonium	Plumbaginaceae	D	<i>Mecodium</i>	Hymenophyllaceae	P
Limosella	Scrophulariaceae	D	Medicago	Fabaceae	D
Linaria	Scrophulariaceae	D	<i>Meionectes</i>	Haloragaceae	D
Lindsaea	Lindsaeaceae	P	Melaleuca	Myrtaceae	D
<i>Linguella</i>	Orchidaceae	M	<i>Melandrium</i>	Caryophyllaceae	D
Linum	Linaceae	D	Melicytus	Violaceae	D
Liparophyllum	Menyanthaceae	D	Melilotus	Fabaceae	D
Lissanthe	Epacridaceae	D	Melissa	Lamiaceae	D
Lithospermum	Boraginaceae	D	Mentha	Lamiaceae	D
<i>Litobrochia</i>	Pteridaceae	P	Mesembryanthemum	Aizoaceae	D
Lobelia	Campanulaceae	D	<i>Mesomelaena</i>	Cyperaceae	M
Lobularia	Brassicaceae	D	Micranthemum	Euphorbiaceae	D
Logfia	Asteraceae	D	Microcachrys	Podocarpaceae	G
Lolium	Poaceae	M	Microlaena	Poaceae	M
Lomandra	Xanthorrhoeaceae	M	Microseris	Asteraceae	D
<i>Lomaria</i>	Blechnaceae	P	Microsorium	Polypodiaceae	P
Lomatia	Proteaceae	D	<i>Microstrobos</i>	Podocarpaceae	G
Lonicera	Caprifoliaceae	D	Microtidium	Orchidaceae	M
<i>Lophochloa</i>	Poaceae	M	Microtis	Orchidaceae	M
<i>Lophopyrum</i>	Poaceae	M	Milligania	Liliaceae	M
<i>Lophozonia</i>	Fagaceae	D	Millotia	Asteraceae	D
Lotus	Fabaceae	D	<i>Mimosa</i>	Mimosaceae	D
Lunaria	Brassicaceae	D	<i>Mimulus</i>	Scrophulariaceae	D
Lupinus	Fabaceae	D	Minuartia	Caryophyllaceae	D
Luzula	Juncaceae	M	Mirabilis	Nyctaginaceae	D
<i>Lychnis</i>	Caryophyllaceae	D	Mirbelia	Fabaceae	D
Lycium	Solanaceae	D	Mitrasacme	Loganiaceae	D
Lycopodiella	Lycopodiaceae	P	<i>Mniarum</i>	Caryophyllaceae	D
Lycopodium	Lycopodiaceae	P	Modiola	Malvaceae	D
<i>Lycopsis</i>	Boraginaceae	D	Moenchia	Caryophyllaceae	D
Lycopus	Lamiaceae	D	Molineriella	Poaceae	M

<i>Monerma</i>	Poaceae	M	Ophioglossum	Ophioglossaceae	P
Monotoca	Epacridaceae	D	Oreobolus	Cyperaceae	M
Montia	Portulacaceae	D	Oreomyrrhis	Apiaceae	D
Montitega	Epacridaceae	D	<i>Oreoporanthera</i>	Euphorbiaceae	D
Moraea	Iridaceae	M	Orites	Proteaceae	D
Muehlenbeckia	Polygonaceae	D	Ornduffia	Menyanthaceae	D
Muscari	Liliaceae	M	Ornithogalum	Liliaceae	M
Myoporum	Myoporaceae	D	Ornithopus	Fabaceae	D
Myosotis	Boraginaceae	D	Orobanche	Orobanchaceae	D
Myosurus	Ranunculaceae	D	Orthoceras	Orchidaceae	M
<i>Myriogyne</i>	Asteraceae	D	<i>Oryzopsis</i>	Poaceae	M
Myriophyllum	Haloragaceae	D	Oschatzia	Apiaceae	D
<i>Myrsiphyllum</i>	Liliaceae	M	<i>Osteospermum</i>	Asteraceae	D
Nablonium	Asteraceae	D	Ourisia	Scrophulariaceae	D
<i>Nanozostera</i>	Zosteraceae	M	Oxalis	Oxalidaceae	D
Narcissus	Liliaceae	M	Oxylobium	Fabaceae	D
Nardus	Poaceae	M	Ozothamnus	Asteraceae	D
Nassella	Poaceae	M	Pachycladon	Brassicaceae	D
Nasturtium	Brassicaceae	D	<i>Panax</i>	Araliaceae	D
Navarretia	Polemoniaceae	D	Pandorea	Bignoniaceae	D
<i>Nemacianthus</i>	Orchidaceae	M	Panicum	Poaceae	M
<i>Nematoceras</i>	Orchidaceae	M	Papaver	Papaveraceae	D
Nematolepis	Rutaceae	D	Pappochroma	Asteraceae	D
<i>Neopaxia</i>	Portulacaceae	D	<i>Paquerina</i>	Asteraceae	D
Nepeta	Lamiaceae	D	Paracaleana	Orchidaceae	M
<i>Nephrodium</i>	Dryopteridaceae	P	<i>Parahebe</i>	Scrophulariaceae	D
Nertera	Rubiaceae	D	Parapholis	Poaceae	M
Nicotiana	Solanaceae	D	Paraserianthes	Mimosaceae	D
Nonea	Boraginaceae	D	Parentucellia	Scrophulariaceae	D
Notelaea	Oleaceae	D	Parietaria	Urticaceae	D
Nothofagus	Fagaceae	D	Paronychia	Caryophyllaceae	D
<i>Nothopanax</i>	Araliaceae	D	Parsonsia	Apocynaceae	D
Nothoscordum	Liliaceae	M	<i>Paspalidium</i>	Poaceae	M
<i>Notodanthonia</i>	Poaceae	M	Paspalum	Poaceae	M
Notogrammitis	Grammitidaceae	P	Passiflora	Passifloraceae	D
<i>Nymphoides</i>	Menyanthaceae	D	Pastinaca	Apiaceae	D
Odixia	Asteraceae	D	Patersonia	Iridaceae	M
Oenothera	Onagraceae	D	Pauridia	Liliaceae	M
Olearia	Asteraceae	D	Pelargonium	Geraniaceae	D
<i>Oligochaetochilus</i>	Orchidaceae	M	Pellaea	Adiantaceae	P
<i>Onobrychis</i>	Fabaceae	D	<i>Pennisetum</i>	Poaceae	M
<i>Onoclea</i>	Blechnaceae	P	Pentachondra	Epacridaceae	D
Ononis	Fabaceae	D	Pentaglottis	Boraginaceae	D
Onopordum	Asteraceae	D	Pentapogon	Poaceae	M
Opercularia	Rubiaceae	D	<i>Pernettya</i>	Ericaceae	D

Persicaria	Polygonaceae	D	Podalyria	Fabaceae	D
Persoonia	Proteaceae	D	Podocarpus	Podocarpaceae	G
<i>Petalochilus</i>	Orchidaceae	M	Podolepis	Asteraceae	D
Petasites	Asteraceae	D	<i>Podosperma</i>	Asteraceae	D
Petrorhagia	Caryophyllaceae	D	Podotheca	Asteraceae	D
Petroselinum	Apiaceae	D	Polycarpon	Caryophyllaceae	D
Phacelia	Hydrophyllaceae	D	Polygala	Polygalaceae	D
Phalaris	Poaceae	M	Polygonum	Polygonaceae	D
Phebalium	Rutaceae	D	Polyphlebium	Hymenophyllaceae	P
Pheladenia	Orchidaceae	M	<i>Polypodium</i>	Grammitidaceae	P
Pherosphaera	Podocarpaceae	G	<i>Polypodium</i>	Polypodiaceae	P
Philotheca	Rutaceae	D	Polypogon	Poaceae	M
Phlegmariusus	Lycopodiaceae	P	<i>Polypompholyx</i>	Lentibulariaceae	D
Phleum	Poaceae	M	Polyscias	Araliaceae	D
Phormium	Agavaceae	M	Polystichum	Dryopteridaceae	P
Phragmites	Poaceae	M	Pomaderris	Rhamnaceae	D
Phyllachne	Stylidiaceae	D	Populus	Salicaceae	D
Phyllangium	Loganiaceae	D	Poranthera	Euphorbiaceae	D
Phyllanthus	Euphorbiaceae	D	Portulaca	Portulacaceae	D
Phyllocladus	Podocarpaceae	G	Posidonia	Posidoniaceae	M
Phylloglossum	Lycopodiaceae	P	Potamogeton	Potamogetonaceae	M
Phyllota	Fabaceae	D	Potentilla	Rosaceae	D
<i>Phymatodes</i>	Polypodiaceae	P	<i>Poterium</i>	Rosaceae	D
<i>Phymatosorus</i>	Polypodiaceae	P	Prasophyllum	Orchidaceae	M
Physalis	Solanaceae	D	<i>Pratia</i>	Campanulaceae	D
Phytolacca	Phytolaccaceae	D	Prionotes	Epacridaceae	D
Picris	Asteraceae	D	Prostanthera	Lamiaceae	D
<i>Pilitis</i>	Epacridaceae	D	Prunella	Lamiaceae	D
Pilosella	Asteraceae	D	Prunus	Rosaceae	D
Pilularia	Marsileaceae	P	<i>Psamma</i>	Poaceae	M
Pimelea	Thymelaeaceae	D	Pseudanthus	Euphorbiaceae	D
Pinus	Pinaceae	G	<i>Pseudofumaria</i>	Fumariaceae	D
Piptatherum	Poaceae	M	<i>Pseudognaphalium</i>	Asteraceae	D
Pittosporum	Pittosporaceae	D	Pseudopanax	Araliaceae	D
<i>Plagianthus</i>	Malvaceae	D	<i>Psilotum</i>	Psilotaceae	P
Planocarpa	Epacridaceae	D	Psoralea	Fabaceae	D
Plantago	Plantaginaceae	D	Psychrophila	Ranunculaceae	D
Platylobium	Fabaceae	D	Pteridium	Dennstaedtiaceae	P
<i>Platyloma</i>	Adiantaceae	P	Pteris	Pteridaceae	P
<i>Pleurandra</i>	Dilleniaceae	D	Pterostylis	Orchidaceae	M
Pleurophyllum	Asteraceae	D	Pterygopappus	Asteraceae	D
Pleurosorus	Aspleniaceae	P	Ptilotus	Amaranthaceae	D
<i>Plumatichilos</i>	Orchidaceae	M	Puccinellia	Poaceae	M
Pneumatopteris	Thelypteridaceae	P	Pultenaea	Fabaceae	D
Poa	Poaceae	M	<i>Pygmea</i>	Scrophulariaceae	D

Pyrorchis	Orchidaceae	M	Scaevola	Goodeniaceae	D
<i>Racosperma</i>	Mimosaceae	D	Scandix	Apiaceae	D
Ranunculus	Ranunculaceae	D	<i>Schedonorus</i>	Poaceae	M
<i>Raoulia</i>	Asteraceae	D	Schenkia	Gentianaceae	D
Raphanus	Brassicaceae	D	Schizacme	Loganiaceae	D
Rapistrum	Brassicaceae	D	Schizaea	Schizaeaceae	P
Reseda	Resedaceae	D	<i>Schizostylis</i>	Iridaceae	M
<i>Restio</i>	Restionaceae	M	<i>Schoenodum</i>	Restionaceae	M
<i>Reynoutria</i>	Polygonaceae	D	<i>Schoenoides</i>	Cyperaceae	M
<i>Rhagadiolus</i>	Asteraceae	D	Schoenoplectus	Cyperaceae	M
Rhagodia	Chenopodiaceae	D	Schoenus	Cyperaceae	M
Rhamnus	Rhamnaceae	D	Scilla	Liliaceae	M
Rhodanthe	Asteraceae	D	<i>Scirpus</i>	Cyperaceae	M
Rhododendron	Ericaceae	D	Scleranthus	Caryophyllaceae	D
Rhytidosporum	Pittosporaceae	D	Sclerochloa	Poaceae	M
Ribes	Grossulariaceae	D	<i>Scleroleima</i>	Asteraceae	D
<i>Richea</i>	Asteraceae	D	<i>Sclerostegia</i>	Chenopodiaceae	D
Richea	Epacridaceae	D	Scorzonera	Asteraceae	D
Ricinocarpus	Euphorbiaceae	D	Scrophularia	Scrophulariaceae	D
<i>Roepera</i>	Zygophyllaceae	D	Scutellaria	Lamiaceae	D
Romulea	Iridaceae	M	Sebaea	Gentianaceae	D
Rorippa	Brassicaceae	D	Secale	Poaceae	M
Rosa	Rosaceae	D	Securigera	Fabaceae	D
Rostraria	Poaceae	M	Sedum	Crassulaceae	D
Rubus	Rosaceae	D	Selaginella	Selaginellaceae	P
Rumex	Polygonaceae	D	Selliera	Goodeniaceae	D
Rumohra	Dryopteridaceae	P	<i>Senebiera</i>	Brassicaceae	D
Ruppia	Ruppiaceae	M	Senecio	Asteraceae	D
<i>Rutidosia</i>	Asteraceae	D	Setaria	Poaceae	M
Rytidosperma	Poaceae	M	<i>Sheffieldia</i>	Primulaceae	D
Sagina	Caryophyllaceae	D	Sherardia	Rubiaceae	D
<i>Salicornia</i>	Chenopodiaceae	D	Sicyos	Cucurbitaceae	D
Salix	Salicaceae	D	<i>Sieglingia</i>	Poaceae	M
Salpichroa	Solanaceae	D	Sigesbeckia	Asteraceae	D
Salsola	Chenopodiaceae	D	Silene	Caryophyllaceae	D
Salvia	Lamiaceae	D	Siloxerus	Asteraceae	D
Sambucus	Caprifoliaceae	D	Silybum	Asteraceae	D
Samolus	Primulaceae	D	<i>Simpliglottis</i>	Orchidaceae	M
Sanguisorba	Rosaceae	D	Sinapis	Brassicaceae	D
Saponaria	Caryophyllaceae	D	Sisymbrium	Brassicaceae	D
Sarcochilus	Orchidaceae	M	Sisyrrinchium	Iridaceae	M
Sarcocornia	Chenopodiaceae	D	<i>Skirrhophorus</i>	Asteraceae	D
<i>Sarothamnus</i>	Fabaceae	D	Solanum	Solanaceae	D
Saxipoa	Poaceae	M	Soleirolia	Urticaceae	D
Scabiosa	Dipsacaceae	D	Solenogyne	Asteraceae	D

Soliva	Asteraceae	D	Syzygium	Myrtaceae	D
<i>Sollya</i>	Pittosporaceae	D	Tanacetum	Asteraceae	D
Sonchus	Asteraceae	D	Taraxacum	Asteraceae	D
Sorbus	Rosaceae	D	Tasmania	Winteraceae	D
Sorghum	Poaceae	M	<i>Taurantha</i>	Orchidaceae	M
Sowerbaea	Liliaceae	M	<i>Taxanthemea</i>	Plumbaginaceae	D
Sparaxis	Iridaceae	M	Tecticornia	Chenopodiaceae	D
Spartina	Poaceae	M	Teesdalia	Brassicaceae	D
Spartium	Fabaceae	D	Telopea	Proteaceae	D
<i>Speculantha</i>	Orchidaceae	M	Tetracarpaea	Escalloniaceae	D
Spergula	Caryophyllaceae	D	Tetragonia	Aizoaceae	D
Spergularia	Caryophyllaceae	D	Tetralia	Cyperaceae	M
<i>Sphaerocionium</i>	Hymenophyllaceae	P	Tetrarrhena	Poaceae	M
Sphaerolobium	Fabaceae	D	Tetratheca	Tremandraceae	D
<i>Spiculaea</i>	Orchidaceae	M	Teucrium	Lamiaceae	D
Spinifex	Poaceae	M	Thelionema	Liliaceae	M
Spiranthes	Orchidaceae	M	Thelymitra	Orchidaceae	M
<i>Spirodela</i>	Lemnaceae	M	Themeda	Poaceae	M
Sporadanthus	Restionaceae	M	Thesium	Santalaceae	D
Sporobolus	Poaceae	M	Thinopyrum	Poaceae	M
Sprengelia	Epacridaceae	D	Thismia	Burmanniaceae	M
Spyridium	Rhamnaceae	D	Thlaspi	Brassicaceae	D
Stachys	Lamiaceae	D	<i>Thonandia</i>	Poaceae	M
Stackhousia	Stackhousiaceae	D	Threlkeldia	Chenopodiaceae	D
<i>Statice</i>	Plumbaginaceae	D	Thryptomene	Myrtaceae	D
<i>Stegania</i>	Blechnaceae	P	Thynninorchis	Orchidaceae	M
<i>Stegostyla</i>	Orchidaceae	M	Thyridia	Scrophulariaceae	D
Stellaria	Caryophyllaceae	D	Thysanotus	Liliaceae	M
Stenanthemum	Rhamnaceae	D	<i>Tillaea</i>	Crassulaceae	D
<i>Stenanthera</i>	Epacridaceae	D	Tmesipteris	Psilotaceae	P
Stenopetalum	Brassicaceae	D	Todea	Osmundaceae	P
Stenotaphrum	Poaceae	M	Tolpis	Asteraceae	D
Sticherus	Gleicheniaceae	P	Torilis	Apiaceae	D
Stilbocarpa	Apiaceae	D	Townsonia	Orchidaceae	M
<i>Stipa</i>	Poaceae	M	Trachymene	Apiaceae	D
Stonesiella	Fabaceae	D	Tradescantia	Commelinaceae	M
Stuckenia	Potamogetonaceae	M	Tragopogon	Asteraceae	D
Stylidium	Stylidiaceae	D	<i>Trichinium</i>	Amaranthaceae	D
<i>Stypantra</i>	Liliaceae	M	<i>Trichomanes</i>	Hymenophyllaceae	P
Styphelia	Epacridaceae	D	<i>Trichonema</i>	Iridaceae	M
Suaeda	Chenopodiaceae	D	Tricoryne	Liliaceae	M
<i>Sullivania</i>	Orchidaceae	M	Tricostularia	Cyperaceae	M
Swainsona	Fabaceae	D	Trifolium	Fabaceae	D
Symphyotrichum	Asteraceae	D	Triglochin	Juncaginaceae	M
Symphytum	Boraginaceae	D	<i>Trigonella</i>	Fabaceae	D

<i>Triodia</i>	Poaceae	M	<i>Villarsia</i>	Menyanthaceae	D
Tripleurospermum	Asteraceae	D	Viminaria	Fabaceae	D
Triptilodiscus	Asteraceae	D	Vinca	Apocynaceae	D
Trisetum	Poaceae	M	Viola	Violaceae	D
Trithuria	Hydatellaceae	M	Vittadinia	Asteraceae	D
Triticum	Poaceae	M	Vulpia	Poaceae	M
Tritonia	Iridaceae	M	Wahlenbergia	Campanulaceae	D
Trochocarpa	Epacridaceae	D	Watsonia	Iridaceae	M
Tropaeolum	Tropaeolaceae	D	Westringia	Lamiaceae	D
Typha	Typhaceae	M	Wilsonia	Convolvulaceae	D
Ulex	Fabaceae	D	Winifredia	Restionaceae	M
Ulmus	Ulmaceae	D	Wolffia	Lemnaceae	M
Uncinia	Cyperaceae	M	Wurmbea	Liliaceae	M
<i>Uniola</i>	Poaceae	M	Xanthium	Asteraceae	D
<i>Urochilus</i>	Orchidaceae	M	Xanthorrhoea	Xanthorrhoeaceae	M
Urospermum	Asteraceae	D	Xanthosia	Apiaceae	D
Urtica	Urticaceae	D	Xerochrysum	Asteraceae	D
Utricularia	Lentibulariaceae	D	<i>Xerotes</i>	Xanthorrhoeaceae	M
<i>Vaccaria</i>	Caryophyllaceae	D	Xyris	Xyridaceae	M
Valerianella	Valerianaceae	D	<i>Zannichellia</i>	Zannichelliaceae	M
Vallisneria	Hydrocharitaceae	M	Zantedeschia	Araceae	M
<i>Valvaria</i>	Ranunculaceae	D	Zieria	Rutaceae	D
Velleia	Goodeniaceae	D	Zostera	Zosteraceae	M
Vellereophyton	Asteraceae	D	Zoysia	Poaceae	M
Verbascum	Scrophulariaceae	D	Zygophyllum	Zygophyllaceae	D
Verbena	Verbenaceae	D	<i>*Agropogon</i>	Poaceae	M
Veronica	Scrophulariaceae	D	<i>*Calassodia</i>	Orchidaceae	M
Viburnum	Caprifoliaceae	D	<i>*Glossadenia</i>	Orchidaceae	M
Vicia	Fabaceae	D	<i>*Taurodium</i>	Orchidaceae	M